

**PHASE I ENVIRONMENTAL SITE ASSESSMENT
231, 235, 237, 241, 245, 249 REACH STREET,
UXBRIDGE, ONTARIO**

Prepared for:

Palmer Environmental Consulting Group Inc.
374 Wellington Street West, Suite 3,
Toronto, ON, M5V 1E3

Attention: Mr. Bobby Katanchi

Prepared By:

SIRATI & PARTNERS CONSULTANTS LTD.

Project: SP17-275-20-01
February 20, 2018
(revised on March 14, 2018)



Sirati & Partners Consultants Ltd.
Geotechnical & Environmental Services
Engineering Solutions

750 Millway Avenue, Unit 8
Vaughan, Ontario L4K 3T7
Tel: 905.669.4477
Fax: 905.669.4488

www.spconsultantsltd.ca

TABLE OF CONTENTS

SECTION	PAGE (S)
1.0 EXECUTIVE SUMMARY	1
2.0 INTRODUCTION	3
2.1 PHASE I PROPERTY INFORMATION	3
2.2 CONTACT INFORMATION	4
2.3 SITE DESCRIPTION	4
2.4 STRUCTURES	4
2.5 OBJECTIVES OF INVESTIGATION	4
3.0 SCOPE OF INVESTIGATION	6
3.1 RECORDS REVIEW	6
3.2 SITE RECONNAISSANCE	7
3.3 INTERVIEWS	8
3.4 DOCUMENTATION AND EVALUATION OF INFORMATION	8
4.0 RECORDS REVIEW	9
4.1 GENERAL	9
4.1.1 Phase I Study Area Determination	9
4.1.2 First Developed Use Determination	9
4.1.3 Fire Insurance Plans	9
4.1.4 Chain of Title	10
4.1.5 Environmental Reports	10
4.1.6 Review of Other Historical Information	10
4.2 ENVIRONMENTAL SOURCE INFORMATION	10
4.2.1 Ontario Ministry of the Environment and Climate Change	10
4.2.2 MOECC Databases	10
4.2.3 MNR National Heritage Information Centre Database	11
4.2.4 Simcoe Lake Conservation Authority (SLCA)	11
4.2.5 Request for Information: Technical Standards and Safety Authority	11

4.2.6	EcoLog ERIS Information.....	12
4.3	PHYSICAL SETTING SOURCES	12
4.3.1	Aerial Photographs and Historical Mapping	12
4.3.2	Topography, Hydrology, Geology	13
4.3.3	Fill Materials	13
4.3.4	Water Bodies and Areas of Natural Significance.....	13
4.3.5	Well Records	14
4.4	SITE OPERATING RECORDS	14
5.0	INTERVIEWS.....	15
5.1	PERSONNEL INTERVIEWED.....	15
5.2	RESULTS OF INTERVIEW.....	15
6.0	SITE RECONNAISSANCE.....	16
6.1	GENERAL REQUIREMENTS	16
6.2	SPECIFIC OBSERVATIONS AT PHASE I PROPERTY	16
6.2.1	General Description.....	16
6.2.2	Building Description	16
6.2.3	Exterior Site Conditions	18
6.2.4	Below Ground Structures	18
6.2.5	Aboveground Storage Tanks	18
6.2.6	Underground Storage Tanks.....	18
6.2.7	Other Storage Containers	18
6.2.8	Water Sources.....	18
6.2.9	Underground Utility and Services	19
6.2.10	Building Exit and Entry Points.....	19
6.2.11	Heating and Cooling Systems	19
6.2.12	Drains, Pits and Sumps.....	19
6.2.13	Hydraulic Equipment	19
6.2.14	Unidentified Substances	19
6.2.15	Staining and Corrosion.....	19

6.2.16	Wells.....	19
6.2.17	Sewage Works.....	20
6.2.18	Ground Surface.....	20
6.2.19	Railways.....	20
6.2.20	Stained and Odorous Soils.....	20
6.2.21	Stressed Vegetation.....	20
6.2.22	Fill Materials.....	20
6.2.23	Watercourses, Ditches or Standing Water.....	20
6.2.24	Air Emissions.....	20
6.2.25	Roads, Parking Facilities, and Rights-of-Way.....	20
6.2.26	Special Attention Items.....	21
6.3	INVESTIGATION OF PHASE I STUDY AREA.....	22
6.4	WRITTEN DESCRIPTION OF INVESTIGATION.....	22
7.0	DISCUSSION AND CONCLUSIONS.....	24
8.0	REFERENCES.....	26
9.0	LIMITATIONS AND USE OF THE REPORT.....	27
10.0	QUALIFICATIONS OF THE ASSESSOR.....	29

FIGURES

- Figure 1 – Site Location Plan
- Figure 2 – Site Plan
- Figure 3 – 250 m Study Area
- Figure 4 – 1982 Ontario Base Map

APPENDICES

- Appendix A – Land Title Search
- Appendix B – EcoLog ERIS Report
- Appendix C – Regulatory Document
- Appendix D – MOECC Well Record Map, SLCA Watershed Map
- Appendix E – Aerial Photographs
- Appendix F – Site Photographs
- Appendix G – Interview Questionnaire

1.0 EXECUTIVE SUMMARY

Sirati & Partners Consultants Ltd. (SPCL) was retained by Palmer Environmental Consulting Group Inc. on behalf of Mr. Morris Bonakdar to complete a Phase I Environmental Site Assessment (ESA) of the Property located at 231, 235, 237, 241, 245, 249 Reach Street, in the Township of Uxbridge, Ontario, (Phase I Property or the Property).

The Property has an area of approximately 3.62 ha (8.94 acres), and consists of six (6) residential properties. There were six (6) residential buildings located on the Property.

Palmer Environmental Consulting Group Inc. client is considering the future redevelopment of the Property to a residential subdivision. SPCL understands that the Phase I ESA was required for due diligence purposes and not for the filing of a Record of Site Condition (RSC) for the Property. It should be noted that the Phase I ESA is in accordance with the CSA Z769-00 Standards and should an RSC be required in the future, a Phase One ESA complying with requirements of O. Reg. 153/04 will have to be done.

The Phase I ESA involved the following main tasks:

A records review of historical site use and activities for the Phase I Property and for the areas within approximately 250 m from the Property boundary:

- Interviews with available individuals having knowledge of current and/or historical site activities;
- A reconnaissance inspection of the Property; and
- Evaluation of the information and documentation

The following are the Phase I ESA findings:

- The Property is located at 231, 235, 237, 241, 245, 249 Reach Street, in the Township of Uxbridge, Ontario. The Property covers an area of approximately 3.62 ha (8.94 acres) and consists of six (6) residential properties.
- According to the EcoLog Eris historical records search, one (1) record of Environmental Compliance Approval was noticed for municipal and private water works in the years of 2000, 2001, 2003, 2007, and 2012, located approximately 113 m northwest of the Property.
- The Property is located mainly in an agricultural and rural residential area of the Township of Uxbridge.
- The review of regional topographical maps shows that the Phase I Property slopes to the northwest. Locally, the groundwater flow direction is anticipated to be northwest towards a pond located approximately 350 m north of the Property.

- The Property is bounded by Reach Street to the south, a golf course to the further south, residential properties to the west, a wooded area to the east, and a residential subdivision to the north. The Property in general is surrounded by rural residential properties. Potential contaminating activities from these properties to the Phase I Property are not anticipated.
- According to the Simcoe Lake Conservation Authority (SLCA) online map services, the Property is not regulated by SLCA. The Property is located within the Uxbridge Brook Watershed.
- Based on the site reconnaissance, visible signs as tank and standpipe marks in the basement and on the west wall of the residential building located at 245 Reach Street suggest the presence of an AST in the basement of the building. No stain or odor were noticed on the floor within the tank storage area and the concrete stairs immediate adjacent to the west wall where the former fueling vent pipe was located. In addition, no crack was noticed on the concrete floor.

Based on the results of the Phase I ESA, including the records review, site visit, information provided by the client and pending receipt, no significant potential or actual sources of contamination were identified to be associated with the Property.

Based on the findings of the Phase I ESA, no Phase II ESA is required to be completed.

The results of this investigation are subject to review pending receipt of any outstanding regulatory responses. In the event that an issue of concern is identified, SPCL will provide additional comment and identify any requirement for additional work.

It is our opinion that the absence of information, specifically any outstanding responses from the regulatory agencies, will not significantly affect the validity of the findings of the Phase I ESA.

2.0 INTRODUCTION

Sirati & Partners Consultants Ltd. (SPCL) was retained by Palmer Environmental Consulting Group Inc. on behalf of Mr. Morris Bonakdar to complete a Phase I Environmental Site Assessment (ESA) for the Property located at 231, 235, 237, 241, 245, 249 Reach Street, Uxbridge, Ontario (Phase I Property or the Property).

The Property has an area of approximately 3.62 ha (8.94 acres) that consists of six (6) residential properties. There were six (6) residential buildings located on the Property.

At the time of SPCL site visit, conducted on February 12, 2018, the Phase I Property consisted of residential properties. The Property location is shown in Figure 1.

2.1 Phase I Property Information

The information for the Phase I Property is provided in the following Tables.

Phase I Property	Information			Source
Legal Description	PT LT 28, CON7 UXBRIDGE, PT 2, 40R7095; UXBRIDGE	PT LT 28, CON7 UXBRIDGE, PT 3, 40R7095; T/W D167947; S/T D167948; UXBRIDGE	PT LT 28, CON7 UXBRIDGE, PT 4, 40R7095; S/T D167947; T/W D167948; UXBRIDGE	Service Ontario Land Registry Office #40
Property Identification Number (PIN)	26842-0100 (LT)	26842-0101 (LT)	26842-0102 (LT)	Service Ontario Land Registry Office #40
Municipal Address	231 Reach Road, Uxbridge	235 Reach Road, Uxbridge	237 Reach Road, Uxbridge	Durham Region Interactive Map
Zoning	Residential Cluster Zone			Township of Uxbridge

Phase I Property	Information				Source
Legal Description	PT LT 28, CON7 UXBRIDGE, PT 1, 40R14520; TOWNSHIP OF UXBRIDGE	PT LT 28, CON 7, UXBRIDGE, PT 2, 40R14520; UXBRIDGE	PART LOT 28, CON7 UXBRIDGE, PART 5, 40R7095; UXBRIDGE	PT LT 28, CON7 UXBRIDGE, PT 6, 40R7095; UXBRIDGE	Service Ontario Land Registry Office #40
Property Identification Number (PIN)	26842-0103 (LT)	26842-0104 (LT)	26842-0105 (LT)	26842-0106(LT)	Service Ontario Land Registry Office #40
Municipal Address	231 Reach Road, Uxbridge	No municipal address	235 Reach Road, Uxbridge	237 Reach Road, Uxbridge	Durham Region Interactive Map

Zoning	Residential Cluster Zone	Township of Uxbridge
--------	--------------------------	----------------------

2.2 Contact Information

Contact information for the owner of the Phase I Property is provided as follows:

Property Owner	Address	Source
2452595 Ontario Ltd.	No municipal address	Land Registry Office/Client

2.3 Site Description

The Property is located on the north side of Reach Street and approximately 300 m east of Coral Creek Crescent, in the Township of Uxbridge, Ontario. The Property is bounded by Reach Street to the south, a golf course to the further south, residential properties to the west, a wooded area to the east, and a residential subdivision to the north.

The location of the Property is shown in Figure 1. The site configuration is presented in Figure 2. The Phase I Study Area indicating surrounding land use is shown in Figure 3.

2.4 Structures

The Phase I Property currently includes the following structures:

- **231 Reach Street:** A one-storey residential building with a basement and an attached garage.
- **235 Reach Street:** A two-storey residential building with a basement and an attached garage. One (1) shed is located to the northeast of the residential building.
- **237 Reach Street:** A two-storey residential building with a basement and an attached garage. One (1) shed is located to the northwest of the residential building.
- **241 Reach Street:** A two-storey residential building with a basement and an attached garage. One (1) shed is located to the west of the residential building.
- **245 Reach Street:** A two-storey residential building with a basement and an attached garage. Two (2) sheds are located to the northeast of the residential building.
- **249 Reach Street:** A one-storey residential building with a basement and an attached garage.

2.5 Objectives of Investigation

The objectives of the Phase I ESA are:

- To assess the environmental condition of the Phase I Property to develop a preliminary determination of the likelihood that one or more contaminants have affected any land or water on, in, or under the Phase I Property.
- To identify potential contaminating activities within the Study Area (i.e., areas within 250 m of the Property's boundary).
- To determine the need for a Phase II ESA.
- To provide a basis for carrying out any Phase II ESA
- To identify issues of obvious or potential environmental concern of the Property from the current and historical activities at the Phase I Property and Study Area.

3.0 SCOPE OF INVESTIGATION

The Phase I ESA was completed in accordance with the CSA Z769-00 Standards as well as the requirements of O. Reg. 153/04 as amended and can be used to be upgraded for a future Phase One ESA. This included:

- A review of records and reports regarding historical and current use, occupancy, and activities for the Phase I Property and for the Phase I Study Area.
- Interviews with available individuals having knowledge of current and/or past site activities.
- An inspection of the Phase I Property and observation of the Phase I Study Area.
- Evaluation of the information and documentation of the results of the review.

The observations recorded during the site visit and the information obtained from the records review are discussed in this report. Sampling and analysis of soil, groundwater or other materials (e.g., construction materials, air) were not carried out as part of the Phase I ESA.

SPCL understands that the Phase I ESA has been requested for due diligence purposes and was not required for the filing of a Record of Site Condition for the Property. The purpose of the Phase I ESA was to identify, through a non-intrusive investigation, the existence of any significant actual or potential contamination associated with the Property prior to the purchasing of the Property. The results of the Phase I ESA provide a recommendation for requirement of further environmental assessment (subsurface soil investigation) to confirm soil conditions at the Property.

The following methodology was employed by SPCL.

3.1 Records Review

Obtaining and reviewing the following records:

- Aerial photographs, topographic mapping, available historical maps and drawings.
- Former environmental reports, if available.
- Company records (e.g., site plans, building plans, permit records, production and maintenance records, asbestos surveys, site utility drawings, emergency response and contingency plans, spill reporting plans and records, inventories of chemicals and their usage (e.g. WHMIS), environmental monitoring data, waste management records, inventory of underground and aboveground tanks, environmental audit reports) provided to SPCL.
- Geological and hydrogeological information in published government maps and/or reports.
- A review of information on file with EcoLog ERIS, a commercial database that provides information from numerous private, provincial, and federal environmental databases/registries.
- Regulatory information, such as Permits or Certificates of Approval pertaining to activities that may impact the condition of the Property, orders, control orders, or complaints related to environmental compliance that may impact the condition of the Property, and violations of

environmental statutes, regulations, by-laws, and permits that may impact the condition of the Property.

- A review of published Ontario Ministry of the Environment and Climate Change (MOECC) directories related to registered polychlorinated biphenyl (PCB) storage sites, and active and closed landfill sites.
- A review of the Ontario Ministry of Natural Resources (MNR) Natural Heritage Information Centre (NHIC) database and the SLCA website for information specific to natural areas, such as locations of environmentally sensitive areas or species.

3.2 Site Reconnaissance

Conducting a site visit comprised of the following:

- Inspecting the Property and observing adjacent properties from the Phase I Property and concern and potential pathways for contamination at the Property and Phase I Study Area.
- Inspecting public areas to identify areas of potential environmental contaminating activities.

The site reconnaissance included the following:

1. Identifying the site operations, processes, and waste management currently carried out at the Phase I Property.
2. Identifying neighboring land uses (i.e. sensitive neighbors, as well as potential off-site contamination, which may impact the Property);
3. Identifying the potable water supply source.
4. Assessment of the potential presence of existing or former aboveground and/or underground fuel storage tanks (ASTs or USTs).
5. Identifying probable cut and fill operations that may have required that fill of unknown quality has been deposited on the Property.
6. Identification of floor cracks, hydraulic hoists, elevators, sumps and drains.
7. Identifying visual and suspected areas of surface and subsurface contamination. Assessment of the potential presence of various Designated Substances and building materials including:
 - a. Friable and non-friable asbestos.
 - b. Urea formaldehyde foam insulation (UFFI).
 - c. Chlorofluorocarbons (CFCs) in air conditioning and refrigeration equipment.
 - d. PCB-containing materials and electrical equipment.
 - e. Lead-based paint.
 - f. Mould.
8. Identification of wells, pits and lagoons, drainage sumps and floor drains, sewage and wastewater disposal pipelines.
9. Inspection of general site conditions, including topography and drainage, standing water, rights-of-way, presence of underground utilities, evidence of stained or odorous soils and stressed vegetation, and vehicle parking.

3.3 Interviews

The objectives of the interview were:

- To identify details of potentially contaminating activities or potential contaminant pathways in, on, or under the Phase I Property.
- To obtain information to assist in determining if areas of potential environmental concern exist.

Key personnel were interviewed and asked questions related to specific site activities such as:

- The nature of site operations.
- Handling and storage of environmentally sensitive products and related wastes.
- Environmental approvals and registrations.
- Knowledge of previous reports related to the environmental condition of the Property.
- Issues related to non-compliance, orders, or charges related to environmental conditions on the Property.

3.4 Documentation and Evaluation of Information

The information obtained from the records review, interviews, and site reconnaissance, was described and evaluated as summarized below:

- Documentation of information, as noted in subsequent sections of the report.
- Description of current and past uses of the Phase I Property.
- Description and discussion of potentially contaminating activities.
- Description of the areas of potential environmental concern.
- Discussion of the need, if any, for further investigation.

4.0 RECORDS REVIEW

4.1 General

4.1.1 Phase I Study Area Determination

The Phase I Study Area consisted of properties located within a 250 m radius from the Property boundary. Based on information collected during the site reconnaissance inspection and records review, the following municipal addresses were included in the Phase I Study Area as presented in the table below:

Direction	Addresses
North	- A Residential subdivision
East	- 251 Reach Street, A wooded area
South	- Reach Street, a golf course
West	- 227 Reach Street, residential properties

Based on the historical use and development at the Property and surrounding areas, it was determined that a 250 m study area from the Property boundary was sufficient to identify issues of potential environmental concern with respect to the Property.

Properties located beyond 250 m of the Property boundaries were not included in the Phase I Study Area. The Phase I Study Area is presented in Figure 3.

4.1.2 First Developed Use Determination

The determination of first developed use for the Property is based on review of air photographs, historical maps and interview. Aerial photographs from 1954 to 2016 were reviewed and showed the development of the Property and the Phase I Study Area. The historical records review suggests that the Property was developed to residential properties in 1980s.

4.1.3 Fire Insurance Plans

A search of Fire Insurance Plans (FIPs) was undertaken at the Metropolitan Toronto Reference Library to review the historic land use and to indicate the existence and location of ASTs, USTs, structures, improvement and facility operations. No Fire Insurance Plan was available for the Phase I Property and the properties located in the Phase I Study Area.

4.1.4 Chain of Title

A chain of title search for the Property was prepared as part of the Phase I ESA. According to the report, the Property had been owned by the Crown prior to 1806, private individuals and companies from 1806 to 2017, and by 245295 Ontario Ltd. since March 2017 as presented in Appendix A.

4.1.5 Environmental Reports

According to the site representative, no previous environmental report was available for the Property.

4.1.6 Review of Other Historical Information

According to the historical information and aerial photographs of the Property. The property is located in a rural residential and agricultural area of the Township of Uxbridge.

4.2 Environmental Source Information

4.2.1 Ontario Ministry of the Environment and Climate Change

A request was submitted to the Ontario Ministry of the Environment and Climate Change (MOECC) Freedom of Information Office (FOI) to determine if there is information regarding orders, investigations, or other information on file with respect to the Property. This includes a search for information regarding parameters such as air emissions, water, sewage, waste water and pesticides. Note that the Spills Action Centre's database dates back to 1988 and reportedly many of the occurrences on file have been reported only voluntarily. At the time of preparation of this report, the response from the MOECC had not yet been received.

MOECC databases containing records of historic spills, orders and complaints were also searched through EcoLog ERIS. A summary of the search results is presented in Section 4.2.6.

4.2.2 MOECC Databases

A review of directories and online databases published by the MOECC was conducted. These databases are related to registered PCB storage sites, waste disposal sites and the Brownfield Registry. The following summarizes the information obtained.

MOECC's Waste Disposal Site Inventory

The Waste Disposal Site Inventory-Ontario-1991, published by the Waste Management Branch of the MOECC indicated that the Phase I Property and the surrounding properties are not listed as former waste disposal facilities. It should be noted that MOECC's Waste Disposal Site Inventory provides listings only

up till 1991. More current information regarding the Waste Disposal Inventory was reported in the ERIS report (Section 4.2.6).

PCB Storage Site Inventory

The Ontario Inventory of PCB Storage Sites (1994, 1995, 1996, 1998, 1999 and 2004) did not list the Property as a PCB storage property. According to the MOECC, the Property was not listed as a PCB storage site.

Coal Gasification Plant Waste Site Inventory

The consultation of the “Inventory of Coal Gasification Plant Waste Sites in Ontario (April 1987) and the “Inventory of Industrial Sites Producing or Using Coal Tar and Related Tars in Ontario” (November 1988) databases indicates that the Property had not been used for the gasification of coal, coal distillation, creosote preparation, etc. There is no record of historical coal gasification plants or disposal sites for the Property and the Phase I Study Area.

Brownfields Environmental Site Registry

The MOECC Brownfields Environmental Site Registry (BESR) indicates no record of the Property within the registry.

4.2.3 MNR National Heritage Information Centre Database

The Ontario Ministry of Natural Resources and Forestry NHIC database for listings of the various classes of natural areas for the Township of Uxbridge was reviewed. The Property was not identified as being located in or near any designated natural areas.

4.2.4 Simcoe Lake Conservation Authority (SLCA)

According to the SLCA online map services, the Property is not regulated by SLCA. The Property is located within the Uxbridge Brook Watershed. The Uxbridge Brook is located approximately 800 m southwest of the Property.

4.2.5 Request for Information: Technical Standards and Safety Authority

The Technical Standards and Safety Authority (TSSA) maintains records related to storage tanks for petroleum related products. The TSSA was contacted to review records related to the Property and the Phase I Study Area. At the time of preparation of this report, the response from the TSSA had not yet been received.

4.2.6 EcoLog ERIS Information

EcoLog Environmental Risk Information Services Ltd. (ERIS) is an organization that searches various government and private environmental databases. A search of the EcoLog ERIS Ltd. databases was requested for the Property. No information was available for the Property. The complete report is provided in Appendix B.

The following records were found pertaining to the Phase I Study Area:

ERIS database entries for the adjoining and neighboring properties:

ERIS Number	Address/Location	Distance	Database	Entry Details
31	Uxbridge ON M6B 2W2, Part of Lots 29 & 30, Concession 7	Approximately 203 m northwest of the Property	Environmental Compliance Approval	Municipal and Private Water Works were approved for 1236240 Ontario Limited. in the years of 2000, 2001, 2003, 2007, and 2012

Based on the ERIS information, potential environmental impacts from the properties located in the Phase I Study Area are not anticipated.

4.3 Physical Setting Sources

4.3.1 Aerial Photographs and Historical Mapping

Aerial photographs dated 1954 to 2016, and an Ontario Base Map (OBM) from 1982 were reviewed to obtain a record of the development and use of the Phase I Property and Phase I Study Area. Copies of selected areas are presented in Appendix E.

The findings for the Property are summarized in the following Table:

Reference	Phase I Property	Phase I Study Area
1954 Air Photo	The Property was undeveloped and appeared to be used for agricultural purposes.	The area surrounding the Property appeared to be used for agricultural and rural residential purposes. A wooded area was located adjacent to the east boundary of the Property.
1969 Air Photo	The Property appeared to be used for rural residential purposes.	No significant changes
1981 Air Photo	No significant changes	No significant changes
1982 Ontario Base Map	According to the 1982 Ontario Base Map, the Property consists mainly of a wooded area to the north. One (1) structure was located in the southeastern section of the Property.	Surrounding properties were observed to be used for agricultural and rural residential purposes. One (1) pond was located approximately 350 m north of the Property.
2005 Air Photo	The Property appeared to be used for residential purposes. Six (6) residential buildings were located at the Property	The neighbouring properties to the north and southwest appeared to be developed to residential subdivisions. The

Reference	Phase I Property	Phase I Study Area
		neighbouring property to the south appeared to be developed to a golf club.
2009 Air Photo	No significant changes	No significant changes
2016 Air Photo	No significant changes	No significant changes

4.3.2 Topography, Hydrology, Geology

According to the topographic map of the site-online information, the ground surface at the Property slopes to the northwest towards a pond located approximately 350 m north of the Property. The groundwater flow direction is anticipated to be northwest towards the pond.

Locally in the Property area, near surface groundwater flow may be influenced by underground structures (e.g., service trenches, catch basins, and building foundations) or surface water bodies. The groundwater flow direction could be confirmed only with the direct observation of the groundwater elevations at the Property.

According to the geological map entitled “Quaternary Geology of Ontario-Southern Sheet” Map 2556, published by the Ministry of Northern Development and Mines, dated 1991, the overburden in the region of the Property consists of Glaciomarine deposits. This material is generally characterized by sand, gravelly sand and gravel nearshore and beach deposits.

According to the bedrock geology map entitled “Bedrock Geology of Ontario-Southern Sheet” published by the Ministry of Northern Development and Mines, dated 1991, the bedrock in the area consists of Upper Ordovician, Georgian Bay Formation; Blue Mountain Formation; Billings Formation; Collingwood Member; Eastview Member which consists of shale, limestone, dolostone, siltstone. It should be noted that these subsurface soil, rock and groundwater conditions represent generalized conditions only, and should not be considered site specific.

4.3.3 Fill Materials

During the site visit no stockpiles or deposits of fill materials were noted on the Property.

4.3.4 Water Bodies and Areas of Natural Significance

The Property and Study Area are located in a residential zone of the Township of Uxbridge. The Uxbridge Brook is located approximately 800 m southwest of the Property. SPCL reviewed the NHIC database published by MNRF for listings of the various classes of natural areas for the Township of Uxbridge. The Property was not identified as being designated as an Area of Natural Significance.

4.3.5 Well Records

Water well records were searched as part of the EcoLog ERIS database query. Thirty-three (33) water supply wells were identified to be within distances ranging from 0 to 211 m from the Property. Five (5) wells were identified as monitoring/test hole wells constructed to depths ranging from 2.2 to 84.0 metres below ground surface (mbgs) in years from 1990 to 2017. The static water is approximately 40 mbgs. The overburden soils encountered consisted predominantly of sand. Information from the EcoLog ERIS report is provided in the Appendix B.

4.4 Site Operating Records

The Property has been used for residential purposes.

5.0 INTERVIEWS

5.1 Personnel Interviewed

The followings persons were interviewed or provided the required information.

Name	Affiliation	Position
Mr. Mohammad Abhary	Arya Investments Corp.	Director

5.2 Results of Interview

The following summarizes the information that was provided in response to the questionnaire, based on the knowledge that the persons interviewed have of the site activities. The interview questionnaire is provided in Appendix G.

- The Property has been used for residential purposes
- The Property currently includes no USTs
- The owner was not aware of any spills on the Property.
- One (1) Phase I ESA was conducted for the property at 241 Reach Street, Uxbridge. The Phase I ESA report was not provided to our client.

The evaluation of information regarding the interviews is summarized below:

Interview Conducted By	Mr. Chaoran Li, P.Geo.
Interviewed	Above noted individual.
Date/location	February 15, 2018 via e-mails during the preparation of this report
Reason for Selection	Knowledgeable or familiar with Property history.
Assessment of information	The information appeared to be accurate

6.0 SITE RECONNAISSANCE

6.1 General Requirements

Date of Investigation:	February 12, 2018
Time of Investigation:	10:00 – 14:00
Weather Conditions:	Cloudy, -3°C
Duration of Investigation:	~4 hour
Was the facility operating?	No
Name and Qualification of Person(s) conducting the assessment	Mr. Chaoran Li, P.Geo.
Limitations	The Property was covered by snow

6.2 Specific Observations at Phase I Property

A visual site inspection was conducted and written and photographic records were made. The site visit included an observation of the Property and Phase I Study Area from Reach Street or public access roads. The layout of the Property at the time of the site visit is presented in Figure 2. Photographs of the Property and accompanying descriptions are presented in Appendix F.

6.2.1 General Description

The Phase I Property comprises of six (6) municipal addresses as follows:

- **231 Reach Street:** A one-storey residential building with a basement and an attached garage.
- **235 Reach Street:** A two-storey residential building with a basement and an attached garage. One (1) shed is located to the northeast of the residential building.
- **237 Reach Street:** A two-storey residential building with a basement and an attached garage. One (1) shed is located to the northwest of the residential building.
- **241 Reach Street:** A two-storey residential building with a basement and an attached garage. One (1) shed is located to the west of the residential building.
- **245 Reach Street:** A two-storey residential building with a basement and an attached garage. Two (2) sheds are located to the northeast of the residential building.
- **249 Reach Street:** A one-storey residential building with a basement and an attached garage.

6.2.2 Building Description

The Phase I Property currently includes six (6) municipal addresses as follows:

231 Reach Street:

231 Reach Street	Area	Building materials
A one-storey residential building with a basement and an attached garage	Exterior	Brick, vinyl, siding
	Roof	Shingles
	Floors	Carpet, hardwood, vinyl, concrete
	Walls	Drywall
	Ceilings	Drywall
	Lightings	Incandescent fixtures

235 Reach Street:

235 Reach Street	Area	Building materials
A two-storey residential building with a basement and an attached garage. One (1) shed is located to the northeast of the residential building.	Exterior	Brick, siding
	Roof	Shingles
	Floors	Carpet, hardwood, vinyl, concrete
	Walls	Wood, drywall
	Ceilings	Drywall
	Lightings	Incandescent fixtures

237 Reach Street:

237 Reach Street	Area	Building materials
A two-storey residential building with a basement and an attached garage. One (1) shed is located to the northwest of the residential building.	Exterior	Brick
	Roof	Shingles
	Floors	Carpet, hardwood, vinyl, concrete
	Walls	Wood, drywall
	Ceilings	Drywall
	Lightings	Incandescent fixtures

241 Reach Street:

241 Reach Street	Area	Building materials
A two-storey residential building with a basement and an attached garage. One (1) shed is located to the west of the residential building.	Exterior	Brick, hardwood
	Roof	Shingles
	Floors	Carpet, hardwood, vinyl, concrete
	Walls	Wood, drywall,
	Ceilings	Drywall
	Lightings	Incandescent fixtures

245 Reach Street:

231 Reach Street	Area	Building materials
A two-storey residential building with a basement and an attached garage. Two (2) sheds are located to the northeast of the residential building.	Exterior	Brick, siding
	Roof	Shingles
	Floors	Carpet, vinyl, concrete
	Walls	Wood, drywall,
	Ceilings	Drywall, Vermiculite
	Lightings	Incandescent fixtures

249 Reach Street:

249 Reach Street	Area	Building materials
-------------------------	-------------	---------------------------

A one-storey residential building with a basement and an attached garage.	Exterior	Brick, vinyl
	Roof	Shingles
	Floors	carpet, vinyl, laminate concrete
	Walls	Wood, drywall,
	Ceilings	Drywall, Vermiculite
	Lightings	Incandescent fixtures

6.2.3 Exterior Site Conditions

The Property is currently used for residential purposes. Six (6) residential buildings are located in the south section of the Property along Reach Street. The north portion of the Property consists of a wooded area. Access to the Property is from Reach Street.

6.2.4 Below Ground Structures

All six (6) residential buildings have one level of basement.

6.2.5 Aboveground Storage Tanks

No aboveground storage tanks were observed at the Property. However, visible signs as tank and standpipe marks in the basement and on the west wall of the residential building located at 245 Reach Street suggest the presence of an AST in the basement. No stain or odor were noticed on the floor within the tank storage area or concrete stairs immediate adjacent to the west wall where the former fueling vent pipe was located. In addition, no crack was noticed on the concrete floor.

6.2.6 Underground Storage Tanks

No evidence of any underground storage tank was observed.

6.2.7 Other Storage Containers

Multiple jerry cans, motor oil jugs, and paint cans were observed in the garages and storage sheds of the residential buildings. The containers were in good condition and no cracks or stains were observed on the concrete floor beneath them.

6.2.8 Water Sources

The Property is located within the agricultural and rural residential area of the Township of Uxbridge. No municipal water is available for the Study Area except for the new residential subdivision located adjacent to the north of the Property.

6.2.9 Underground Utility and Services

The inspection of the Property indicated the following information related to utility services:

- Aboveground hydro was observed in the Study Area.
- Catch basins were not observed along Reach Street. This indicates the absence of municipal storm drain system.
- Phone and cable services are available for the Phase I Property and the Phase I Study Area.
- No fire hydrants were observed along Reach Street. This is an indication that the Study Area is not connected to the municipal water.

6.2.10 Building Exit and Entry Points

Accesses to the Property are from driveways along Reach Street.

6.2.11 Heating and Cooling Systems

The residential buildings located on the Property are currently heated by either propane furnace systems or electric furnace systems. Air condition units were observed on the Property.

6.2.12 Drains, Pits and Sumps

The Phase I Property is not serviced by the Township of Uxbridge sanitary and storm sewer system. Sump pumps were observed in the basement of the residential buildings.

6.2.13 Hydraulic Equipment

During the site inspection, no hydraulic equipment was observed at the Property.

6.2.14 Unidentified Substances

No unidentified substances were noted on the observed areas.

6.2.15 Staining and Corrosion

During the site inspection, no staining or corrosion were noted on the observed areas.

6.2.16 Wells

Water supply wells were located on the south portion of the Property, south side of the residential buildings.

6.2.17 Sewage Works

Municipal services are not provided to the Property.

6.2.18 Ground Surface

The ground surface at the Property is relatively flat with minor undulations, and the grade at the Phase I Property generally descends towards the northwest. A wooded area is located on the north portion of the Property. Six (6) buildings are located on the south portion of the Property with associated driveways and parking areas. It is noted that the ground was covered with snow when the site reconnaissance was conducted.

6.2.19 Railways

During the site visit no railway lines were observed on the Property.

6.2.20 Stained and Odorous Soils

No stained or odorous soil was noted on the Property.

6.2.21 Stressed Vegetation

There were no areas of significant stressed vegetation on the Property at the time of the site inspection.

6.2.22 Fill Materials

During the site visit, no stockpiled fill materials were observed at the Property.

6.2.23 Watercourses, Ditches or Standing Water

During the site visit, no ditches or standing water were observed on the Property. Drainage ditches were observed along Reach Street.

6.2.24 Air Emissions

The Property includes no source of air emission.

6.2.25 Roads, Parking Facilities, and Rights-of-Way

The Property is bounded to the south by Reach Street. No information regarding a Right-of-Way at the Property was available.

6.2.26 Special Attention Items

Special attention items include designated substances and hazardous materials that may be present in the buildings materials. The buildings inspection was carried out in accessible areas. The inspection included assessment of the potential presence of:

- designated substances (acrylonitrile, asbestos, arsenic, benzene, coke oven emissions, ethylene oxide, isocyanates, lead, mercury, silica, vinyl chloride);
- hazardous materials (polychlorinated biphenyls (PCBs);
- ozone depleting substances (ODS);
- urea formaldehyde foam insulation (UFFI);
- special attention items (mould, Radioactive Materials and Radon Gas).

Special Attention Items	Notes
acrylonitrile, arsenic, benzene, coke oven emissions, ethylene oxide, isocyanates, silica, vinyl chloride	These items were not observed at the Property. The presence of the special attention items in building/construction materials were investigated through observations made by SPCL and does not necessarily imply adverse impact to the environmental condition of the Property.
Asbestos	Asbestos and asbestos-containing materials were used as insulation and construction materials until being phased out in the late 1970s. Based on the age of the building (Building A, constructed in late 1960s), asbestos insulation and asbestos-containing construction materials may be present in the site building. No friable asbestos was noted during the site inspection; however, wall cavities and other concealed locations were not inspected. Specific materials identified during the site inspection which may potentially contain asbestos include vinyl floor tiles, roofing materials, stucco or drywall joints.
Polychlorinated Biphenyls (PCBs)	Prior to the mid- to late-1970s, PCBs were used in the manufacture of electrical equipment, including fluorescent light ballasts. Based on the age of the buildings, it is less possible that PCB-containing electrical equipment, such as fluorescent lamp ballasts, is present on the Site.
Lead	The use of lead as a base in paints and plumbing solder was phased out in the late 1970s. Based on the age of the building, the potential for lead solder and leaded paint to be present in the buildings are not anticipated.
Ozone Depleting Substances (ODS):	Based on the age of the buildings, observation and interviews during the site visit, equipment containing ODS was limited to central air-conditioning units, and refrigerators present in the kitchens of the buildings.
Urea-Formaldehyde Foam Insulation (UFFI)	Urea-Formaldehyde Foam Insulation (UFFI) was introduced in Canada during the 1970s and was banned in 1980. No record of UFFI was available for the subject building. No older foam insulation was noted in the

	buildings. Therefore, the potential for UFFI to be present on the Property is considered to be low.
Mercury	Based on the age of the buildings, the potential for mercury in fluorescent lights observed in the buildings is low. Mercury in small quantities could be present inside the electrical switches or thermostats observed in the buildings.
Mould	No signs of mould or excessive dampness were observed in the buildings.
Radioactive Materials and Radon Gas	Based on local geological formations in the area, it is unlikely the Property is exposed to natural sources of radiation such as radon or uranium. Man-made sources of radioactive materials were not observed during the site inspection. A radiometric survey was not conducted during this investigation.
Herbicides and Pesticides	During the site inspection, no materials containing herbicides or pesticides were observed to be stored at the buildings.

6.3 Investigation of Phase I Study Area

The following land uses were noted in the adjoining and neighboring properties.

Direction	Addresses
North	- residential subdivisions
East	- rural residential properties, a wooded area
South	- Reach Street, Foxbridge Golf Course
West	- rural residential properties

The Property is located mainly in an agricultural and rural residential area of the Township of Uxbridge. The records review of the Phase I Study Area revealed that properties located in the Phase I Study Area within a radius of 250 m from the Property boundaries had no information/records. Potential contaminating activities from these properties on the Phase I Property are not anticipated.

6.4 Written Description of Investigation

The site reconnaissance included a walking tour of the Property conducted on February 12, 2018. The visual reconnaissance of the Phase I Study Area, which may potentially impact the Property, was carried out from the Property and publicly accessible areas. Written and photographic records regarding the condition of the Property were compiled.

The Property is located on the north side of Reach Street, in the Township of Uxbridge, Ontario. The Property has an area of approximately 3.62 ha (8.94 acres) that consists of six (6) residential properties.

Local shallow groundwater flow is expected to be in northwest direction towards a pond located approximately 350 m north of the Property.

7.0 DISCUSSION AND CONCLUSIONS

The following are the Phase I ESA findings:

- The Property is located at 231, 235, 237, 241, 245, 249 Reach Street, in the Township of Uxbridge, Ontario. The Property, that covers an area of approximately 3.62 ha (8.94 acres), consists of six (6) residential properties.
- According to the EcoLog Eris historical records search, one (1) record of Environmental Compliance Approval was noticed for municipal and private water works in the years of 2000, 2001, 2003, 2007, and 2012, located approximately 203 m northwest of the Property.
- The Property is located mainly in an agricultural and rural residential area of the Township of Uxbridge.
- The review of regional topographical maps shows that the Phase I Property slopes to the northwest. Locally, the groundwater flow direction is anticipated to be northwest towards a pond located approximately 350 m north of the Property.
- The Property is bounded by Reach Street to the south, a golf course to the south across Reach Street, residential properties to the west, a wooded area to the east, and a residential subdivision to the north. The Property in general is surrounded by rural residential properties. Potential contaminating activities from these properties to the Phase I Property are not anticipated.
- According to the SLCA online map services, the Property is not regulated by SLCA. The Property is located within the Uxbridge Brook Watershed.
- Based on the site reconnaissance, visible signs of tank and standpipe marks on the west wall of the residential building located at 245 Reach Street suggest the former presence of an AST in the basement of the building. No stain or odor were noticed on the floor within the tank storage area and the concrete stairs immediate adjacent to the west wall where the former fueling vent pipe was located. In addition, no crack was noticed on the concrete floor.

Based on the results of the Phase I ESA, including the records review, site visit, information provided by the client and pending receipt, no significant potential or actual sources of contamination were identified to be associated with the Property.

Based on the findings of the Phase I ESA, no further environmental assessment (*i.e.* Phase II ESA) is required to be completed.

The results of this investigation are subject to review pending receipt of any outstanding regulatory responses. In the event that an issue of concern is identified, SPCL will provide additional comments and identify any requirement for additional work.

It is our opinion that the absence of information, specifically any outstanding responses from the regulatory agencies, will not significantly affect the validity of the findings of the Phase I ESA.

8.0 REFERENCES

- Canadian Standards Association (CSA) Document Z768-01 Phase 1 Environmental Site Assessment, Nov. 2001
- Natural Resources Canada Toporama for Google Earth (2011) <http://atlas.gc.ca/toporama/en/index.html>
- Ontario Geological Survey, 2013. Quaternary Geology of Ontario. Ontario Geological Survey, scale 1:100,000.
- Ontario Ministry of Northern Development and Ontario Geological Survey, 1991. Bedrock Geology of Ontario, Southern Sheet; Ontario Geological Survey, Map 2544, scale 1:1,000,000.
- Lake Simcoe Conservation Authority, online mapping
- Historical Maps (aerial photos and a 1982 Ontario Base Map)
- Ministry of Ontario and Climate Change-Freedom of Information
- Inventory of Coal Gasification Plant Waste Sites in Ontario, 1987
- Inventory of Industrial Sites Producing or Using Coal Tar and Related Tars in Ontario, 1998
- Ontario Inventory of PCB Storage Sites, 1994-2004
- Waste Disposal Site Inventory, 1991
- Durham Region online-services
- Environmental Risk Information Services (EcoLog Eris Report)

9.0 LIMITATIONS AND USE OF THE REPORT

This report was produced for the sole use of Palmer Environmental Consulting Group Inc. and may not be relied upon by any other person or entity without the written authorization of Sirati & Partners Consultants Limited (SPCL).

The conclusions presented in this report are professional opinions based on historical and current records search, visual observations and limited information provided by persons knowledgeable about past and current activities on this Site. As such, SPCL cannot be held responsible for environmental conditions at the Property that was not apparent from the available information. No investigation method can completely eliminate the possibility of obtaining partially imprecise or incomplete information; it can only reduce the possibility to an acceptable level.

Professional judgement was exercised in gathering and analyzing data and formulation of recommendations using current industry guidelines and standards. Similar to all professional persons rendering advice, SPCL cannot act as absolute insurer of the conclusion we have reached. No additional warranty or representation, expressed or implied, is included or intended in this report other than stated herein the report.

The assessment should not be considered a comprehensive audit that eliminates all risks of encountering environmental problems. The information presented herein this report is primarily based on information collected during the Phase I ESA based on the condition of the Property at the site of site assessment/inspection followed by a review of historical data, as appended to this report.

In assessing the environmental setting of the Property, SPCL has solely relied upon information supplied by others in good faith and has therefore assumed that the information supplied is factual and accurate. We accept no responsibility for any inaccurate information, misrepresentation or for any deficiency of the information supplied by any third party.

No intrusive investigation (to include soil sampling and analysis, groundwater monitoring or sampling or other form of intrusive investigation) was carried out as part of this assessment. Consequently, the presence and/or extent of any adverse environmental impact cannot be verified. Potential existence of any environmental liability/impact is primarily an opinion expressed based on professional judgement and within the Scope of Work of this assignment. The Phase I - Environmental Site Assessment was prepared to identify existing environmental concerns based on the review of available data in accordance with the principal components of O. Reg. 153/04 as amended, and CSA Z768-01 Phase I Environmental Site Assessment. Professional judgement was also exercised in the formulation of recommendations. The report is not intended to constitute or provide a legal opinion.

The scope of services performed in the execution of this investigation may not be appropriate to satisfy third parties. SPCL accepts no responsibility for damages if any, suffered by any third party as a result of decisions made or action taken based on this report. Any use, copying or distribution of the report in whole

or in part is not permitted without the express written permission of SPCL and use of findings, conclusions and recommendations represented in this report, is at the sole risk of third parties.

In the event that during future work new information regarding the environmental condition of the Phase I Property is encountered, or in the event that the outstanding responses from the regulatory agencies indicate outstanding issues on file with respect to the Phase I Property, SPCL should be notified in order that we may re-evaluate the findings of this assessment and provide amendments, as required.

Should you have any questions regarding the information presented or limitation set in this report, please do not hesitate to contact our office.

Yours truly,

Sirati and Partners Consultants Limited



Chaoran Li, B. Sc., P.Geo.
Project Manager



Giorgio Garofalo, Ph.D., P.Geo.
Manager, Environmental Department



10.0 QUALIFICATIONS OF THE ASSESSOR

Giorgio Garofalo, Ph.D., P.Geo., QP_{ESA} Dr. Garofalo is the Environmental Division Manager at Sirati & Partners Consultants Ltd. He has a Doctorate in Hydrogeology and Applied Geochemistry from the University of Rome “La Sapienza” (Italy) and is licensed to practice in Ontario (APGO License No. 1063). Giorgio has 21 years of experience in environmental site assessment (ESA) and remediation. He is a P.Geo. and a Qualified Person (QP_{ESA}) under the O. Reg. 153/04 as amended, and he has been involved in the technical review of countless ESA reports.

Chaoran Li, B. Sc., P.Geo. Mr. Li holds an honor bachelor degree in environmental chemistry and is licensed to practice in Ontario (APGO License No. 2833). Mr. Li has experience in conducting Phase One and Phase Two Environmental Site Assessments, Site Remediations and Hydrogeological Studies.

Sirati & Partners Consultants Ltd. is a multi-disciplinary Canadian owned consulting firm providing engineering solutions for Geotechnical, Environmental, Hydrogeological, Materials Engineering, Material Testing & Inspection, Concrete and Pavement Technology.

The principal founders are members of former geotechnical and environmental companies who achieved the highest recognition for engineering consultancy providing geotechnical, environmental and hydro geological support to our clients.

SPCL provides expertise in these disciplines to a wide range of projects such as planning, design, and construction of pipelines, tunnels, pump stations, municipal buildings, roads, bridges, slope and landslide management, low and high rise as well as commercial buildings, light rail systems, dams and reservoirs, water and wastewater treatment facilities, outfalls, retaining walls, embankments, airports, and port facilities.

Statement of Qualified Person

The Phase I Environmental Site Assessment has been completed under the direction and supervision of Giorgio Garofalo, Ph.D., P.Geo., QP_{ESA}. The findings and conclusions presented in this report have been determined on the basis of the information that was obtained and reviewed, and on an assessment of the existing conditions at the Phase I Property and properties within the Phase I Study Area.

FIGURES




Sirati & Partners Consultants Ltd.
Geotechnical & Environmental Services
Engineering Solutions

North:



Legend:

 Property Boundary



Phase I Property

Project Title:

Phase I Environmental Site Assessment


Site Location:

231, 235, 237, 241, 245, 249 Reach Street,
 Uxbridge, ON.

Figure Title:

Site Location Plan

Scale:



Project Number:

SP17-275-20-01

Date:

February 2018

Figure Number:

1



North:



Legend:


 Property Boundary

Project Title:
 Phase I Environmental Site Assessment

Site Location:
 231, 235, 237, 241, 245, 249 Reach Street,
 Uxbridge, ON.

Figure Title:
 Site Plan

Scale: 	Project Number: SP17-275-20-01
--	--

Date: February 2018	Figure Number: 2
-------------------------------	----------------------------

North:



Legend:

-  Property Boundary
-  250m Study Area

Project Title:

Phase I Environmental Site Assessment

Site Location:

231, 235, 237, 241, 245, 249 Reach Street,
Uxbridge, ON.

Figure Title:

Phase I Study Area

Scale:



Project Number:

SP17-275-20-01

Date:


February 2018

Figure Number:

3



Source: Map Data © Queen's Printer for Ontario, 2014
© MPAC and its suppliers. All rights reserved.
© Teranet Enterprises Inc. and its suppliers. All rights reserved.



- Lower tier municipality Names
- Building Points
 - + Spot Height
 - ▲ Towers
 - ▲ Utility Points
 - ~ Contour Lines
 - +++ Railroads
 - ~ Trails
 - ~ Roads
 - ~ Primary
 - ~ Secondary
 - ~ Tertiary
 - ~ Transportation Lines
 - ~ Utility Lines
 - ~ Drainage Lines
 - ~ Water Structure
 - ~ Water Segments (Northeast)
 - ~ Water Segments (Northwest)
 - ~ Water Segments (South Central)
 - ~ Miscellaneous Lines
 - Airport Runways
 - Building Footprints
 - Mines
 - Pits and Quarries
 - Tanks
 - Concessions
 - Lots
 - Water Polygons (Northeast)
 - Waterbody Segment
 - Wetland Area, Permanent
 - Water Polygons (Northwest)
 - Waterbody Segment
 - Wetland Area, Permanent
 - Water Polygons (South Central)
 - Waterbody Segment
 - Wetland Area, Permanent
 - Municipal Parks
 - Wetlands
 - Wooded Areas



Sirati & Partners Consultants Ltd.
 Geotechnical & Environmental Services
 Engineering Solutions

750 Millway Avenue, Unit-8,
 Vaughan, ON L4K 0M7
 Phone#905-669-4477, Fax#905-669-4488

North:



Legend:

- Property Boundary

Project Title:
 Phase I Environmental Site Assessment

Site Location:
 231, 235, 237, 241, 245, 249 Reach Street,
 Uxbridge, ON.

Figure Title:
 Ontario Basic Map - 1982
 (OBM)

Scale:
 0m 50m

Project Number:
 SP17-275-20-01

Date:
 February 2018

Figure Number:
 4

APPENDICES




Sirati & Partners Consultants Ltd.
Geotechnical & Environmental Services
Engineering Solutions


APPENDIX A



Sirati & Partners Consultants Ltd.
Geotechnical & Environmental Services
Engineering Solutions



PRINTED ON 12 FEB, 2018 AT 14:41:44
FOR CL



PROPERTY INDEX MAP
DURHAM(No. 40)

LEGEND

FREEHOLD PROPERTY	
LEASEHOLD PROPERTY	
LIMITED INTEREST PROPERTY	
CONDOMINIUM PROPERTY	
RETIRED PIN (MAP UPDATE PENDING)	
PROPERTY NUMBER	0449
BLOCK NUMBER	08050
GEOGRAPHIC FABRIC	
EASEMENT	

THIS IS NOT A PLAN OF SURVEY

NOTES

REVIEW THE TITLE RECORDS FOR COMPLETE PROPERTY INFORMATION AS THIS MAP MAY NOT REFLECT RECENT REGISTRATIONS

THIS MAP WAS COMPILED FROM PLANS AND DOCUMENTS RECORDED IN THE LAND REGISTRATION SYSTEM AND HAS BEEN PREPARED FOR PROPERTY INDEXING PURPOSES ONLY

FOR DIMENSIONS OF PROPERTIES BOUNDARIES SEE RECORDED PLANS AND DOCUMENTS

ONLY MAJOR EASEMENTS ARE SHOWN

REFERENCE PLANS UNDERLYING MORE RECENT REFERENCE PLANS ARE NOT ILLUSTRATED



PROPERTY DESCRIPTION: PT LT 28, CON 7, UXBRIDGE, PT 2, 40R7095 ; UXBRIDGE

PROPERTY REMARKS:

ESTATE/QUALIFIER:
FEE SIMPLE
LT CONVERSION QUALIFIED

RECENTLY:
FIRST CONVERSION FROM BOOK

PIN CREATION DATE:
1999/08/09

OWNERS' NAMES
2452595 ONTARIO LTD.

CAPACITY SHARE
ROWN

REG. NUM.	DATE	INSTRUMENT TYPE	AMOUNT	PARTIES FROM	PARTIES TO	CERT/CHKD
<p>**EFFECTIVE 2000/07/29 THE NOTATION OF THE "BLOCK IMPLEMENTATION DATE" OF 1999/08/09 ON THIS PIN**</p> <p>**WAS REPLACED WITH THE "PIN CREATION DATE" OF 1999/08/09**</p> <p>** PRINTOUT INCLUDES ALL DOCUMENT TYPES AND DELETED INSTRUMENTS SINCE 1999/08/06 **</p> <p>**SUBJECT, ON FIRST REGISTRATION UNDER THE LAND TITLES ACT, TO:</p> <p>** SUBSECTION 44(1) OF THE LAND TITLES ACT, EXCEPT PARAGRAPH 11, PARAGRAPH 14, PROVINCIAL SUCCESSION DUTIES * AND ESCHEATS OR FORFEITURE TO THE CROWN.</p> <p>** THE RIGHTS OF ANY PERSON WHO WOULD, BUT FOR THE LAND TITLES ACT, BE ENTITLED TO THE LAND OR ANY PART OF IT THROUGH LENGTH OF ADVERSE POSSESSION, PRESCRIPTION, MISDESCRIPTION OR BOUNDARIES SETTLED BY CONVENTION.</p> <p>** ANY LEASE TO WHICH THE SUBSECTION 70(2) OF THE REGISTRY ACT APPLIES.</p> <p>**DATE OF CONVERSION TO LAND TITLES: 1999/08/09 **</p>						
40R7095	1982/07/15	PLAN REFERENCE				C
40R7725	1983/08/25	PLAN REFERENCE				C
D521432	1998/08/28	TRANSFER		*** COMPLETELY DELETED ***	KUENEN, ANTONIA MARIA	
DR508273	2006/06/09	TRANSMISSION-LAND		*** COMPLETELY DELETED *** KUENEN, ANTONIA MARIA	KUENEN, MARTIN WILLIAM MILFORD, MARY JOANNE KUENEN, JOHN COSGROVE, JANE KUENEN, ANTONIA MARIA-ESTATE	
DR532208	2006/08/17	TRANS PERSONAL REP		*** COMPLETELY DELETED *** COSGROVE, JANE	MORDAK, ERNEST JAN	

NOTE: ADJOINING PROPERTIES SHOULD BE INVESTIGATED TO ASCERTAIN DESCRIPTIVE INCONSISTENCIES, IF ANY, WITH DESCRIPTION REPRESENTED FOR THIS PROPERTY.
NOTE: ENSURE THAT YOUR PRINTOUT STATES THE TOTAL NUMBER OF PAGES AND THAT YOU HAVE PICKED THEM ALL UP.

REG. NUM.	DATE	INSTRUMENT TYPE	AMOUNT	PARTIES FROM	PARTIES TO	CERT/ CHKD
				KUENEN, JOHN KUENEN, MARTIN WILLIAM MILFORD, MARY JOANNE	MORDAK, SANDRA JEANNE	
		<i>REMARKS: PLANNING ACT STATEMENTS</i>				
DR532209	2006/08/17	CHARGE		*** COMPLETELY DELETED *** MORDAK, ERNEST JAN MORDAK, SANDRA JEANNE	BANK OF MONTREAL	
DR532210	2006/08/17	CHARGE		*** COMPLETELY DELETED *** MORDAK, ERNEST JAN MORDAK, SANDRA JEANNE	BANK OF MONTREAL	
DR1160415	2013/02/27	CHARGE		*** COMPLETELY DELETED *** MORDAK, ERNEST JAN MORDAK, SANDRA JEANNE	BANK OF MONTREAL	
DR1161934	2013/03/05	DISCH OF CHARGE		*** COMPLETELY DELETED *** BANK OF MONTREAL		
		<i>REMARKS: DR532210.</i>				
DR1162675	2013/03/08	DISCH OF CHARGE		*** COMPLETELY DELETED *** BANK OF MONTREAL		
		<i>REMARKS: DR532209.</i>				
DR1620176	2017/07/26	TRANSFER	\$895,000	MORDAK, ERNEST JAN MORDAK, SANDRA JEANNE	2452595 ONTARIO LTD.	C
		<i>REMARKS: PLANNING ACT STATEMENTS.</i>				
DR1621325	2017/07/28	DISCH OF CHARGE		*** COMPLETELY DELETED *** BANK OF MONTREAL		
		<i>REMARKS: DR1160415.</i>				

PROPERTY DESCRIPTION: PT LT 28, CON 7, UXBRIDGE, PT 3, 40R7095; T/W D167947; S/T D167948 ; UXBRIDGE

PROPERTY REMARKS: THE FOLLOWING REMARK HAS BEEN ADDED ON 2003/05/29 AT 14:50 BY WANDA GRIFFIN : PLANNING ACT CONSENT ENDORSED IN D152929.

ESTATE/QUALIFIER:
FEE SIMPLE
LT CONVERSION QUALIFIED

RECENTLY:
FIRST CONVERSION FROM BOOK

PIN CREATION DATE:
1999/08/09

OWNERS' NAMES
2452595 ONTARIO LTD.

CAPACITY SHARE

REG. NUM.	DATE	INSTRUMENT TYPE	AMOUNT	PARTIES FROM	PARTIES TO	CERT/CHKD
<p>**EFFECTIVE 2000/07/29 THE NOTATION OF THE "BLOCK IMPLEMENTATION DATE" OF 1999/08/09 ON THIS PIN**</p> <p>**WAS REPLACED WITH THE "PIN CREATION DATE" OF 1999/08/09**</p> <p>** PRINTOUT INCLUDES ALL DOCUMENT TYPES AND DELETED INSTRUMENTS SINCE 1999/08/06 **</p> <p>**SUBJECT, ON FIRST REGISTRATION UNDER THE LAND TITLES ACT, TO:</p> <p>** SUBSECTION 44(1) OF THE LAND TITLES ACT, EXCEPT PARAGRAPH 11, PARAGRAPH 14, PROVINCIAL SUCCESSION DUTIES * AND ESCHEATS OR FORFEITURE TO THE CROWN.</p> <p>** THE RIGHTS OF ANY PERSON WHO WOULD, BUT FOR THE LAND TITLES ACT, BE ENTITLED TO THE LAND OR ANY PART OF IT THROUGH LENGTH OF ADVERSE POSSESSION, PRESCRIPTION, MISDESCRIPTION OR BOUNDARIES SETTLED BY CONVENTION.</p> <p>** ANY LEASE TO WHICH THE SUBSECTION 70(2) OF THE REGISTRY ACT APPLIES.</p> <p>**DATE OF CONVERSION TO LAND TITLES: 1999/08/09 **</p>						
40R7095	1982/07/15	PLAN REFERENCE				C
40R7725	1983/08/25	PLAN REFERENCE				C
D228197	1986/08/27	TRANSFER		*** COMPLETELY DELETED ***	JAMES, ANDREA JEANETTE JAMES, LARRY DAVID	
D329044	1989/11/23	CHARGE		*** COMPLETELY DELETED ***	THE TORONTO-DOMINION BANK	
D399631	1992/10/28	CHARGE		*** COMPLETELY DELETED ***	THE TORONTO-DOMINION BANK	
D405938	1993/02/02	POSTPONEMENT		*** COMPLETELY DELETED ***		

NOTE: ADJOINING PROPERTIES SHOULD BE INVESTIGATED TO ASCERTAIN DESCRIPTIVE INCONSISTENCIES, IF ANY, WITH DESCRIPTION REPRESENTED FOR THIS PROPERTY.
NOTE: ENSURE THAT YOUR PRINTOUT STATES THE TOTAL NUMBER OF PAGES AND THAT YOU HAVE PICKED THEM ALL UP.

LAND
REGISTRY
OFFICE #40

26842-0101 (LT)

PREPARED FOR CL
ON 2018/02/12 AT 14:44:20

* CERTIFIED IN ACCORDANCE WITH THE LAND TITLES ACT * SUBJECT TO RESERVATIONS IN CROWN GRANT *

REG. NUM.	DATE	INSTRUMENT TYPE	AMOUNT	PARTIES FROM	PARTIES TO	CERT/ CHKD
DR179801	2003/06/13	TRANSFER		*** COMPLETELY DELETED *** JAMES, ANDREA JEANETTE JAMES, LARRY DAVID	O'NEILL, TINA O'NEILL, DALE	
DR179802	2003/06/13	CHARGE		*** COMPLETELY DELETED *** O'NEILL, TINA O'NEILL, DALE	THE TORONTO -DOMINION BANK	
DR193102	2003/07/28	DISCH OF CHARGE		*** COMPLETELY DELETED *** THE TORONTO-DOMINION BANK		
DR340817	2004/11/24	DISCH OF CHARGE		*** COMPLETELY DELETED *** THE TORONTO-DOMINION BANK		
DR992097	2011/05/19	CHARGE		*** COMPLETELY DELETED *** O'NEILL, DALE O'NEILL, TINA	MANULIFE BANK OF CANADA	
DR1162431	2013/03/08	DISCH OF CHARGE		*** COMPLETELY DELETED *** MANULIFE BANK OF CANADA		
DR1574123	2017/03/08	TRANSFER	\$875,000	O'NEILL, DALE O'NEILL, TINA	2452595 ONTARIO LTD.	C
DR1578668	2017/03/24	DISCH OF CHARGE		*** COMPLETELY DELETED *** THE TORONTO -DOMINION BANK		

PROPERTY DESCRIPTION: PT LT 28, CON 7, UXBRIDGE, PT 4, 40R7095; S/T D167947; T/W D167948 ; UXBRIDGE

PROPERTY REMARKS:

ESTATE/QUALIFIER:

FEE SIMPLE
LT CONVERSION QUALIFIED

RECENTLY:

FIRST CONVERSION FROM BOOK

PIN CREATION DATE:

1999/08/09

OWNERS' NAMES

2452595 ONTARIO LTD.

CAPACITY SHARE

REG. NUM.	DATE	INSTRUMENT TYPE	AMOUNT	PARTIES FROM	PARTIES TO	CERT/CHKD
<p>**EFFECTIVE 2000/07/29 THE NOTATION OF THE "BLOCK IMPLEMENTATION DATE" OF 1999/08/09 ON THIS PIN**</p> <p>**WAS REPLACED WITH THE "PIN CREATION DATE" OF 1999/08/09**</p> <p>** PRINTOUT INCLUDES ALL DOCUMENT TYPES AND DELETED INSTRUMENTS SINCE 1999/08/06 **</p> <p>**SUBJECT, ON FIRST REGISTRATION UNDER THE LAND TITLES ACT, TO:</p> <p>** SUBSECTION 44(1) OF THE LAND TITLES ACT, EXCEPT PARAGRAPH 11, PARAGRAPH 14, PROVINCIAL SUCCESSION DUTIES *</p> <p>** AND ESCHEATS OR FORFEITURE TO THE CROWN.</p> <p>** THE RIGHTS OF ANY PERSON WHO WOULD, BUT FOR THE LAND TITLES ACT, BE ENTITLED TO THE LAND OR ANY PART OF</p> <p>** IT THROUGH LENGTH OF ADVERSE POSSESSION, PRESCRIPTION, MISDESCRIPTION OR BOUNDARIES SETTLED BY</p> <p>** CONVENTION.</p> <p>** ANY LEASE TO WHICH THE SUBSECTION 70(2) OF THE REGISTRY ACT APPLIES.</p> <p>**DATE OF CONVERSION TO LAND TITLES: 1999/08/09 **</p>						
40R7095	1982/07/15	PLAN REFERENCE				C
40R7725	1983/08/25	PLAN REFERENCE				C
D169066	1983/12/02	TRANSFER		*** COMPLETELY DELETED ***	YAKE, HARMINA YAKE, L. ALLAN	
DR1584845	2017/04/13	TRANSFER	\$875,000	YAKE, HARMINA YAKE, L. ALLAN	2452595 ONTARIO LTD.	C
REMARKS: PLANNING ACT STATEMENTS.						

PROPERTY DESCRIPTION: PT LT 28, CON 7, UXBRIDGE, PT 1, 40R14520; TOWNSHIP OF UXBRIDGE

PROPERTY REMARKS:

ESTATE/QUALIFIER:

FEE SIMPLE
LT CONVERSION QUALIFIED

RECENTLY:

FIRST CONVERSION FROM BOOK

PIN CREATION DATE:

1999/08/09

OWNERS' NAMES

2452595 ONTARIO LTD.

CAPACITY SHARE

ROWN

REG. NUM.	DATE	INSTRUMENT TYPE	AMOUNT	PARTIES FROM	PARTIES TO	CERT/CHKD
<p>**EFFECTIVE 2000/07/29 THE NOTATION OF THE "BLOCK IMPLEMENTATION DATE" OF 1999/08/09 ON THIS PIN**</p> <p>**WAS REPLACED WITH THE "PIN CREATION DATE" OF 1999/08/09**</p> <p>** PRINTOUT INCLUDES ALL DOCUMENT TYPES AND DELETED INSTRUMENTS SINCE 1999/08/06 **</p> <p>**SUBJECT, ON FIRST REGISTRATION UNDER THE LAND TITLES ACT, TO:</p> <p>** SUBSECTION 44(1) OF THE LAND TITLES ACT, EXCEPT PARAGRAPH 11, PARAGRAPH 14, PROVINCIAL SUCCESSION DUTIES * AND ESCHEATS OR FORFEITURE TO THE CROWN.</p> <p>** THE RIGHTS OF ANY PERSON WHO WOULD, BUT FOR THE LAND TITLES ACT, BE ENTITLED TO THE LAND OR ANY PART OF IT THROUGH LENGTH OF ADVERSE POSSESSION, PRESCRIPTION, MISDESCRIPTION OR BOUNDARIES SETTLED BY CONVENTION.</p> <p>** ANY LEASE TO WHICH THE SUBSECTION 70(2) OF THE REGISTRY ACT APPLIES.</p> <p>**DATE OF CONVERSION TO LAND TITLES: 1999/08/09 **</p>						
40R7095	1982/07/15	PLAN REFERENCE				C
D152931	1983/03/14	TRANSFER		*** COMPLETELY DELETED ***	KENNEDY, DONNA JEAN KENNEDY, ROBERT DUNSMUIR	
D378722	1992/01/06	CHARGE		*** COMPLETELY DELETED ***	CREWMASTER SERVICES LIMITED	
40R14502	1992/11/03	PLAN REFERENCE				C
40R14520	1992/11/16	PLAN REFERENCE				C
D409581	1993/04/08	CHARGE		*** COMPLETELY DELETED ***	CIBC MORT CORP.	

NOTE: ADJOINING PROPERTIES SHOULD BE INVESTIGATED TO ASCERTAIN DESCRIPTIVE INCONSISTENCIES, IF ANY, WITH DESCRIPTION REPRESENTED FOR THIS PROPERTY.

NOTE: ENSURE THAT YOUR PRINTOUT STATES THE TOTAL NUMBER OF PAGES AND THAT YOU HAVE PICKED THEM ALL UP.

REG. NUM.	DATE	INSTRUMENT TYPE	AMOUNT	PARTIES FROM	PARTIES TO	CERT/ CHKD
D409880	1993/04/19	POSTPONEMENT		*** COMPLETELY DELETED ***		
	<i>REMARKS: D378722, D409581</i>					
LT1026984	2001/05/04	CHARGE		*** COMPLETELY DELETED *** KENNEDY, DONNA JEAN KENNEDY, ROBERT DUNSMUIR	CANADIAN IMPERIAL BANK OF COMMERCE	
DR41563	2001/12/10	DISCH OF CHARGE		*** COMPLETELY DELETED *** CREWMASTER SERVICES LIMITED		
	<i>REMARKS: RE: D378722</i>					
DR120495	2002/10/16	DISCH OF CHARGE		*** COMPLETELY DELETED *** CANADIAN IMPERIAL BANK OF COMMERCE		
	<i>REMARKS: RE: LT1026984</i>					
DR120504	2002/10/16	CHARGE		*** COMPLETELY DELETED *** KENNEDY, DONNA JEAN KENNEDY, ROBERT DUNSMUIR	CANADIAN IMPERIAL BANK OF COMMERCE	
DR127892	2002/11/13	DISCH OF CHARGE		*** COMPLETELY DELETED *** CIBC MORT CORP.		
	<i>REMARKS: RE: D409581</i>					
DR486470	2006/03/29	CHARGE		*** COMPLETELY DELETED *** KENNEDY, DONNA JEAN KENNEDY, ROBERT DUNSMUIR	CANADIAN IMPERIAL BANK OF COMMERCE	
DR486471	2006/03/29	DISCH OF CHARGE		*** COMPLETELY DELETED *** CANADIAN IMPERIAL BANK OF COMMERCE		
	<i>REMARKS: RE: DR120504</i>					
DR1333642	2015/01/19	CHARGE		*** COMPLETELY DELETED *** KENNEDY, DONNA JEAN KENNEDY, ROBERT DUNSMUIR	CANADIAN IMPERIAL BANK OF COMMERCE	
DR1339441	2015/02/11	DISCH OF CHARGE		*** COMPLETELY DELETED *** CANADIAN IMPERIAL BANK OF COMMERCE		
	<i>REMARKS: DR486470.</i>					
DR1602912	2017/06/08	APL DEL EXECUTION		*** COMPLETELY DELETED *** KENNEDY, DONNA JEAN KENNEDY, ROBERT DUNSMUIR		

NOTE: ADJOINING PROPERTIES SHOULD BE INVESTIGATED TO ASCERTAIN DESCRIPTIVE INCONSISTENCIES, IF ANY, WITH DESCRIPTION REPRESENTED FOR THIS PROPERTY.
NOTE: ENSURE THAT YOUR PRINTOUT STATES THE TOTAL NUMBER OF PAGES AND THAT YOU HAVE PICKED THEM ALL UP.

LAND
REGISTRY
OFFICE #40

26842-0103 (LT)

PREPARED FOR CL
ON 2018/02/12 AT 14:46:01

* CERTIFIED IN ACCORDANCE WITH THE LAND TITLES ACT * SUBJECT TO RESERVATIONS IN CROWN GRANT *

REG. NUM.	DATE	INSTRUMENT TYPE	AMOUNT	PARTIES FROM	PARTIES TO	CERT/ CHKD
DR1603802	2017/06/09	TRANSFER	\$3,175,000	KENNEDY, DONNA JEAN KENNEDY, ROBERT DUNSMUIR	2452595 ONTARIO LTD.	C
		<i>REMARKS: PLANNING ACT STATEMENTS.</i>				
DR1629828	2017/08/23	DISCH OF CHARGE		*** COMPLETELY DELETED *** CANADIAN IMPERIAL BANK OF COMMERCE		
		<i>REMARKS: DR1333642.</i>				

PROPERTY DESCRIPTION: PT LT 28, CON 7, UXBRIDGE, PT 2, 40R14520 ; UXBRIDGE

PROPERTY REMARKS:

ESTATE/QUALIFIER:
FEE SIMPLE
LT CONVERSION QUALIFIED

RECENTLY:
FIRST CONVERSION FROM BOOK

PIN CREATION DATE:
1999/08/09

OWNERS' NAMES
2452595 ONTARIO LTD.

CAPACITY SHARE

REG. NUM.	DATE	INSTRUMENT TYPE	AMOUNT	PARTIES FROM	PARTIES TO	CERT/CHKD
<p>**EFFECTIVE 2000/07/29 THE NOTATION OF THE "BLOCK IMPLEMENTATION DATE" OF 1999/08/09 ON THIS PIN**</p> <p>**WAS REPLACED WITH THE "PIN CREATION DATE" OF 1999/08/09**</p> <p>** PRINTOUT INCLUDES ALL DOCUMENT TYPES AND DELETED INSTRUMENTS SINCE 1999/08/06 **</p> <p>**SUBJECT, ON FIRST REGISTRATION UNDER THE LAND TITLES ACT, TO:</p> <p>** SUBSECTION 44(1) OF THE LAND TITLES ACT, EXCEPT PARAGRAPH 11, PARAGRAPH 14, PROVINCIAL SUCCESSION DUTIES *</p> <p>** AND ESCHEATS OR FORFEITURE TO THE CROWN.</p> <p>** THE RIGHTS OF ANY PERSON WHO WOULD, BUT FOR THE LAND TITLES ACT, BE ENTITLED TO THE LAND OR ANY PART OF</p> <p>** IT THROUGH LENGTH OF ADVERSE POSSESSION, PRESCRIPTION, MISDESCRIPTION OR BOUNDARIES SETTLED BY</p> <p>** CONVENTION.</p> <p>** ANY LEASE TO WHICH THE SUBSECTION 70(2) OF THE REGISTRY ACT APPLIES.</p> <p>**DATE OF CONVERSION TO LAND TITLES: 1999/08/09 **</p>						
40R7095	1982/07/15	PLAN REFERENCE				C
40R14502	1992/11/03	PLAN REFERENCE				C
40R14520	1992/11/16	PLAN REFERENCE				C
D480646	1996/10/24	TRANSFER		*** COMPLETELY DELETED ***	THOMAS, SALLY MARIE	
D480647	1996/10/24	CHARGE		*** COMPLETELY DELETED ***	WOOD, GAIL ANN	
DR400088	2005/06/24	DISCH OF CHARGE		*** COMPLETELY DELETED ***		
		REMARKS: RE: D480647		WOOD, GAIL ANN		

NOTE: ADJOINING PROPERTIES SHOULD BE INVESTIGATED TO ASCERTAIN DESCRIPTIVE INCONSISTENCIES, IF ANY, WITH DESCRIPTION REPRESENTED FOR THIS PROPERTY.
NOTE: ENSURE THAT YOUR PRINTOUT STATES THE TOTAL NUMBER OF PAGES AND THAT YOU HAVE PICKED THEM ALL UP.

LAND
REGISTRY
OFFICE #40

26842-0104 (LT)

PAGE 2 OF 2
PREPARED FOR CL
ON 2018/02/12 AT 14:46:36

* CERTIFIED IN ACCORDANCE WITH THE LAND TITLES ACT * SUBJECT TO RESERVATIONS IN CROWN GRANT *

REG. NUM.	DATE	INSTRUMENT TYPE	AMOUNT	PARTIES FROM	PARTIES TO	CERT/ CHKD
DRI603803	2017/06/09	TRANSFER	\$325,000	THOMAS, SALLY MARIE	2452595 ONTARIO LTD.	C
REMARKS: PLANNING ACT STATEMENTS.						

PROPERTY DESCRIPTION: PART LOT 28 CON 7 UXBRIDGE, PART 5 40R7095; UXBRIDGE

PROPERTY REMARKS:

ESTATE/QUALIFIER:
FEE SIMPLE
LT CONVERSION QUALIFIED

RECENTLY:
FIRST CONVERSION FROM BOOK

PIN CREATION DATE:
1999/08/09

OWNERS' NAMES
2452595 ONTARIO LTD.

CAPACITY SHARE
ROWN

REG. NUM.	DATE	INSTRUMENT TYPE	AMOUNT	PARTIES FROM	PARTIES TO	CERT/CHKD
<p>**EFFECTIVE 2000/07/29 THE NOTATION OF THE "BLOCK IMPLEMENTATION DATE" OF 1999/08/09 ON THIS PIN**</p> <p>**WAS REPLACED WITH THE "PIN CREATION DATE" OF 1999/08/09**</p> <p>** PRINTOUT INCLUDES ALL DOCUMENT TYPES AND DELETED INSTRUMENTS SINCE 1999/08/06 **</p> <p>**SUBJECT, ON FIRST REGISTRATION UNDER THE LAND TITLES ACT, TO:</p> <p>** SUBSECTION 44(1) OF THE LAND TITLES ACT, EXCEPT PARAGRAPH 11, PARAGRAPH 14, PROVINCIAL SUCCESSION DUTIES * AND ESCHEATS OR FORFEITURE TO THE CROWN.</p> <p>** THE RIGHTS OF ANY PERSON WHO WOULD, BUT FOR THE LAND TITLES ACT, BE ENTITLED TO THE LAND OR ANY PART OF IT THROUGH LENGTH OF ADVERSE POSSESSION, PRESCRIPTION, MISDESCRIPTION OR BOUNDARIES SETTLED BY CONVENTION.</p> <p>** ANY LEASE TO WHICH THE SUBSECTION 70(2) OF THE REGISTRY ACT APPLIES.</p> <p>**DATE OF CONVERSION TO LAND TITLES: 1999/08/09 **</p>						
40R7095	1982/07/15	PLAN REFERENCE				C
D435504	1994/06/29	TRANSFER		*** COMPLETELY DELETED ***	THOMAS, DONALD BRADLEY THOMAS, SALLY MARIE	
D435505	1994/06/29	CHARGE		*** COMPLETELY DELETED ***	WOOD, GAIL ANN	
D435506	1994/06/29	CHARGE		*** COMPLETELY DELETED ***	MARKHAM-STOUFFVILLE COMMUNITY CREDIT UNION LTD.	
D483153	1996/12/02	TRANSFER OF CHARGE		*** COMPLETELY DELETED ***	WOOD, GAIL ANN WOOD, ELSIE	
REMARKS: D435505						

NOTE: ADJOINING PROPERTIES SHOULD BE INVESTIGATED TO ASCERTAIN DESCRIPTIVE INCONSISTENCIES, IF ANY, WITH DESCRIPTION REPRESENTED FOR THIS PROPERTY.
NOTE: ENSURE THAT YOUR PRINTOUT STATES THE TOTAL NUMBER OF PAGES AND THAT YOU HAVE PICKED THEM ALL UP.

REG. NUM.	DATE	INSTRUMENT TYPE	AMOUNT	PARTIES FROM	PARTIES TO	CERT/ CHKD
LT931586	1999/11/24	DISCH OF CHARGE		*** COMPLETELY DELETED *** GREATER TORONTO AREA (GTA) SAVINGS & CREDIT UNION LIMITED		
	REMARKS: RE: D435506					
DR91147	2002/07/05	CHARGE		*** COMPLETELY DELETED *** THOMAS, DONALD BRADLEY THOMAS, SALLY MARIE	CIBC MORTGAGES INC.	
DR100356	2002/08/06	DISCH OF CHARGE		*** COMPLETELY DELETED *** WOOD, GAIL ANN WOOD, ELSIE		
	REMARKS: RE: D435505					
DR415870	2005/08/10	CHARGE		*** COMPLETELY DELETED *** THOMAS, DONALD BRADLEY THOMAS, SALLY MARIE	CIBC MORTGAGES INC.	
DR415871	2005/08/10	DISCH OF CHARGE		*** COMPLETELY DELETED *** CIBC MORTGAGES INC.		
	REMARKS: RE: DR91147					
DR738494	2008/08/14	CHARGE		*** COMPLETELY DELETED *** THOMAS, DONALD BRADLEY THOMAS, SALLY MARIE	CANADIAN IMPERIAL BANK OF COMMERCE	
DR1371188	2015/06/16	CHARGE		*** COMPLETELY DELETED *** THOMAS, DONALD BRADLEY THOMAS, SALLY MARIE	CANADIAN IMPERIAL BANK OF COMMERCE	
DR1381919	2015/07/17	DISCH OF CHARGE		*** COMPLETELY DELETED *** CIBC MORTGAGES INC.		
	REMARKS: DR415870.					
DR1381923	2015/07/17	POSTPONEMENT		*** COMPLETELY DELETED *** CANADIAN IMPERIAL BANK OF COMMERCE	CANADIAN IMPERIAL BANK OF COMMERCE	
	REMARKS: DR738494 TO DR1371188					
DR1621298	2017/07/28	TRANSFER	\$750,000	THOMAS, DONALD BRADLEY THOMAS, SALLY MARIE	2452595 ONTARIO LTD.	C
	REMARKS: PLANNING ACT STATEMENTS.					
DR1627856	2017/08/17	DISCH OF CHARGE		*** COMPLETELY DELETED ***		

NOTE: ADJOINING PROPERTIES SHOULD BE INVESTIGATED TO ASCERTAIN DESCRIPTIVE INCONSISTENCIES, IF ANY, WITH DESCRIPTION REPRESENTED FOR THIS PROPERTY.
NOTE: ENSURE THAT YOUR PRINTOUT STATES THE TOTAL NUMBER OF PAGES AND THAT YOU HAVE PICKED THEM ALL UP.

26842-0105 (LT)

* CERTIFIED IN ACCORDANCE WITH THE LAND TITLES ACT * SUBJECT TO RESERVATIONS IN CROWN GRANT *

REG. NUM.	DATE	INSTRUMENT TYPE	AMOUNT	PARTIES FROM	PARTIES TO	CERT/ CHKD
DR1633188	2017/08/31	DISCH OF CHARGE		CANADIAN IMPERIAL BANK OF COMMERCE *** COMPLETELY DELETED *** CANADIAN IMPERIAL BANK OF COMMERCE		

PROPERTY DESCRIPTION: PT LT 28, CON 7, UXBRIDGE, PT 6, 40R7095 ; UXBRIDGE

PROPERTY REMARKS:

ESTATE/QUALIFIER:
FEE SIMPLE
LT CONVERSION QUALIFIED

RECENTLY:
FIRST CONVERSION FROM BOOK

PIN CREATION DATE:
1999/08/09

OWNERS' NAMES
2452595 ONTARIO LTD.

CAPACITY SHARE
ROWN

REG. NUM.	DATE	INSTRUMENT TYPE	AMOUNT	PARTIES FROM	PARTIES TO	CERT/CHKD
<p>**EFFECTIVE 2000/07/29 THE NOTATION OF THE "BLOCK IMPLEMENTATION DATE" OF 1999/08/09 ON THIS PIN**</p> <p>**WAS REPLACED WITH THE "PIN CREATION DATE" OF 1999/08/09**</p> <p>** PRINTOUT INCLUDES ALL DOCUMENT TYPES AND DELETED INSTRUMENTS SINCE 1999/08/06 **</p> <p>**SUBJECT, ON FIRST REGISTRATION UNDER THE LAND TITLES ACT, TO:</p> <p>** SUBSECTION 44(1) OF THE LAND TITLES ACT, EXCEPT PARAGRAPH 11, PARAGRAPH 14, PROVINCIAL SUCCESSION DUTIES * AND ESCHEATS OR FORFEITURE TO THE CROWN.</p> <p>** THE RIGHTS OF ANY PERSON WHO WOULD, BUT FOR THE LAND TITLES ACT, BE ENTITLED TO THE LAND OR ANY PART OF IT THROUGH LENGTH OF ADVERSE POSSESSION, PRESCRIPTION, MISDESCRIPTION OR BOUNDARIES SETTLED BY CONVENTION.</p> <p>** ANY LEASE TO WHICH THE SUBSECTION 70(2) OF THE REGISTRY ACT APPLIES.</p> <p>**DATE OF CONVERSION TO LAND TITLES: 1999/08/09 **</p>						
40R7095	1982/07/15	PLAN REFERENCE				C
D228175	1986/08/27	TRANSFER		*** COMPLETELY DELETED ***	RANCE, BARBARA ANN	
LT996335	2000/11/17	TRANSFER		*** COMPLETELY DELETED *** RANCE, BARBARA ANN	RANCE, THOMAS BARNETT RANCE, BARBARA ANN	
DR1580573	2017/03/30	TRANSFER	\$700,000	RANCE, BARBARA ANN RANCE, THOMAS BARNETT	2452595 ONTARIO LTD.	C
REMARKS: PLANNING ACT STATEMENTS.						

Project No.: SP17-275-20

Project Location: 231, 235, 237, 241, 245, 249 Reach Street Uxbridge

100 PT 2 40R7095 – (26842-0100)

Date	Ownership
Till March 1982	The Estate of True Land
March 1982 to March 1983	Ortom Homes Ltd
March 1983 to April 1983	Tomasonne, Antonio
April 1983 to October 1987	Shaw, Robert Durie, Shaw Doris Evelyn
October 1987 to June 2006	Kuenen, Antonio
June 2006 to August 2006	Cosgrove Jane/Kuenen, John, Kuenen Martin William, Milford, Mary Joane
August 2006 to July 2017	Mordak, Ernest and Mordak Sandra Jeane
July 2017 to Present	2452595 Ontario Ltd

101 PT 3 40R7095 – (26842-0101)

Date	Ownership
Till 1982	The Estate of True Land
March 1982 to March 1983	Ortom Homes Ltd
March 1983 to April 1983	Orsi Antonio
April 1983 to November 1983	Cedarcrest Homes Ltd
November 1983 to August 1986	Millar David, Millar Catharine
August 1986 to June 2003	James, Andrea Jeanett
Jun2 2003 to March 2017	O'Neill, Dale and O'Neill Tina
March 2017 to present	2452595 Ontario Ltd

102 PT 4 40R7095 - (26842-0102)

Date	Ownership
Till March 1982	The Estate of True Land
March 1982 to March 1983	Ortom Homes Ltd
March 1983 to April 1983	Tomasonne, Antonio
April 1983 to December 1983	546745 Ontario Ltd
December 1983 to April 2017	Yake, Harmina and Yake, L. Allan
April 2017 to Present	2452595 Ontario Ltd

103 PT 4 40R14520 – (26842-0103)

Date	Ownership
Till March 1982	The Estate of True Land
March 1982 to March 1983	Ortom Homes Ltd
March 1983 to June 2017	Kennedy, Jean and Kennedy, Robert Dunsmuir
June 2017 to Present	2452595 Ontario Ltd

104 PT 2 40R14520 - (26842-0104)

Date	Ownership
Till March 1982	The Estate of True Land
March 1982 to March 1983	Ortom Homes Ltd
March 1983 to December 1992	Kennedy, Robert Dunsumuir and Kennedy, Danna Jeane
December 1992 to October 1996	Wood, Douglas Bruce George
October 1996 to June 2017	Thomas, Sally Marie
June 2017 to Present	2452595 Ontario Ltd

105 PT 5 40R7095 – (26842-0105)

Date	Ownership
Till March 1982	The Estate of True Land
March 1982 to March 1983	Ortom Homes Ltd
March 1983 to January 1984	Orsi Antonio
January 1984 to May 1985	Benns, Eric Robert and Benns, Patricia Dianne
May 1985 to April 1990	Brown, Ray and Brown, Ursula Margaret
April 1990 to April 1992	Seaboard Life Insurance Co.
April 1992 to June 1994	Wood, Gail Ann
June 1994 to July 2017	Thomas, Donald Bradley and Thomas, Sally Marie
July 2017 to Present	2452595 Ontario Ltd

106 PT 6 40R7095 – (26842-0106)

Date	Ownership
Till 1982	The Estate of True Land
March 1982 to March 1983	Otom Homes Ltd
March 1983 to June 1983	Tomasonne, Antonio
June 1983 to March 2017	Rance, Barbara Ann and Rance, Thomas Barnett
March 2017 to Present	2452595 Ontario Ltd

Lot 28 Concession 7, Uxbridge

Date	Ownership
Prior to August 1806	Crown
August 1806 to September 1806	Hayter, Hannah
September 1806 to September 1809	Beswick, Christopher
September 1809 to March 1835	Jarvis, William, Sheriff/ Clack John
March 1835 to February 1844	Billings, James
February 1844 to June 1895	Munro, Hugh
June 1895 to April 1913	Munro, Jane
April 1913 to March 1918	Armstrong, Armies
March 1918 to May 1919	Murray, Joseph and wife
September 1923 to June 1959	Musselman, John & wife
June 1959 to April 1961	Davis, Robert/ Cook, Minnie/ Hippen, Violet
April 1961 to October 1970	Harris, John & wife
October 1970 to 1982	The Estate of True Land

APPENDIX B



Sirati & Partners Consultants Ltd.
Geotechnical & Environmental Services
Engineering Solutions

ERIS
ENVIRONMENTAL RISK INFORMATION SERVICES



DATABASE REPORT

Project Property: *Reach Street, Uxbridge
241 Reach St
Uxbridge ON L9P1R4
SP17-275-10*

Project No: *SP17-275-10*

Report Type: *Quote - Custom-Build Your Own Report*

Order No: *20180201149*

Requested by: *Sirati & Partners Consultants Ltd.*

Date Completed: *February 16, 2018*

**Environmental Risk
Information Services**
A division of Glacier Media Inc.
P: 1.866.517.5204
E: info@erisinfo.com

www.erisinfo.com

Table of Contents

Table of Contents.....	2
Executive Summary.....	3
Executive Summary: Report Summary.....	4
Executive Summary: Site Report Summary - Project Property.....	6
Executive Summary: Site Report Summary - Surrounding Properties.....	7
Executive Summary: Summary By Data Source.....	9
Map.....	12
Aerial.....	13
Topographic Map.....	14
Detail Report.....	15
Unplottable Summary.....	136
Unplottable Report.....	137
Appendix: Database Descriptions.....	143
Definitions.....	151

Notice: IMPORTANT LIMITATIONS and YOUR LIABILITY

Reliance on information in Report: This report DOES NOT replace a full Phase I Environmental Site Assessment but is solely intended to be used as a database review of environmental records.

License for use of information in Report: No page of this report can be used without this cover page, this notice and the project property identifier. The information in Report(s) may not be modified or re-sold.

Your Liability for misuse: Using this Service and/or its reports in a manner contrary to this Notice or your agreement will be in breach of copyright and contract and ERIS may obtain damages for such mis-use, including damages caused to third parties, and gives ERIS the right to terminate your account, rescind your license to any previous reports and to bar you from future use of the Service.

No warranty of Accuracy or Liability for ERIS: The information contained in this report has been produced by ERIS Information Limited Partnership ("ERIS") using various sources of information, including information provided by Federal and Provincial government departments. The report applies only to the address and up to the date specified on the cover of this report, and any alterations or deviation from this description will require a new report. This report and the data contained herein does not purport to be and does not constitute a guarantee of the accuracy of the information contained herein and does not constitute a legal opinion nor medical advice. Although ERIS has endeavored to present you with information that is accurate, ERIS disclaims, any and all liability for any errors, omissions, or inaccuracies in such information and data, whether attributable to inadvertence, negligence or otherwise, and for any consequences arising therefrom. Liability on the part of ERIS is limited to the monetary value paid for this report.

Trademark and Copyright: You may not use the ERIS trademarks or attribute any work to ERIS other than as outlined above. This Service and Report(s) are protected by copyright owned by ERIS Information Limited Partnership. Copyright in data used in the Service or Report(s) (the "Data") is owned by ERIS or its licensors. The Service, Report(s) and Data may not be copied or reproduced in whole or in any substantial part without prior written consent of ERIS.

Executive Summary

Property Information:

Project Property: *Reach Street, Uxbridge
241 Reach St Uxbridge ON L9P1R4*

Project No: *SP17-275-10*

Order Information:

Order No: *20180201149*
Date Requested: *February 1, 2018*
Requested by: *Sirati & Partners Consultants Ltd.*
Report Type: *Quote - Custom-Build Your Own Report*

Historical/Products:

Aerial Photographs *National Collection - Digital (PDF)*
City Directory Search *Subject Site plus 10 Adjacent Properties*

Executive Summary: Report Summary

<i>Database</i>	<i>Name</i>	<i>Searched</i>	<i>Project Property</i>	<i>Boundary to 0.25km</i>	<i>Total</i>
AAGR	<i>Abandoned Aggregate Inventory</i>	Y	0	0	0
AGR	<i>Aggregate Inventory</i>	Y	0	0	0
AMIS	<i>Abandoned Mine Information System</i>	Y	0	0	0
ANDR	<i>Anderson's Waste Disposal Sites</i>	Y	0	0	0
AUWR	<i>Automobile Wrecking & Supplies</i>	Y	0	0	0
BORE	<i>Borehole</i>	Y	0	0	0
CA	<i>Certificates of Approval</i>	Y	0	0	0
CFOT	<i>Commercial Fuel Oil Tanks</i>	Y	0	0	0
CHEM	<i>Chemical Register</i>	Y	0	0	0
CNG	<i>Compressed Natural Gas Stations</i>	Y	0	0	0
COAL	<i>Inventory of Coal Gasification Plants and Coal Tar Sites</i>	Y	0	0	0
CONV	<i>Compliance and Convictions</i>	Y	0	0	0
CPU	<i>Certificates of Property Use</i>	Y	0	0	0
DRL	<i>Drill Hole Database</i>	Y	0	0	0
EASR	<i>Environmental Activity and Sector Registry</i>	Y	0	0	0
EBR	<i>Environmental Registry</i>	Y	0	0	0
ECA	<i>Environmental Compliance Approval</i>	Y	0	9	9
EEM	<i>Environmental Effects Monitoring</i>	Y	0	0	0
EHS	<i>ERIS Historical Searches</i>	Y	1	1	2
EIIS	<i>Environmental Issues Inventory System</i>	Y	0	0	0
EMHE	<i>Emergency Management Historical Event</i>	Y	0	0	0
EXP	<i>List of TSSA Expired Facilities</i>	Y	0	0	0
FCON	<i>Federal Convictions</i>	Y	0	0	0
FCS	<i>Contaminated Sites on Federal Land</i>	Y	0	0	0
FOFT	<i>Fisheries & Oceans Fuel Tanks</i>	Y	0	0	0
FST	<i>Fuel Storage Tank</i>	Y	0	0	0
FSTH	<i>Fuel Storage Tank - Historic</i>	Y	0	0	0
GEN	<i>Ontario Regulation 347 Waste Generators Summary</i>	Y	0	0	0
GHG	<i>Greenhouse Gas Emissions from Large Facilities</i>	Y	0	0	0
HINC	<i>TSSA Historic Incidents</i>	Y	0	0	0
IAFT	<i>Indian & Northern Affairs Fuel Tanks</i>	Y	0	0	0
INC	<i>TSSA Incidents</i>	Y	0	0	0
LIMO	<i>Landfill Inventory Management Ontario</i>	Y	0	0	0
MINE	<i>Canadian Mine Locations</i>	Y	0	0	0
MNR	<i>Mineral Occurrences</i>	Y	0	0	0
NATE	<i>National Analysis of Trends in Emergencies System (NATES)</i>	Y	0	0	0

Database	Name	Searched	Project Property	Boundary to 0.25km	Total
NCPL	<i>Non-Compliance Reports</i>	Y	0	0	0
NDFT	<i>National Defense & Canadian Forces Fuel Tanks</i>	Y	0	0	0
NDSP	<i>National Defense & Canadian Forces Spills</i>	Y	0	0	0
NDWD	<i>National Defence & Canadian Forces Waste Disposal Sites</i>	Y	0	0	0
NEBI	<i>National Energy Board Pipeline Incidents</i>	Y	0	0	0
NEBW	<i>National Energy Board Wells</i>	Y	0	0	0
NEES	<i>National Environmental Emergencies System (NEES)</i>	Y	0	0	0
NPCB	<i>National PCB Inventory</i>	Y	0	0	0
NPRI	<i>National Pollutant Release Inventory</i>	Y	0	0	0
OGW	<i>Oil and Gas Wells</i>	Y	0	0	0
OOGW	<i>Ontario Oil and Gas Wells</i>	Y	0	0	0
OPCB	<i>Inventory of PCB Storage Sites</i>	Y	0	0	0
ORD	<i>Orders</i>	Y	0	0	0
PAP	<i>Canadian Pulp and Paper</i>	Y	0	0	0
PCFT	<i>Parks Canada Fuel Storage Tanks</i>	Y	0	0	0
PES	<i>Pesticide Register</i>	Y	0	0	0
PINC	<i>TSSA Pipeline Incidents</i>	Y	0	0	0
PRT	<i>Private and Retail Fuel Storage Tanks</i>	Y	0	0	0
PTTW	<i>Permit to Take Water</i>	Y	0	0	0
REC	<i>Ontario Regulation 347 Waste Receivers Summary</i>	Y	0	0	0
RSC	<i>Record of Site Condition</i>	Y	0	0	0
RST	<i>Retail Fuel Storage Tanks</i>	Y	0	0	0
SCT	<i>Scott's Manufacturing Directory</i>	Y	0	0	0
SPL	<i>Ontario Spills</i>	Y	0	0	0
SRDS	<i>Wastewater Discharger Registration Database</i>	Y	0	0	0
TANK	<i>Anderson's Storage Tanks</i>	Y	0	0	0
TCFT	<i>Transport Canada Fuel Storage Tanks</i>	Y	0	0	0
VAR	<i>TSSA Variances for Abandonment of Underground Storage Tanks</i>	Y	0	0	0
WDS	<i>Waste Disposal Sites - MOE CA Inventory</i>	Y	0	0	0
WDSH	<i>Waste Disposal Sites - MOE 1991 Historical Approval Inventory</i>	Y	0	0	0
WWIS	<i>Water Well Information System</i>	Y	11	31	42
Total:			12	41	53

Executive Summary: Site Report Summary - Project Property

<i>Map Key</i>	<i>DB</i>	<i>Company/Site Name</i>	<i>Address</i>	<i>Dir/Dist (m)</i>	<i>Elev diff (m)</i>	<i>Page Number</i>
1	EHS		241 Reach St Uxbridge ON L9P0C1	-/0.0	-0.07	15
2	WWIS		lot 28 con 7 ON	-/0.0	0.00	15
2	WWIS		lot 28 con 7 ON	-/0.0	0.00	18
2	WWIS		lot 28 con 7 ON	-/0.0	0.00	21
3	WWIS		lot 29 con 7 Uxbridge ON	-/0.0	-0.95	24
4	WWIS		lot 28 con 7 ON	-/0.0	-0.95	28
5	WWIS		lot 28 con 7 ON	-/0.0	2.14	30
6	WWIS		lot 28 con 7 ON	-/0.0	2.14	33
7	WWIS		lot 28 con 7 ON	-/0.0	-0.98	35
8	WWIS		lot 28 con 7 ON	-/0.0	-2.71	38
9	WWIS		lot 28 con 7 ON	-/0.0	3.05	40
10	WWIS		lot 28 con 7 ON	-/0.0	3.02	43

Executive Summary: Site Report Summary - Surrounding Properties

<i>Map Key</i>	<i>DB</i>	<i>Company/Site Name</i>	<i>Address</i>	<i>Dir/Dist (m)</i>	<i>Elev Diff (m)</i>	<i>Page Number</i>
11	WWIS		lot 28 con 7 ON	ESE/25.9	4.05	46
12	WWIS		lot 28 con 7 ON	WSW/39.1	-2.95	49
13	WWIS		lot 28 con 7 UXBRIDGE ON	W/43.2	-2.95	51
14	WWIS		lot 28 con 7 ON	ESE/43.9	5.14	52
15	WWIS		lot 28 con 7 ON	ESE/45.7	5.14	54
16	WWIS		lot 28 con 7 ON	ESE/77.6	4.97	57
17	WWIS		lot 28 con 7 Uxbridge ON	ESE/92.2	4.97	59
18	WWIS		lot 28 con 7 ON	SSW/95.7	2.44	61
18	WWIS		lot 28 con 7 ON	SSW/95.7	2.44	61
18	WWIS		lot 28 con 7 ON	SSW/95.7	2.44	64
18	WWIS		lot 28 con 7 ON	SSW/95.7	2.44	67
19	WWIS		lot 28 con 7 ON	SSW/97.1	2.44	68
20	WWIS		lot 28 con 7 ON	ESE/102.0	4.98	71
21	WWIS		lot 28 con 7 ON	E/138.1	4.36	74
22	WWIS		lot 28 con 7 ON	ESE/159.6	4.76	77
23	WWIS		lot 28 con 7 ON	WSW/160.6	-2.64	79
24	WWIS		lot 28 con 7 ON	WNW/164.0	-5.12	82
25	WWIS		lot 28 con 7 UXBRIDGE ON	SE/166.3	7.05	85
26	WWIS		lot 28 con 7 ON	W/168.6	-2.95	89
27	EHS		274 Reach St, Pt Lot 27-29, Conc 7, Uxbridge Uxbridge ON	ENE/178.3	1.42	92
28	WWIS		lot 29 con 7 ON	NW/192.6	-2.72	92
29	WWIS		lot 29 con 7 ON	NW/194.6	-2.72	93
29	WWIS		lot 29 con 7 ON	NW/194.6	-2.72	95

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
29	WWIS		lot 29 con 7 ON	NW/194.6	-2.72	98
29	WWIS		lot 29 con 7 ON	NW/194.6	-2.72	101
29	WWIS		lot 29 con 7 ON	NW/194.6	-2.72	104
29	WWIS		lot 29 con 7 ON	NW/194.6	-2.72	107
29	WWIS		lot 29 con 7 ON	NW/194.6	-2.72	110
29	WWIS		lot 29 con 7 ON	NW/194.6	-2.72	116
29	WWIS		lot 29 con 7 ON	NW/194.6	-2.72	124
30	WWIS		lot 28 con 7 ON	E/198.0	3.24	128
31	ECA	1236240 Ontario Limited	Uxbridge ON M6B 2W2	NW/203.9	-2.72	130
31	ECA	1236240 Ontario Limited	Part of Lots 29 and 30, Concession 7 Uxbridge ON M6B 2W2	NW/203.9	-2.72	130
31	ECA	1236240 Ontario Limited	Uxbridge ON M6B 2W2	NW/203.9	-2.72	131
31	ECA	1236240 Ontario Limited	Part of Lots 29 and 30, Concession 7 Uxbridge ON M6B 2W2	NW/203.9	-2.72	131
31	ECA	1236240 Ontario Limited	Uxbridge ON M6B 2W2	NW/203.9	-2.72	131
31	ECA	1236240 Ontario Limited	Uxbridge ON M6B 2W2	NW/203.9	-2.72	131
31	ECA	1236240 Ontario Limited	Uxbridge ON M6B 2W2	NW/203.9	-2.72	132
31	ECA	1236240 Ontario Limited	Part of Lots 29 and 30, Concession 7 Uxbridge ON M6B 2W2	NW/203.9	-2.72	132
31	ECA	The Regional Municipality of Durham	Bell Street, East Street, and Planks Line Uxbridge ON L1N 1C4	NW/203.9	-2.72	132
32	WWIS		lot 28 con 7 ON	ESE/210.7	4.75	132

Executive Summary: Summary By Data Source

ECA - Environmental Compliance Approval

A search of the ECA database, dated Oct 2011-Oct 2017 has found that there are 9 ECA site(s) within approximately 0.25 kilometers of the project property.

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
1236240 Ontario Limited	Part of Lots 29 and 30, Concession 7 Uxbridge ON M6B 2W2	203.9	31
1236240 Ontario Limited	Uxbridge ON M6B 2W2	203.9	31
1236240 Ontario Limited	Uxbridge ON M6B 2W2	203.9	31
The Regional Municipality of Durham	Bell Street, East Street, and Planks Line Uxbridge ON L1N 1C4	203.9	31
1236240 Ontario Limited	Part of Lots 29 and 30, Concession 7 Uxbridge ON M6B 2W2	203.9	31
1236240 Ontario Limited	Uxbridge ON M6B 2W2	203.9	31
1236240 Ontario Limited	Uxbridge ON M6B 2W2	203.9	31
1236240 Ontario Limited	Part of Lots 29 and 30, Concession 7 Uxbridge ON M6B 2W2	203.9	31
1236240 Ontario Limited	Uxbridge ON M6B 2W2	203.9	31

EHS - ERIS Historical Searches

A search of the EHS database, dated 1999-Aug 2016 has found that there are 2 EHS site(s) within approximately 0.25 kilometers of the project property.


<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
	241 Reach St Uxbridge ON L9P0C1	0.0	1
	274 Reach St, Pt Lot 27-29, Conc 7, Uxbridge Uxbridge ON	178.3	27

WWIS - Water Well Information System

A search of the WWIS database, dated Mar 31, 2017 has found that there are 42 WWIS site(s) within approximately 0.25 kilometers of the project property.

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
	lot 28 con 7 ON	0.0	<u>2</u>
	lot 28 con 7 ON	0.0	<u>2</u>
	lot 28 con 7 ON	0.0	<u>2</u>
	lot 29 con 7 Uxbridge ON	0.0	<u>3</u>
	lot 28 con 7 ON	0.0	<u>4</u>
	lot 28 con 7 ON	0.0	<u>5</u>
	lot 28 con 7 ON	0.0	<u>6</u>
	lot 28 con 7 ON	0.0	<u>7</u>
	lot 28 con 7 ON	0.0	<u>8</u>
	lot 28 con 7 ON	0.0	<u>9</u>
	lot 28 con 7 ON	0.0	<u>10</u>
	lot 28 con 7 ON	25.9	<u>11</u>
	lot 28 con 7 ON	39.1	<u>12</u>
	lot 28 con 7 UXBRIDGE ON	43.2	<u>13</u>
	lot 28 con 7 ON	43.9	<u>14</u>
	lot 28 con 7 ON	45.7	<u>15</u>
	lot 28 con 7 ON	77.6	<u>16</u>
	lot 28 con 7 Uxbridge ON	92.2	<u>17</u>
	lot 28 con 7 ON	95.7	<u>18</u>
	lot 28 con 7 ON	95.7	<u>18</u>
	lot 28 con 7 ON	95.7	<u>18</u>
	lot 28 con 7 ON	95.7	<u>18</u>
	lot 28 con 7 ON	97.1	<u>19</u>

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
	lot 28 con 7 ON	102.0	<u>20</u>
	lot 28 con 7 ON	138.1	<u>21</u>
	lot 28 con 7 ON	159.6	<u>22</u>
	lot 28 con 7 ON	160.6	<u>23</u>
	lot 28 con 7 ON	164.0	<u>24</u>
	lot 28 con 7 UXBRIDGE ON	166.3	<u>25</u>
	lot 28 con 7 ON	168.6	<u>26</u>
	lot 29 con 7 ON	192.6	<u>28</u>
	lot 29 con 7 ON	194.6	<u>29</u>
	lot 29 con 7 ON	194.6	<u>29</u>
	lot 29 con 7 ON	194.6	<u>29</u>
	lot 29 con 7 ON	194.6	<u>29</u>
	lot 29 con 7 ON	194.6	<u>29</u>
	lot 29 con 7 ON	194.6	<u>29</u>
	lot 29 con 7 ON	194.6	<u>29</u>
	lot 29 con 7 ON	194.6	<u>29</u>
	lot 28 con 7 ON	198.0	<u>30</u>
	lot 28 con 7 ON	210.7	<u>32</u>



Map : 0.25 Kilometer Radius

Order No: 20180201149
Address: 241 Reach St, Uxbridge, ON, L9P1R4



Project Property	Expressway	Industrial and Resource - Regions	National Park
Buffer Outline	Principal Highway	Main Line	Provincial or Territorial Park
Eris Sites with Higher Elevation	Secondary Highway	Sidetrack	Other Park
Eris Sites with Same Elevation	Major Road	Transit Line	Golf Course or Driving Range
Eris Sites with Lower Elevation	Local road	Abandoned Line	Park or Sports Field
Eris Sites with Unknown Elevation	Trail	Proposed Road	Other Recreation Area
	Proposed Road		
	Ferry Route/Ice Road		



44°6'N

44°6'N

Aerial (2012)


Address: 241 Reach St, Uxbridge, ON, L9P1R4

Source: ESRI World Imagery

Order No: 20180201149



© ERIS Information Limited Partnership



Sources: Esri, HERE, DeLorme, Intermap, increment P Corp., GRCO, USGS, FAO, NPS, NRCAN, GeoBase, IGN, Kadaster NL, (1:24000)urvey, Esri Japan, METI, Esri China (Hong Kong), swisstopo, MapmyIndia, © OpenStreetMap contributors, and the GIS User Community

Topographic Map

Address: 241 Reach St, Uxbridge, ON, L9P1R4

Source: ESRI World Topographic Map

Order No: 20180201149



© ERIS Information Limited Partnership

Detail Report

Map Key	Number of Records	Direction/ Distance (m)	Elevation (m)	Site	DB
<u>1</u>	1 of 1	-/0.0	281.7	241 Reach St Uxbridge ON L9P0C1	EHS

Postal Code:
City:
Address2:
Address1:
Provstate:
Order No.: 20131114007
Addit. Info Ordered:: Aerial Photos
Report Date: 22-NOV-13
Report Type: Standard Select Report
Search Radius (km): .25

<u>2</u>	1 of 3	-/0.0	281.8	lot 28 con 7 ON	WWIS
----------	--------	-------	-------	--------------------	------

<p> Well ID: 1906703 Construction Date: Primary Water Use: Domestic Sec. Water Use: 0 Final Well Status: Water Supply Water Type: Casing Material: Audit No: Tag: Construction Method: Elevation (m): Elevation Reliability: Depth to Bedrock: Well Depth: Overburden/Bedrock: Pump Rate: Static Water Level: Flowing (Y/N): Flow Rate: Clear/Cloudy: </p>	<p> Data Entry Status: Data Src: 1 Date Received: 9/16/1983 Selected Flag: 1 Abandonment Rec: Contractor: 1413 Form Version: 1 Owner: Street Name: County: DURHAM Municipality: UXBRIDGE TOWNSHIP (UXBRIDGE) Site Info: Lot: 028 Concession: 07 Concession Name: CON Easting NAD83: Northing NAD83: Zone: UTM Reliability: </p>
---	--

Bore Hole Information

<p> Bore Hole ID: 10075376 DP2BR: Code OB: o Code OB Desc: Overburden Open Hole: Elevation: 281.727722 Elevrc: Remarks: Elevrc Desc: Location Source Date: Improvement Location Source: Improvement Location Method: </p>	<p> Spatial Status: Cluster Kind: UTMRC: 5 UTMRC Desc: margin of error : 100 m - 300 m Location Method: p5 Org CS: Date Completed: 8/23/1983 </p>
--	--

Map Key	Number of Records	Direction/ Distance (m)	Elevation (m)	Site	DB
----------------	--------------------------	--------------------------------	----------------------	-------------	-----------

Source Revision Comment:
Supplier Comment:

Overburden and Bedrock Materials Interval

Formation ID: 931162131
 Layer: 1
 Color: 6
 General Color: BROWN
 Mat1: 28
 Most Common Material: SAND
 Mat2: 68
 Other Materials: DRY
 Mat3:
 Other Materials:
 Formation Top Depth: 0.00
 Formation End Depth: 36.00
 Formation End Depth UOM: ft

Formation ID: 931162132
 Layer: 2
 Color: 6
 General Color: BROWN
 Mat1: 05
 Most Common Material: CLAY
 Mat2: 66
 Other Materials: DENSE
 Mat3:
 Other Materials:
 Formation Top Depth: 36.00
 Formation End Depth: 77.00
 Formation End Depth UOM: ft

Formation ID: 931162133
 Layer: 3
 Color: 6
 General Color: BROWN
 Mat1: 28
 Most Common Material: SAND
 Mat2: 77
 Other Materials: LOOSE
 Mat3:
 Other Materials:
 Formation Top Depth: 77.00
 Formation End Depth: 85.00
 Formation End Depth UOM: ft

Formation ID: 931162134
 Layer: 4
 Color: 6
 General Color: BROWN
 Mat1: 28
 Most Common Material: SAND
 Mat2: 11
 Other Materials: GRAVEL
 Mat3: 80
 Other Materials: POROUS
 Formation Top Depth: 85.00
 Formation End Depth: 91.00
 Formation End Depth UOM: ft

Method of Construction & Well Use

Map Key	Number of Records	Direction/ Distance (m)	Elevation (m)	Site	DB
Method Construction ID:		961906703			
Method Construction Code:		2			
Method Construction:		Rotary (Convent.)			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		10623946			
Casing No:		1			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		930133171			
Layer:		1			
Material:		1			
Open Hole or Material:		STEEL			
Depth From:					
Depth To:		88.00			
Casing Diameter:		6.00			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Screen</u>					
Screen ID:		933330319			
Layer:		1			
Slot:		030			
Screen Top Depth:		88.00			
Screen End Depth:		91.00			
Screen Material:					
Screen Depth UOM:		ft			
Screen Diameter UOM:		inch			
Screen Diameter:		6.00			
<u>Results of Well Yield Testing</u>					
Pump Test ID:		991906703			
Pump Set At:					
Static Level:		40.00			
Final Level After Pumping:		45.00			
Recommended Pump Depth:		60.00			
Pumping Rate:		20.00			
Flowing Rate:					
Recommended Pump Rate:		8.00			
Levels UOM:		ft			
Rate UOM:		GPM			
Water State After Test Code:		1			
Water State After Test:		CLEAR			
Pumping Test Method:		2			
Pumping Duration HR:		1			
Pumping Duration MIN:		30			
Flowing:		N			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		934129832			
Test Type:		Draw Down			
Test Duration:		15			
Test Level:		45.00			

Map Key	Number of Records	Direction/ Distance (m)	Elevation (m)	Site	DB
---------	-------------------	----------------------------	------------------	------	----

Test Level UOM: ft
Pump Test Detail ID: 934923378
Test Type: Draw Down
Test Duration: 60
Test Level: 45.00
Test Level UOM: ft

Water Details

Water ID: 933517228
Layer: 1
Kind Code: 1
Kind: FRESH
Water Found Depth: 91.00
Water Found Depth UOM: ft

2	2 of 3	-0.0	281.8	lot 28 con 7 ON	WWIS
-------------------	--------	------	-------	--------------------	------

Well ID: 1906674
Construction Date:
Primary Water Use: Domestic
Sec. Water Use: 0
Final Well Status: Water Supply
Water Type:
Casing Material:
Audit No:
Tag:
Construction Method:
Elevation (m):
Elevation Reliability:
Depth to Bedrock:
Well Depth:
Overburden/Bedrock:
Pump Rate:
Static Water Level:
Flowing (Y/N):
Flow Rate:
Clear/Cloudy:

Data Entry Status:
Data Src: 1
Date Received: 8/8/1983
Selected Flag: 1
Abandonment Rec:
Contractor: 1413
Form Version: 1
Owner:
Street Name:
County: DURHAM
Municipality: UXBRIDGE TOWNSHIP (UXBRIDGE)
Site Info:
Lot: 028
Concession: 07
Concession Name: CON
Easting NAD83:
Northing NAD83:
Zone:
UTM Reliability:

Bore Hole Information

Bore Hole ID: 10075349
DP2BR:
Code OB: o
Code OB Desc: Overburden
Open Hole:
Elevation: 281.727722
Elevrc:
Remarks:
Elevrc Desc:
Location Source Date:
Improvement Location Source:
Improvement Location Method:
Source Revision Comment:
Supplier Comment:

Spatial Status:
Cluster Kind:
UTMRC: 5
UTMRC Desc: margin of error : 100 m - 300 m
Location Method: p5
Org CS:
Date Completed: 7/5/1983

Overburden and Bedrock Materials Interval

Map Key	Number of Records	Direction/ Distance (m)	Elevation (m)	Site	DB
Formation ID:		931161995			
Layer:		1			
Color:		6			
General Color:		BROWN			
Mat1:		28			
Most Common Material:		SAND			
Mat2:		68			
Other Materials:		DRY			
Mat3:					
Other Materials:					
Formation Top Depth:		0.00			
Formation End Depth:		32.00			
Formation End Depth UOM:		ft			
Formation ID:		931161996			
Layer:		2			
Color:		6			
General Color:		BROWN			
Mat1:		28			
Most Common Material:		SAND			
Mat2:		05			
Other Materials:		CLAY			
Mat3:		06			
Other Materials:		SILT			
Formation Top Depth:		32.00			
Formation End Depth:		72.00			
Formation End Depth UOM:		ft			
Formation ID:		931161997			
Layer:		3			
Color:		6			
General Color:		BROWN			
Mat1:		08			
Most Common Material:		FINE SAND			
Mat2:		77			
Other Materials:		LOOSE			
Mat3:					
Other Materials:					
Formation Top Depth:		72.00			
Formation End Depth:		77.00			
Formation End Depth UOM:		ft			
<u>Method of Construction & Well Use</u>					
Method Construction ID:		961906674			
Method Construction Code:		2			
Method Construction:		Rotary (Convent.)			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		10623919			
Casing No:		1			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		930133141			
Layer:		1			
Material:		1			
Open Hole or Material:		STEEL			

Map Key	Number of Records	Direction/ Distance (m)	Elevation (m)	Site	DB
Depth From:					
Depth To:		73.00			
Casing Diameter:		6.00			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
 <u>Construction Record - Screen</u>					
Screen ID:		933330299			
Layer:		1			
Slot:		008			
Screen Top Depth:		73.00			
Screen End Depth:		77.00			
Screen Material:					
Screen Depth UOM:		ft			
Screen Diameter UOM:		inch			
Screen Diameter:		6.00			
 <u>Results of Well Yield Testing</u>					
Pump Test ID:		991906674			
Pump Set At:					
Static Level:		32.00			
Final Level After Pumping:		70.00			
Recommended Pump Depth:		73.00			
Pumping Rate:		5.00			
Flowing Rate:					
Recommended Pump Rate:		4.00			
Levels UOM:		ft			
Rate UOM:		GPM			
Water State After Test Code:					
Water State After Test:					
Pumping Test Method:		2			
Pumping Duration HR:		2			
Pumping Duration MIN:		0			
Flowing:		N			
 <u>Draw Down & Recovery</u>					
Pump Test Detail ID:		934129811			
Test Type:		Draw Down			
Test Duration:		15			
Test Level:		66.00			
Test Level UOM:		ft			
Pump Test Detail ID:		934402958			
Test Type:		Draw Down			
Test Duration:		30			
Test Level:		70.00			
Test Level UOM:		ft			
Pump Test Detail ID:		934671167			
Test Type:		Draw Down			
Test Duration:		45			
Test Level:		70.00			
Test Level UOM:		ft			
Pump Test Detail ID:		934923356			
Test Type:		Draw Down			
Test Duration:		60			
Test Level:		70.00			
Test Level UOM:		ft			

Map Key	Number of Records	Direction/ Distance (m)	Elevation (m)	Site	DB
<u>Water Details</u>					
Water ID:		933517197			
Layer:		1			
Kind Code:		1			
Kind:		FRESH			
Water Found Depth:		77.00			
Water Found Depth UOM:		ft			
<u>2</u>	3 of 3	-/0.0	281.8	lot 28 con 7 ON	WWIS
Well ID:	1906637			Data Entry Status:	
Construction Date:				Data Src:	1
Primary Water Use:	Domestic			Date Received:	6/28/1983
Sec. Water Use:	0			Selected Flag:	1
Final Well Status:	Water Supply			Abandonment Rec:	
Water Type:				Contractor:	4743
Casing Material:				Form Version:	1
Audit No:				Owner:	
Tag:				Street Name:	
Construction Method:				County:	DURHAM
Elevation (m):				Municipality:	UXBRIDGE TOWNSHIP (UXBRIDGE)
Elevation Reliability:				Site Info:	
Depth to Bedrock:				Lot:	028
Well Depth:				Concession:	07
Overburden/Bedrock:				Concession Name:	CON
Pump Rate:				Easting NAD83:	
Static Water Level:				Northing NAD83:	
Flowing (Y/N):				Zone:	
Flow Rate:				UTM Reliability:	
Clear/Cloudy:					
<u>Bore Hole Information</u>					
Bore Hole ID:	10075318			Spatial Status:	
DP2BR:				Cluster Kind:	
Code OB:	o			UTMRC:	5
Code OB Desc:	Overburden			UTMRC Desc:	margin of error : 100 m - 300 m
Open Hole:				Location Method:	p5
Elevation:	281.727722			Org CS:	
Elevrc:				Date Completed:	5/27/1983
Remarks:					
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:	931161832				
Layer:	1				
Color:	6				
General Color:	BROWN				
Mat1:	28				
Most Common Material:	SAND				
Mat2:	77				
Other Materials:	LOOSE				

Map Key	Number of Records	Direction/ Distance (m)	Elevation (m)	Site	DB
Mat3:					
Other Materials:					
Formation Top Depth:		0.00			
Formation End Depth:		52.00			
Formation End Depth UOM:		ft			
Formation ID:		931161833			
Layer:		2			
Color:		6			
General Color:		BROWN			
Mat1:		28			
Most Common Material:		SAND			
Mat2:		79			
Other Materials:		PACKED			
Mat3:					
Other Materials:					
Formation Top Depth:		52.00			
Formation End Depth:		82.00			
Formation End Depth UOM:		ft			
Formation ID:		931161834			
Layer:		3			
Color:		6			
General Color:		BROWN			
Mat1:		10			
Most Common Material:		COARSE SAND			
Mat2:					
Other Materials:					
Mat3:					
Other Materials:					
Formation Top Depth:		82.00			
Formation End Depth:		86.00			
Formation End Depth UOM:		ft			
Formation ID:		931161835			
Layer:		4			
Color:		6			
General Color:		BROWN			
Mat1:		28			
Most Common Material:		SAND			
Mat2:		05			
Other Materials:		CLAY			
Mat3:		74			
Other Materials:		LAYERED			
Formation Top Depth:		86.00			
Formation End Depth:		93.00			
Formation End Depth UOM:		ft			
<u>Method of Construction & Well Use</u>					
Method Construction ID:		961906637			
Method Construction Code:		1			
Method Construction:		Cable Tool			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		10623888			
Casing No:		1			
Comment:					
Alt Name:					

Map Key	Number of Records	Direction/ Distance (m)	Elevation (m)	Site	DB
<u>Construction Record - Casing</u>					
Casing ID:		930133110			
Layer:		1			
Material:		1			
Open Hole or Material:		STEEL			
Depth From:					
Depth To:		83.00			
Casing Diameter:		6.00			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
Casing ID:		930133111			
Layer:		2			
Material:		1			
Open Hole or Material:		STEEL			
Depth From:					
Depth To:		93.00			
Casing Diameter:		5.00			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Results of Well Yield Testing</u>					
Pump Test ID:		991906637			
Pump Set At:					
Static Level:		52.00			
Final Level After Pumping:		60.00			
Recommended Pump Depth:		65.00			
Pumping Rate:		20.00			
Flowing Rate:					
Recommended Pump Rate:		20.00			
Levels UOM:		ft			
Rate UOM:		GPM			
Water State After Test Code:		1			
Water State After Test:		CLEAR			
Pumping Test Method:		2			
Pumping Duration HR:		1			
Pumping Duration MIN:		0			
Flowing:		N			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		934129790			
Test Type:		Draw Down			
Test Duration:		15			
Test Level:		60.00			
Test Level UOM:		ft			
Pump Test Detail ID:		934402941			
Test Type:		Draw Down			
Test Duration:		30			
Test Level:		60.00			
Test Level UOM:		ft			
Pump Test Detail ID:		934671152			
Test Type:		Draw Down			
Test Duration:		45			
Test Level:		60.00			
Test Level UOM:		ft			
Pump Test Detail ID:		934923335			
Test Type:		Draw Down			
Test Duration:		60			

Map Key	Number of Records	Direction/ Distance (m)	Elevation (m)	Site	DB
Test Level:		60.00			
Test Level UOM:		ft			
<u>Water Details</u>					
Water ID:		933517169			
Layer:		1			
Kind Code:		1			
Kind:		FRESH			
Water Found Depth:		82.00			
Water Found Depth UOM:		ft			

<u>3</u>	1 of 1	-0.0	280.8	lot 29 con 7 Uxbridge ON	WWIS
Well ID:	7128149			Data Entry Status:	
Construction Date:				Data Src:	
Primary Water Use:	Domestic			Date Received:	8/25/2009
Sec. Water Use:				Selected Flag:	1
Final Well Status:	Water Supply			Abandonment Rec:	
Water Type:				Contractor:	5459
Casing Material:				Form Version:	7
Audit No:	Z101459			Owner:	
Tag:	A064994			Street Name:	235 REACH STREET
Construction Method:				County:	DURHAM
Elevation (m):				Municipality:	UXBRIDGE TOWNSHIP (UXBRIDGE)
Elevation Reliability:				Site Info:	
Depth to Bedrock:				Lot:	029
Well Depth:				Concession:	07
Overburden/Bedrock:				Concession Name:	CON
Pump Rate:				Easting NAD83:	
Static Water Level:				Northing NAD83:	
Flowing (Y/N):				Zone:	
Flow Rate:				UTM Reliability:	
Clear/Cloudy:					

Bore Hole Information

Bore Hole ID:	1002673694			Spatial Status:	
DP2BR:				Cluster Kind:	
Code OB:				UTMRC:	4
Code OB Desc:				UTMRC Desc:	margin of error : 30 m - 100 m
Open Hole:				Location Method:	wwr
Elevation:	280.418518			Org CS:	UTM83
Elevrc:				Date Completed:	7/15/2009
Remarks:					
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					

Overburden and Bedrock

Materials Interval

Formation ID:	1002967157
Layer:	1
Color:	6
General Color:	BROWN
Mat1:	08

Map Key	Number of Records	Direction/ Distance (m)	Elevation (m)	Site	DB
Most Common Material:					
Mat2:		FINE SAND			
Other Materials:		06			
Mat3:		SILT			
Other Materials:		11			
Formation Top Depth:		GRAVEL			
Formation End Depth:		0.00			
Formation End Depth UOM:		84.00			
		ft			
Formation ID:					
Layer:		1002967158			
Color:		2			
General Color:		2			
Mat1:		GREY			
Most Common Material:		05			
Mat2:		CLAY			
Other Materials:		06			
Mat3:		SILT			
Other Materials:		66			
Formation Top Depth:		DENSE			
Formation End Depth:		84.00			
Formation End Depth UOM:		86.00			
		ft			
<u>Annular Space/Abandonment</u>					
<u>Sealing Record</u>					
Plug ID:					
Layer:		1002967160			
Plug From:		1			
Plug To:		0.00			
Plug Depth UOM:		20.00			
		ft			
<u>Method of Construction & Well</u>					
<u>Use</u>					
Method Construction ID:					
Method Construction Code:		1002967178			
Method Construction:		4			
Other Method Construction:		Rotary (Air)			
<u>Pipe Information</u>					
Pipe ID:					
Casing No:		1002967155			
Comment:		0			
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:					
Layer:		1002967162			
Material:		1			
Open Hole or Material:		1			
Depth From:		STEEL			
Depth To:		0.00			
Casing Diameter:		74.00			
Casing Diameter UOM:		6.00			
Casing Depth UOM:		inch			
		ft			
<u>Construction Record - Screen</u>					
Screen ID:					
		1002967163			

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elevation (m)</i>	<i>Site</i>	<i>DB</i>
<i>Layer:</i>		1			
<i>Slot:</i>		8			
<i>Screen Top Depth:</i>		75.00			
<i>Screen End Depth:</i>		84.00			
<i>Screen Material:</i>		1			
<i>Screen Depth UOM:</i>		ft			
<i>Screen Diameter UOM:</i>		inch			
<i>Screen Diameter:</i>		6.00			

Results of Well Yield Testing

<i>Pump Test ID:</i>	1002967156
<i>Pump Set At:</i>	70.00
<i>Static Level:</i>	34.00
<i>Final Level After Pumping:</i>	49.20
<i>Recommended Pump Depth:</i>	70.00
<i>Pumping Rate:</i>	10.00
<i>Flowing Rate:</i>	
<i>Recommended Pump Rate:</i>	
<i>Levels UOM:</i>	ft
<i>Rate UOM:</i>	GPM
<i>Water State After Test Code:</i>	1
<i>Water State After Test:</i>	CLEAR
<i>Pumping Test Method:</i>	0
<i>Pumping Duration HR:</i>	1
<i>Pumping Duration MIN:</i>	
<i>Flowing:</i>	N

Draw Down & Recovery

<i>Pump Test Detail ID:</i>	1002967164
<i>Test Type:</i>	Draw Down
<i>Test Duration:</i>	1
<i>Test Level:</i>	38.00
<i>Test Level UOM:</i>	ft
<i>Pump Test Detail ID:</i>	1002967165
<i>Test Type:</i>	Draw Down
<i>Test Duration:</i>	2
<i>Test Level:</i>	40.70
<i>Test Level UOM:</i>	ft
<i>Pump Test Detail ID:</i>	1002967166
<i>Test Type:</i>	Draw Down
<i>Test Duration:</i>	3
<i>Test Level:</i>	42.70
<i>Test Level UOM:</i>	ft
<i>Pump Test Detail ID:</i>	1002967167
<i>Test Type:</i>	Draw Down
<i>Test Duration:</i>	4
<i>Test Level:</i>	44.00
<i>Test Level UOM:</i>	ft
<i>Pump Test Detail ID:</i>	1002967168
<i>Test Type:</i>	Draw Down
<i>Test Duration:</i>	5
<i>Test Level:</i>	45.40
<i>Test Level UOM:</i>	ft
<i>Pump Test Detail ID:</i>	1002967169
<i>Test Type:</i>	Draw Down
<i>Test Duration:</i>	10
<i>Test Level:</i>	48.10

Map Key	Number of Records	Direction/ Distance (m)	Elevation (m)	Site	DB
Test Level UOM:		ft			
Pump Test Detail ID:		1002967170			
Test Type:		Draw Down			
Test Duration:		15			
Test Level:		48.80			
Test Level UOM:		ft			
Pump Test Detail ID:		1002967171			
Test Type:		Draw Down			
Test Duration:		20			
Test Level:		49.10			
Test Level UOM:		ft			
Pump Test Detail ID:		1002967172			
Test Type:		Draw Down			
Test Duration:		25			
Test Level:		49.20			
Test Level UOM:		ft			
Pump Test Detail ID:		1002967173			
Test Type:		Draw Down			
Test Duration:		30			
Test Level:		49.20			
Test Level UOM:		ft			
Pump Test Detail ID:		1002967174			
Test Type:		Draw Down			
Test Duration:		40			
Test Level:		49.20			
Test Level UOM:		ft			
Pump Test Detail ID:		1002967175			
Test Type:		Draw Down			
Test Duration:		50			
Test Level:		49.20			
Test Level UOM:		ft			
Pump Test Detail ID:		1002967176			
Test Type:		Draw Down			
Test Duration:		60			
Test Level:		49.20			
Test Level UOM:		ft			
<u>Water Details</u>					
Water ID:		1002967161			
Layer:		1			
Kind Code:		1			
Kind:		FRESH			
Water Found Depth:		84.00			
Water Found Depth UOM:		ft			
<u>Hole Diameter</u>					
Hole ID:		1002967159			
Diameter:		6.00			
Depth From:		0.00			
Depth To:		84.00			
Hole Depth UOM:		ft			
Hole Diameter UOM:		inch			

Map Key	Number of Records	Direction/ Distance (m)	Elevation (m)	Site	DB
<u>4</u>	1 of 1	-/0.0	280.8	lot 28 con 7 ON	WWIS
Well ID:		1906701		Data Entry Status:	
Construction Date:				Data Src: 1	
Primary Water Use:		Domestic		Date Received: 9/16/1983	
Sec. Water Use:		0		Selected Flag: 1	
Final Well Status:		Water Supply		Abandonment Rec:	
Water Type:				Contractor: 1413	
Casing Material:				Form Version: 1	
Audit No:				Owner:	
Tag:				Street Name:	
Construction Method:				County: DURHAM	
Elevation (m):				Municipality: UXBRIDGE TOWNSHIP (UXBRIDGE)	
Elevation Reliability:				Site Info:	
Depth to Bedrock:				Lot: 028	
Well Depth:				Concession: 07	
Overburden/Bedrock:				Concession Name: CON	
Pump Rate:				Easting NAD83:	
Static Water Level:				Northing NAD83:	
Flowing (Y/N):				Zone:	
Flow Rate:				UTM Reliability:	
Clear/Cloudy:					

Bore Hole Information

Bore Hole ID:	10075374	Spatial Status:	
DP2BR:		Cluster Kind:	
Code OB:	o	UTMRC:	5
Code OB Desc:	Overburden	UTMRC Desc:	margin of error : 100 m - 300 m
Open Hole:		Location Method:	p5
Elevation:	280.482757	Org CS:	
Elevrc:		Date Completed:	8/23/1983
Remarks:			
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

Overburden and Bedrock

Materials Interval

Formation ID:	931162124
Layer:	1
Color:	6
General Color:	BROWN
Mat1:	28
Most Common Material:	SAND
Mat2:	68
Other Materials:	DRY
Mat3:	
Other Materials:	
Formation Top Depth:	0.00
Formation End Depth:	30.00
Formation End Depth UOM:	ft
Formation ID:	931162125
Layer:	2
Color:	6
General Color:	BROWN
Mat1:	28

Map Key	Number of Records	Direction/ Distance (m)	Elevation (m)	Site	DB
Most Common Material:		SAND			
Mat2:		05			
Other Materials:		CLAY			
Mat3:		06			
Other Materials:		SILT			
Formation Top Depth:		30.00			
Formation End Depth:		75.00			
Formation End Depth UOM:		ft			
Formation ID:		931162126			
Layer:		3			
Color:		6			
General Color:		BROWN			
Mat1:		09			
Most Common Material:		MEDIUM SAND			
Mat2:		77			
Other Materials:		LOOSE			
Mat3:					
Other Materials:					
Formation Top Depth:		75.00			
Formation End Depth:		83.00			
Formation End Depth UOM:		ft			
<u>Method of Construction & Well Use</u>					
Method Construction ID:		961906701			
Method Construction Code:		2			
Method Construction:		Rotary (Convent.)			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		10623944			
Casing No:		1			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		930133169			
Layer:		1			
Material:		1			
Open Hole or Material:		STEEL			
Depth From:					
Depth To:		79.00			
Casing Diameter:		6.00			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Screen</u>					
Screen ID:		933330317			
Layer:		1			
Slot:		008			
Screen Top Depth:		79.00			
Screen End Depth:		83.00			
Screen Material:					
Screen Depth UOM:		ft			
Screen Diameter UOM:		inch			
Screen Diameter:		6.00			

Map Key	Number of Records	Direction/ Distance (m)	Elevation (m)	Site	DB
---------	-------------------	-------------------------	---------------	------	----

Results of Well Yield Testing

Pump Test ID: 991906701
Pump Set At:
Static Level: 33.00
Final Level After Pumping: 70.00
Recommended Pump Depth: 75.00
Pumping Rate: 5.00
Flowing Rate:
Recommended Pump Rate: 5.00
Levels UOM: ft
Rate UOM: GPM
Water State After Test Code: 1
Water State After Test: CLEAR
Pumping Test Method: 1
Pumping Duration HR: 2
Pumping Duration MIN: 30
Flowing: N

Draw Down & Recovery

Pump Test Detail ID: 934923376
Test Type: Draw Down
Test Duration: 60
Test Level: 70.00
Test Level UOM: ft

Water Details

Water ID: 933517226
Layer: 1
Kind Code: 1
Kind: FRESH
Water Found Depth: 83.00
Water Found Depth UOM: ft

<u>5</u>	1 of 1	-/0.0	283.9	lot 28 con 7 ON	WWIS
----------	--------	-------	-------	--------------------	------

Well ID: 1906702 Construction Date: Primary Water Use: Domestic Sec. Water Use: 0 Final Well Status: Water Supply Water Type: Casing Material: Audit No: Tag: Construction Method: Elevation (m): Elevation Reliability: Depth to Bedrock: Well Depth: Overburden/Bedrock: Pump Rate: Static Water Level: Flowing (Y/N): Flow Rate: Clear/Cloudy:	Data Entry Status: Data Src: 1 Date Received: 9/16/1983 Selected Flag: 1 Abandonment Rec: Contractor: 1413 Form Version: 1 Owner: Street Name: County: DURHAM Municipality: UXBRIDGE TOWNSHIP (UXBRIDGE) Site Info: Lot: 028 Concession: 07 Concession Name: CON Easting NAD83: Northing NAD83: Zone: UTM Reliability:
--	---

Bore Hole Information

Map Key	Number of Records	Direction/ Distance (m)	Elevation (m)	Site	DB
Bore Hole ID:	10075375			Spatial Status:	
DP2BR:				Cluster Kind:	
Code OB:	o			UTMRC:	5
Code OB Desc:	Overburden			UTMRC Desc:	margin of error : 100 m - 300 m
Open Hole:				Location Method:	p5
Elevation:	283.261901			Org CS:	
Elevrc:				Date Completed:	8/24/1983
Remarks:					
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:	931162127				
Layer:	1				
Color:	6				
General Color:	BROWN				
Mat1:	28				
Most Common Material:	SAND				
Mat2:	68				
Other Materials:	DRY				
Mat3:					
Other Materials:					
Formation Top Depth:	0.00				
Formation End Depth:	38.00				
Formation End Depth UOM:	ft				
Formation ID:	931162128				
Layer:	2				
Color:	3				
General Color:	BLUE				
Mat1:	05				
Most Common Material:	CLAY				
Mat2:	06				
Other Materials:	SILT				
Mat3:	85				
Other Materials:	SOFT				
Formation Top Depth:	38.00				
Formation End Depth:	73.00				
Formation End Depth UOM:	ft				
Formation ID:	931162129				
Layer:	3				
Color:	6				
General Color:	BROWN				
Mat1:	28				
Most Common Material:	SAND				
Mat2:	06				
Other Materials:	SILT				
Mat3:	79				
Other Materials:	PACKED				
Formation Top Depth:	73.00				
Formation End Depth:	82.00				
Formation End Depth UOM:	ft				
Formation ID:	931162130				
Layer:	4				
Color:	6				
General Color:	BROWN				

Map Key	Number of Records	Direction/ Distance (m)	Elevation (m)	Site	DB
Mat1:		28			
Most Common Material:		SAND			
Mat2:		11			
Other Materials:		GRAVEL			
Mat3:		80			
Other Materials:		POROUS			
Formation Top Depth:		82.00			
Formation End Depth:		91.00			
Formation End Depth UOM:		ft			
<u>Method of Construction & Well Use</u>					
Method Construction ID:		961906702			
Method Construction Code:		2			
Method Construction:		Rotary (Convent.)			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		10623945			
Casing No:		1			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		930133170			
Layer:		1			
Material:		1			
Open Hole or Material:		STEEL			
Depth From:					
Depth To:		88.00			
Casing Diameter:		6.00			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Screen</u>					
Screen ID:		933330318			
Layer:		1			
Slot:		025			
Screen Top Depth:		88.00			
Screen End Depth:		91.00			
Screen Material:					
Screen Depth UOM:		ft			
Screen Diameter UOM:		inch			
Screen Diameter:		6.00			
<u>Results of Well Yield Testing</u>					
Pump Test ID:		991906702			
Pump Set At:					
Static Level:		50.00			
Final Level After Pumping:		55.00			
Recommended Pump Depth:		70.00			
Pumping Rate:		15.00			
Flowing Rate:					
Recommended Pump Rate:		7.00			
Levels UOM:		ft			
Rate UOM:		GPM			
Water State After Test Code:		1			

Map Key	Number of Records	Direction/ Distance (m)	Elevation (m)	Site	DB
Water State After Test:		CLEAR			
Pumping Test Method:		2			
Pumping Duration HR:		1			
Pumping Duration MIN:		30			
Flowing:		N			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		934129831			
Test Type:		Draw Down			
Test Duration:		15			
Test Level:		55.00			
Test Level UOM:		ft			
Pump Test Detail ID:		934923377			
Test Type:		Draw Down			
Test Duration:		60			
Test Level:		55.00			
Test Level UOM:		ft			
<u>Water Details</u>					
Water ID:		933517227			
Layer:		1			
Kind Code:		1			
Kind:		FRESH			
Water Found Depth:		91.00			
Water Found Depth UOM:		ft			

<u>6</u>	1 of 1	-/0.0	283.9	lot 28 con 7 ON	WWIS
Well ID:		4603024		Data Entry Status:	
Construction Date:				Data Src: 1	
Primary Water Use:		Domestic		Date Received: 3/28/1960	
Sec. Water Use:		0		Selected Flag: 1	
Final Well Status:		Water Supply		Abandonment Rec:	
Water Type:				Contractor: 1413	
Casing Material:				Form Version: 1	
Audit No:				Owner:	
Tag:				Street Name:	
Construction Method:				County: DURHAM	
Elevation (m):				Municipality: UXBRIDGE TOWNSHIP (UXBRIDGE)	
Elevation Reliability:				Site Info:	
Depth to Bedrock:				Lot: 028	
Well Depth:				Concession: 07	
Overburden/Bedrock:				Concession Name: CON	
Pump Rate:				Easting NAD83:	
Static Water Level:				Northing NAD83:	
Flowing (Y/N):				Zone:	
Flow Rate:				UTM Reliability:	
Clear/Cloudy:					
<u>Bore Hole Information</u>					
Bore Hole ID:		10294385		Spatial Status:	
DP2BR:				Cluster Kind:	
Code OB:		o		UTMRC: 5	
Code OB Desc:		Overburden		UTMRC Desc: margin of error : 100 m - 300 m	
Open Hole:				Location Method: p5	
Elevation:		283.08023		Org CS:	

Map Key	Number of Records	Direction/ Distance (m)	Elevation (m)	Site	DB
<i>Elevrc:</i>				<i>Date Completed:</i>	3/18/1960
<i>Remarks:</i>					
<i>Elevrc Desc:</i>					
<i>Location Source Date:</i>					
<i>Improvement Location Source:</i>					
<i>Improvement Location Method:</i>					
<i>Source Revision Comment:</i>					
<i>Supplier Comment:</i>					
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
<i>Formation ID:</i>		931951093			
<i>Layer:</i>		1			
<i>Color:</i>					
<i>General Color:</i>					
<i>Mat1:</i>		09			
<i>Most Common Material:</i>		MEDIUM SAND			
<i>Mat2:</i>					
<i>Other Materials:</i>					
<i>Mat3:</i>					
<i>Other Materials:</i>					
<i>Formation Top Depth:</i>		0.00			
<i>Formation End Depth:</i>		65.00			
<i>Formation End Depth UOM:</i>		ft			
<i>Formation ID:</i>		931951094			
<i>Layer:</i>		2			
<i>Color:</i>					
<i>General Color:</i>					
<i>Mat1:</i>		10			
<i>Most Common Material:</i>		COARSE SAND			
<i>Mat2:</i>					
<i>Other Materials:</i>					
<i>Mat3:</i>					
<i>Other Materials:</i>					
<i>Formation Top Depth:</i>		65.00			
<i>Formation End Depth:</i>		85.00			
<i>Formation End Depth UOM:</i>		ft			
<u>Method of Construction & Well</u>					
<u>Use</u>					
<i>Method Construction ID:</i>		964603024			
<i>Method Construction Code:</i>		1			
<i>Method Construction:</i>		Cable Tool			
<i>Other Method Construction:</i>					
<u>Pipe Information</u>					
<i>Pipe ID:</i>		10842955			
<i>Casing No:</i>		1			
<i>Comment:</i>					
<i>Alt Name:</i>					
<u>Construction Record - Casing</u>					
<i>Casing ID:</i>		930486529			
<i>Layer:</i>		1			
<i>Material:</i>		1			
<i>Open Hole or Material:</i>		STEEL			
<i>Depth From:</i>					

Map Key	Number of Records	Direction/ Distance (m)	Elevation (m)	Site	DB
Depth To:		81.00			
Casing Diameter:		5.00			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Screen</u>					
Screen ID:		933355736			
Layer:		1			
Slot:					
Screen Top Depth:		81.00			
Screen End Depth:		85.00			
Screen Material:					
Screen Depth UOM:		ft			
Screen Diameter UOM:		inch			
Screen Diameter:		4.00			
<u>Results of Well Yield Testing</u>					
Pump Test ID:		994603024			
Pump Set At:					
Static Level:		65.00			
Final Level After Pumping:		72.00			
Recommended Pump Depth:		70.00			
Pumping Rate:		7.00			
Flowing Rate:					
Recommended Pump Rate:		4.00			
Levels UOM:		ft			
Rate UOM:		GPM			
Water State After Test Code:		1			
Water State After Test:		CLEAR			
Pumping Test Method:		1			
Pumping Duration HR:		4			
Pumping Duration MIN:		0			
Flowing:		N			
<u>Water Details</u>					
Water ID:		933765275			
Layer:		1			
Kind Code:		1			
Kind:		FRESH			
Water Found Depth:		85.00			
Water Found Depth UOM:		ft			

7	1 of 1	-0.0	280.8	lot 28 con 7 ON	WWIS
Well ID:		1908292		Data Entry Status:	
Construction Date:				Data Src:	1
Primary Water Use:		Domestic		Date Received:	5/25/1987
Sec. Water Use:		0		Selected Flag:	1
Final Well Status:		Water Supply		Abandonment Rec:	
Water Type:				Contractor:	1413
Casing Material:				Form Version:	1
Audit No:		08722		Owner:	
Tag:				Street Name:	
Construction Method:				County:	DURHAM
Elevation (m):				Municipality:	UXBRIDGE TOWNSHIP (UXBRIDGE)
Elevation Reliability:				Site Info:	
Depth to Bedrock:				Lot:	028

Map Key	Number of Records	Direction/ Distance (m)	Elevation (m)	Site	DB
Well Depth: Overburden/Bedrock: Pump Rate: Static Water Level: Flowing (Y/N): Flow Rate: Clear/Cloudy:				Concession: 07 Concession Name: CON Easting NAD83: Northing NAD83: Zone: UTM Reliability:	
<u>Bore Hole Information</u>					
Bore Hole ID: 10076926 DP2BR: Code OB: o Code OB Desc: Overburden Open Hole: Elevation: 281.192871 Elevrc: Remarks: Elevrc Desc: Location Source Date: Improvement Location Source: Improvement Location Method: Source Revision Comment: Supplier Comment:				Spatial Status: Cluster Kind: UTMRC: 5 UTMRC Desc: margin of error : 100 m - 300 m Location Method: wwr Org CS: Date Completed: 4/27/1987	
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID: 931169443 Layer: 1 Color: 6 General Color: BROWN Mat1: 28 Most Common Material: SAND Mat2: 68 Other Materials: DRY Mat3: Other Materials: Formation Top Depth: 0.00 Formation End Depth: 35.00 Formation End Depth UOM: ft					
Formation ID: 931169444 Layer: 2 Color: 6 General Color: BROWN Mat1: 28 Most Common Material: SAND Mat2: 77 Other Materials: LOOSE Mat3: 91 Other Materials: WATER-BEARING Formation Top Depth: 35.00 Formation End Depth: 62.00 Formation End Depth UOM: ft					
<u>Annular Space/Abandonment</u>					
<u>Sealing Record</u>					
Plug ID: 933120247 Layer: 1 Plug From: 55.00 Plug To: 59.00					

Map Key	Number of Records	Direction/ Distance (m)	Elevation (m)	Site	DB
Plug Depth UOM:		ft			
<u>Method of Construction & Well Use</u>					
Method Construction ID:		961908292			
Method Construction Code:		2			
Method Construction:		Rotary (Convent.)			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		10625496			
Casing No:		1			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		930134785			
Layer:		1			
Material:		1			
Open Hole or Material:		STEEL			
Depth From:					
Depth To:		59.00			
Casing Diameter:		6.00			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Screen</u>					
Screen ID:		933331052			
Layer:		1			
Slot:		010			
Screen Top Depth:		59.00			
Screen End Depth:		62.00			
Screen Material:					
Screen Depth UOM:		ft			
Screen Diameter UOM:		inch			
Screen Diameter:		6.00			
<u>Results of Well Yield Testing</u>					
Pump Test ID:		991908292			
Pump Set At:					
Static Level:		35.00			
Final Level After Pumping:		48.00			
Recommended Pump Depth:		55.00			
Pumping Rate:		7.00			
Flowing Rate:					
Recommended Pump Rate:		6.00			
Levels UOM:		ft			
Rate UOM:		GPM			
Water State After Test Code:		1			
Water State After Test:		CLEAR			
Pumping Test Method:		2			
Pumping Duration HR:		1			
Pumping Duration MIN:		30			
Flowing:		N			
<u>Draw Down & Recovery</u>					

Map Key	Number of Records	Direction/ Distance (m)	Elevation (m)	Site	DB
Pump Test Detail ID:		934126540			
Test Type:		Draw Down			
Test Duration:		15			
Test Level:		48.00			
Test Level UOM:		ft			
Pump Test Detail ID:		934928350			
Test Type:		Draw Down			
Test Duration:		60			
Test Level:		48.00			
Test Level UOM:		ft			
<u>Water Details</u>					
Water ID:		933518915			
Layer:		1			
Kind Code:		1			
Kind:		FRESH			
Water Found Depth:		62.00			
Water Found Depth UOM:		ft			

<u>8</u>	1 of 1	-/0.0	279.1	lot 28 con 7 ON	WWIS
Well ID:	4604478			Data Entry Status:	
Construction Date:				Data Src:	1
Primary Water Use:	Domestic			Date Received:	7/27/1970
Sec. Water Use:	0			Selected Flag:	1
Final Well Status:	Water Supply			Abandonment Rec:	
Water Type:				Contractor:	3903
Casing Material:				Form Version:	1
Audit No:				Owner:	
Tag:				Street Name:	
Construction Method:				County:	DURHAM
Elevation (m):				Municipality:	UXBRIDGE TOWNSHIP (UXBRIDGE)
Elevation Reliability:				Site Info:	
Depth to Bedrock:				Lot:	028
Well Depth:				Concession:	07
Overburden/Bedrock:				Concession Name:	CON
Pump Rate:				Easting NAD83:	
Static Water Level:				Northing NAD83:	
Flowing (Y/N):				Zone:	
Flow Rate:				UTM Reliability:	
Clear/Cloudy:					

Bore Hole Information

Bore Hole ID:	10295812	Spatial Status:	
DP2BR:		Cluster Kind:	
Code OB:	o	UTMRC:	4
Code OB Desc:	Overburden	UTMRC Desc:	margin of error : 30 m - 100 m
Open Hole:		Location Method:	p4
Elevation:	279.315887	Org CS:	
Elevrc:		Date Completed:	7/8/1970
Remarks:			
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elevation (m)</i>	<i>Site</i>	<i>DB</i>
----------------	--------------------------	--------------------------------	----------------------	-------------	-----------

Overburden and Bedrock Materials Interval

Formation ID: 931956906
Layer: 1
Color:
General Color:
Mat1: 05
Most Common Material: CLAY
Mat2: 09
Other Materials: MEDIUM SAND
Mat3: 12
Other Materials: STONES
Formation Top Depth: 0.00
Formation End Depth: 2.00
Formation End Depth UOM: ft

Formation ID: 931956907
Layer: 2
Color: 3
General Color: BLUE
Mat1: 05
Most Common Material: CLAY
Mat2:
Other Materials:
Mat3:
Other Materials:
Formation Top Depth: 2.00
Formation End Depth: 150.00
Formation End Depth UOM: ft

Formation ID: 931956908
Layer: 3
Color: 6
General Color: BROWN
Mat1: 09
Most Common Material: MEDIUM SAND
Mat2: 11
Other Materials: GRAVEL
Mat3:
Other Materials:
Formation Top Depth: 150.00
Formation End Depth: 165.00
Formation End Depth UOM: ft

Method of Construction & Well Use

Method Construction ID: 964604478
Method Construction Code: 1
Method Construction: Cable Tool
Other Method Construction:

Pipe Information

Pipe ID: 10844382
Casing No: 1
Comment:
Alt Name:

Construction Record - Casing

Map Key	Number of Records	Direction/ Distance (m)	Elevation (m)	Site	DB
---------	-------------------	----------------------------	------------------	------	----

Casing ID: 930488092
Layer: 1
Material: 1
Open Hole or Material: STEEL
Depth From:
Depth To: 160.00
Casing Diameter: 4.00
Casing Diameter UOM: inch
Casing Depth UOM: ft

Construction Record - Screen

Screen ID: 933356030
Layer: 1
Slot: 008
Screen Top Depth: 160.00
Screen End Depth: 164.00
Screen Material:
Screen Depth UOM: ft
Screen Diameter UOM: inch
Screen Diameter:

Results of Well Yield Testing

Pump Test ID: 994604478
Pump Set At:
Static Level: 20.00
Final Level After Pumping: 160.00
Recommended Pump Depth: 160.00
Pumping Rate: 3.00
Flowing Rate:
Recommended Pump Rate: 3.00
Levels UOM: ft
Rate UOM: GPM
Water State After Test Code: 1
Water State After Test: CLEAR
Pumping Test Method: 1
Pumping Duration HR: 8
Pumping Duration MIN: 0
Flowing: N

Water Details

Water ID: 933766782
Layer: 1
Kind Code: 5
Kind: Not stated
Water Found Depth: 160.00
Water Found Depth UOM: ft

9

1 of 1

-/0.0

284.8

lot 28 con 7
ON

WWIS

Well ID: 4603028
Construction Date:
Primary Water Use: Domestic
Sec. Water Use: 0
Final Well Status: Water Supply
Water Type:
Casing Material:
Audit No:

Data Entry Status:
Data Src: 1
Date Received: 8/7/1963
Selected Flag: 1
Abandonment Rec:
Contractor: 1415
Form Version: 1
Owner:

Map Key	Number of Records	Direction/ Distance (m)	Elevation (m)	Site	DB
Tag:				Street Name:	
Construction				County:	DURHAM
Method:				Municipality:	UXBRIDGE TOWNSHIP (UXBRIDGE)
Elevation (m):				Site Info:	
Elevation Reliability:				Lot:	028
Depth to Bedrock:				Concession:	07
Well Depth:				Concession Name:	CON
Overburden/Bedrock:				Easting NAD83:	
Pump Rate:				Northing NAD83:	
Static Water Level:				Zone:	
Flowing (Y/N):				UTM Reliability:	
Flow Rate:					
Clear/Cloudy:					

Bore Hole Information

Bore Hole ID:	10294389	Spatial Status:	
DP2BR:		Cluster Kind:	
Code OB:	o	UTMRC:	9
Code OB Desc:	Overburden	UTMRC Desc:	unknown UTM
Open Hole:		Location Method:	p9
Elevation:	284.256225	Org CS:	
Elevrc:		Date Completed:	7/23/1963
Remarks:			
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

Overburden and Bedrock

Materials Interval

Formation ID:	931951105
Layer:	1
Color:	
General Color:	
Mat1:	09
Most Common Material:	MEDIUM SAND
Mat2:	
Other Materials:	
Mat3:	
Other Materials:	
Formation Top Depth:	0.00
Formation End Depth:	100.00
Formation End Depth UOM:	ft

Formation ID:	931951106
Layer:	2
Color:	
General Color:	
Mat1:	08
Most Common Material:	FINE SAND
Mat2:	05
Other Materials:	CLAY
Mat3:	
Other Materials:	
Formation Top Depth:	100.00
Formation End Depth:	136.00
Formation End Depth UOM:	ft

Formation ID:	931951107
Layer:	3

Map Key	Number of Records	Direction/ Distance (m)	Elevation (m)	Site	DB
Color:					
General Color:					
Mat1:		10			
Most Common Material:		COARSE SAND			
Mat2:					
Other Materials:					
Mat3:					
Other Materials:					
Formation Top Depth:		136.00			
Formation End Depth:		140.00			
Formation End Depth UOM:		ft			
<u>Method of Construction & Well Use</u>					
Method Construction ID:		964603028			
Method Construction Code:		1			
Method Construction:		Cable Tool			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		10842959			
Casing No:		1			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		930486533			
Layer:		1			
Material:		1			
Open Hole or Material:		STEEL			
Depth From:					
Depth To:		136.00			
Casing Diameter:		6.00			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Screen</u>					
Screen ID:		933355740			
Layer:		1			
Slot:		016			
Screen Top Depth:		136.00			
Screen End Depth:		140.00			
Screen Material:					
Screen Depth UOM:		ft			
Screen Diameter UOM:		inch			
Screen Diameter:		6.25			
<u>Results of Well Yield Testing</u>					
Pump Test ID:		994603028			
Pump Set At:					
Static Level:		80.00			
Final Level After Pumping:		120.00			
Recommended Pump Depth:		130.00			
Pumping Rate:		5.00			
Flowing Rate:					
Recommended Pump Rate:		4.00			
Levels UOM:		ft			

Map Key	Number of Records	Direction/ Distance (m)	Elevation (m)	Site	DB
Rate UOM:		GPM			
Water State After Test Code:		1			
Water State After Test:		CLEAR			
Pumping Test Method:		1			
Pumping Duration HR:		10			
Pumping Duration MIN:		0			
Flowing:		N			
<u>Water Details</u>					
Water ID:		933765279			
Layer:		1			
Kind Code:		1			
Kind:		FRESH			
Water Found Depth:		136.00			
Water Found Depth UOM:		ft			

<u>10</u>	1 of 1	-/0.0	284.8	lot 28 con 7 ON	WWIS
Well ID:	1906938			Data Entry Status:	
Construction Date:				Data Src:	1
Primary Water Use:	Domestic			Date Received:	5/7/1984
Sec. Water Use:	0			Selected Flag:	1
Final Well Status:	Water Supply			Abandonment Rec:	
Water Type:				Contractor:	1413
Casing Material:				Form Version:	1
Audit No:				Owner:	
Tag:				Street Name:	
Construction Method:				County:	DURHAM
Elevation (m):				Municipality:	UXBRIDGE TOWNSHIP (UXBRIDGE)
Elevation Reliability:				Site Info:	
Depth to Bedrock:				Lot:	028
Well Depth:				Concession:	07
Overburden/Bedrock:				Concession Name:	CON
Pump Rate:				Easting NAD83:	
Static Water Level:				Northing NAD83:	
Flowing (Y/N):				Zone:	
Flow Rate:				UTM Reliability:	
Clear/Cloudy:					

Bore Hole Information

Bore Hole ID:	10075581	Spatial Status:	
DP2BR:		Cluster Kind:	
Code OB:	o	UTMRC:	5
Code OB Desc:	Overburden	UTMRC Desc:	margin of error : 100 m - 300 m
Open Hole:		Location Method:	p5
Elevation:	284.996032	Org CS:	
Elevrc:		Date Completed:	4/27/1984
Remarks:			
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

Overburden and Bedrock

Materials Interval

Map Key	Number of Records	Direction/ Distance (m)	Elevation (m)	Site	DB
Formation ID:		931163073			
Layer:		1			
Color:		6			
General Color:		BROWN			
Mat1:		28			
Most Common Material:		SAND			
Mat2:		68			
Other Materials:		DRY			
Mat3:					
Other Materials:					
Formation Top Depth:		0.00			
Formation End Depth:		23.00			
Formation End Depth UOM:		ft			
Formation ID:		931163074			
Layer:		2			
Color:		6			
General Color:		BROWN			
Mat1:		05			
Most Common Material:		CLAY			
Mat2:		28			
Other Materials:		SAND			
Mat3:		79			
Other Materials:		PACKED			
Formation Top Depth:		23.00			
Formation End Depth:		67.00			
Formation End Depth UOM:		ft			
Formation ID:		931163075			
Layer:		3			
Color:		6			
General Color:		BROWN			
Mat1:		28			
Most Common Material:		SAND			
Mat2:		12			
Other Materials:		STONES			
Mat3:		77			
Other Materials:		LOOSE			
Formation Top Depth:		67.00			
Formation End Depth:		80.00			
Formation End Depth UOM:		ft			
<u>Method of Construction & Well Use</u>					
Method Construction ID:		961906938			
Method Construction Code:		2			
Method Construction:		Rotary (Convent.)			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		10624151			
Casing No:		1			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		930133390			
Layer:		1			
Material:		1			
Open Hole or Material:		STEEL			

Map Key	Number of Records	Direction/ Distance (m)	Elevation (m)	Site	DB
Depth From:					
Depth To:		77.00			
Casing Diameter:		6.00			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
 <u>Construction Record - Screen</u>					
Screen ID:		933330413			
Layer:		1			
Slot:		016			
Screen Top Depth:		77.00			
Screen End Depth:		80.00			
Screen Material:					
Screen Depth UOM:		ft			
Screen Diameter UOM:		inch			
Screen Diameter:		6.00			
 <u>Results of Well Yield Testing</u>					
Pump Test ID:		991906938			
Pump Set At:					
Static Level:		38.00			
Final Level After Pumping:		65.00			
Recommended Pump Depth:		70.00			
Pumping Rate:		10.00			
Flowing Rate:					
Recommended Pump Rate:		8.00			
Levels UOM:		ft			
Rate UOM:		GPM			
Water State After Test Code:		1			
Water State After Test:		CLEAR			
Pumping Test Method:		2			
Pumping Duration HR:		1			
Pumping Duration MIN:		30			
Flowing:		N			
 <u>Draw Down & Recovery</u>					
Pump Test Detail ID:		934122157			
Test Type:		Draw Down			
Test Duration:		15			
Test Level:		57.00			
Test Level UOM:		ft			
Pump Test Detail ID:		934403501			
Test Type:		Draw Down			
Test Duration:		30			
Test Level:		65.00			
Test Level UOM:		ft			
Pump Test Detail ID:		934671693			
Test Type:		Draw Down			
Test Duration:		45			
Test Level:		65.00			
Test Level UOM:		ft			
Pump Test Detail ID:		934923917			
Test Type:		Draw Down			
Test Duration:		60			
Test Level:		65.00			
Test Level UOM:		ft			

Map Key	Number of Records	Direction/ Distance (m)	Elevation (m)	Site	DB
<u>Water Details</u>					
Water ID:		933517454			
Layer:		1			
Kind Code:		1			
Kind:		FRESH			
Water Found Depth:		80.00			
Water Found Depth UOM:		ft			
11	1 of 1	ESE/25.9	285.8	lot 28 con 7 ON	WWIS
Well ID:	1914326			Data Entry Status:	
Construction Date:				Data Src:	1
Primary Water Use:	Domestic			Date Received:	11/18/1999
Sec. Water Use:				Selected Flag:	1
Final Well Status:	Water Supply			Abandonment Rec:	
Water Type:				Contractor:	1413
Casing Material:				Form Version:	1
Audit No:	202809			Owner:	
Tag:				Street Name:	
Construction Method:				County:	DURHAM
Elevation (m):				Municipality:	UXBRIDGE TOWNSHIP (UXBRIDGE)
Elevation Reliability:				Site Info:	
Depth to Bedrock:				Lot:	028
Well Depth:				Concession:	07
Overburden/Bedrock:				Concession Name:	CON
Pump Rate:				Easting NAD83:	
Static Water Level:				Northing NAD83:	
Flowing (Y/N):				Zone:	
Flow Rate:				UTM Reliability:	
Clear/Cloudy:					
<u>Bore Hole Information</u>					
Bore Hole ID:	10082917			Spatial Status:	Improved
DP2BR:				Cluster Kind:	
Code OB:	o			UTMRC:	4
Code OB Desc:	Overburden			UTMRC Desc:	margin of error : 30 m - 100 m
Open Hole:				Location Method:	
Elevation:	285.806671			Org CS:	N83
Elevrc:				Date Completed:	10/6/1999
Remarks:					
Elevrc Desc:					
Location Source Date:	As of Fall, 2005				
Improvement Location Source:	YPDT_Master_A.mdb from Conservation Authority Moraine Coalition				
Improvement Location Method:	Map				
Source Revision Comment:	Sourced from Hunter and Assoc. by CAMC. Source notes: HUNTER 2001 ORM AVI STUDY; Address Map/OBM (UTM 1982)/Orthophoto (1999); Original units in CAMC's source: UTM NAD83 UTM's and Gnd Elev updated by Hunter Brought into CAMC data on: 02/08/2002. Source ID: 1914326				
Supplier Comment:	Changed from lot/centroid coordinates.				
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:	931196966				
Layer:	1				
Color:	6				
General Color:	BROWN				
Mat1:	28				
Most Common Material:	SAND				
Mat2:	79				

Map Key	Number of Records	Direction/ Distance (m)	Elevation (m)	Site	DB
Other Materials:		PACKED			
Mat3:					
Other Materials:					
Formation Top Depth:		0.00			
Formation End Depth:		80.00			
Formation End Depth UOM:		ft			
Formation ID:		931196967			
Layer:		2			
Color:		6			
General Color:		BROWN			
Mat1:		28			
Most Common Material:		SAND			
Mat2:		83			
Other Materials:		SHARP			
Mat3:					
Other Materials:					
Formation Top Depth:		80.00			
Formation End Depth:		109.00			
Formation End Depth UOM:		ft			
Formation ID:		931196968			
Layer:		3			
Color:		6			
General Color:		BROWN			
Mat1:		31			
Most Common Material:		COARSE GRAVEL			
Mat2:					
Other Materials:					
Mat3:					
Other Materials:					
Formation Top Depth:		109.00			
Formation End Depth:		116.00			
Formation End Depth UOM:		ft			
<u>Annular Space/Abandonment</u>					
<u>Sealing Record</u>					
Plug ID:		933124990			
Layer:		1			
Plug From:		0.00			
Plug To:		20.00			
Plug Depth UOM:		ft			
Plug ID:		933124991			
Layer:		2			
Plug From:		110.00			
Plug To:		113.00			
Plug Depth UOM:		ft			
<u>Method of Construction & Well</u>					
<u>Use</u>					
Method Construction ID:		961914326			
Method Construction Code:		4			
Method Construction:		Rotary (Air)			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		10631487			
Casing No:		1			
Comment:					

Alt Name:

Construction Record - Casing

Casing ID: 930140938
 Layer: 1
 Material: 1
 Open Hole or Material: STEEL
 Depth From:
 Depth To: 113.00
 Casing Diameter: 6.00
 Casing Diameter UOM: inch
 Casing Depth UOM: ft

Construction Record - Screen

Screen ID: 933334102
 Layer: 1
 Slot: 025
 Screen Top Depth: 113.00
 Screen End Depth: 116.00
 Screen Material:
 Screen Depth UOM: ft
 Screen Diameter UOM: inch
 Screen Diameter: 6.00

Results of Well Yield Testing

Pump Test ID: 991914326
 Pump Set At:
 Static Level: 80.00
 Final Level After Pumping: 110.00
 Recommended Pump Depth: 100.00
 Pumping Rate: 75.00
 Flowing Rate:
 Recommended Pump Rate: 10.00
 Levels UOM: ft
 Rate UOM: GPM
 Water State After Test Code: 1
 Water State After Test: CLEAR
 Pumping Test Method: 1
 Pumping Duration HR: 1
 Pumping Duration MIN:
 Flowing: N

Draw Down & Recovery

Pump Test Detail ID: 934937066
 Test Type: Draw Down
 Test Duration: 60
 Test Level: 110.00
 Test Level UOM: ft

Water Details

Water ID: 933524712
 Layer: 1
 Kind Code: 1
 Kind: FRESH
 Water Found Depth: 116.00
 Water Found Depth UOM: ft

Map Key	Number of Records	Direction/ Distance (m)	Elevation (m)	Site	DB
12	1 of 1	WSW/39.1	278.8	lot 28 con 7 ON	WWIS
Well ID:		4603021		Data Entry Status:	
Construction Date:				Data Src: 1	
Primary Water Use:		Domestic		Date Received: 4/21/1958	
Sec. Water Use:		0		Selected Flag: 1	
Final Well Status:		Water Supply		Abandonment Rec:	
Water Type:				Contractor: 3414	
Casing Material:				Form Version: 1	
Audit No:				Owner:	
Tag:				Street Name:	
Construction Method:				County: DURHAM	
Elevation (m):				Municipality: UXBRIDGE TOWNSHIP (UXBRIDGE)	
Elevation Reliability:				Site Info:	
Depth to Bedrock:				Lot: 028	
Well Depth:				Concession: 07	
Overburden/Bedrock:				Concession Name: CON	
Pump Rate:				Easting NAD83:	
Static Water Level:				Northing NAD83:	
Flowing (Y/N):				Zone:	
Flow Rate:				UTM Reliability:	
Clear/Cloudy:					
<u>Bore Hole Information</u>					
Bore Hole ID:		10294382		Spatial Status:	
DP2BR:				Cluster Kind:	
Code OB:		o		UTMRC: 5	
Code OB Desc:		Overburden		UTMRC Desc: margin of error : 100 m - 300 m	
Open Hole:				Location Method: p5	
Elevation:		278.625885		Org CS:	
Elevrc:				Date Completed: 1/8/1958	
Remarks:					
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		931951085			
Layer:		1			
Color:					
General Color:					
Mat1:		09			
Most Common Material:		MEDIUM SAND			
Mat2:					
Other Materials:					
Mat3:					
Other Materials:					
Formation Top Depth:		0.00			
Formation End Depth:		67.00			
Formation End Depth UOM:		ft			
Formation ID:		931951086			
Layer:		2			
Color:					
General Color:					
Mat1:		09			

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elevation (m)</i>	<i>Site</i>	<i>DB</i>
Most Common Material:		MEDIUM SAND			
Mat2:		11			
Other Materials:		GRAVEL			
Mat3:					
Other Materials:					
Formation Top Depth:		67.00			
Formation End Depth:		103.00			
Formation End Depth UOM:		ft			
<u>Method of Construction & Well Use</u>					
Method Construction ID:		964603021			
Method Construction Code:		2			
Method Construction:		Rotary (Convent.)			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		10842952			
Casing No:		1			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		930486526			
Layer:		1			
Material:		1			
Open Hole or Material:		STEEL			
Depth From:					
Depth To:		103.00			
Casing Diameter:		4.00			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Results of Well Yield Testing</u>					
Pump Test ID:		994603021			
Pump Set At:					
Static Level:		67.00			
Final Level After Pumping:		75.00			
Recommended Pump Depth:					
Pumping Rate:		12.00			
Flowing Rate:					
Recommended Pump Rate:					
Levels UOM:		ft			
Rate UOM:		GPM			
Water State After Test Code:		1			
Water State After Test:		CLEAR			
Pumping Test Method:		1			
Pumping Duration HR:		4			
Pumping Duration MIN:		0			
Flowing:		N			
<u>Water Details</u>					
Water ID:		933765272			
Layer:		1			
Kind Code:		1			
Kind:		FRESH			
Water Found Depth:		67.00			

Map Key	Number of Records	Direction/ Distance (m)	Elevation (m)	Site	DB
---------	-------------------	----------------------------	------------------	------	----

Water Found Depth UOM: ft

13	1 of 1	W/43.2	278.8	lot 28 con 7 UXBRIDGE ON	WWIS
--------------------	--------	--------	-------	-----------------------------	------

Well ID: 7248539
Construction Date:
Primary Water Use:
Sec. Water Use:
Final Well Status: 0
Water Type:
Casing Material:
Audit No: Z178281
Tag: A154491
Construction Method:
Elevation (m):
Elevation Reliability:
Depth to Bedrock:
Well Depth:
Overburden/Bedrock:
Pump Rate:
Static Water Level:
Flowing (Y/N):
Flow Rate:
Clear/Cloudy:

Data Entry Status:
Data Src:
Date Received: 9/21/2015
Selected Flag: 1
Abandonment Rec:
Contractor: 7386
Form Version: 7
Owner:
Street Name: 223 REACH ST.
County: DURHAM
Municipality: UXBRIDGE TOWNSHIP (UXBRIDGE)
Site Info:
Lot: 028
Concession: 07
Concession Name: CON
Easting NAD83:
Northing NAD83:
Zone:
UTM Reliability:

Bore Hole Information

Bore Hole ID: 1005693646
DP2BR:
Code OB:
Code OB Desc:
Open Hole:
Elevation: 278.102722
Elevrc:
Remarks:
Elevrc Desc:
Location Source Date:
Improvement Location Source:
Improvement Location Method:
Source Revision Comment:
Supplier Comment:

Spatial Status:
Cluster Kind:
UTMRC: 4
UTMRC Desc: margin of error : 30 m - 100 m
Location Method: wwr
Org CS: UTM83
Date Completed: 8/27/2015

Annular Space/Abandonment Sealing Record

Plug ID: 1005761215
Layer: 1
Plug From: 0.00
Plug To: 2.20
Plug Depth UOM: m

Method of Construction & Well Use

Method Construction ID: 1005761214
Method Construction Code:
Method Construction:
Other Method Construction:

Pipe Information

Map Key	Number of Records	Direction/ Distance (m)	Elevation (m)	Site	DB
Pipe ID:		1005761208			
Casing No:		0			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		1005761212			
Layer:		1			
Material:		1			
Open Hole or Material:		STEEL			
Depth From:		0.00			
Depth To:		2.10			
Casing Diameter:		15.88			
Casing Diameter UOM:		cm			
Casing Depth UOM:		m			
<u>Construction Record - Screen</u>					
Screen ID:		1005761213			
Layer:					
Slot:					
Screen Top Depth:					
Screen End Depth:					
Screen Material:					
Screen Depth UOM:		m			
Screen Diameter UOM:		cm			
Screen Diameter:					
<u>Water Details</u>					
Water ID:		1005761211			
Layer:					
Kind Code:					
Kind:					
Water Found Depth:					
Water Found Depth UOM:		m			
<u>Hole Diameter</u>					
Hole ID:		1005761210			
Diameter:					
Depth From:					
Depth To:					
Hole Depth UOM:		m			
Hole Diameter UOM:		cm			

14	1 of 1	ESE/43.9	286.9	lot 28 con 7 ON	WWIS
Well ID:	4603031			Data Entry Status:	
Construction Date:				Data Src:	1
Primary Water Use:	Domestic			Date Received:	6/8/1965
Sec. Water Use:	0			Selected Flag:	1
Final Well Status:	Water Supply			Abandonment Rec:	
Water Type:				Contractor:	1413
Casing Material:				Form Version:	1
Audit No:				Owner:	
Tag:				Street Name:	
Construction Method:				County:	DURHAM
Elevation (m):				Municipality:	UXBRIDGE TOWNSHIP (UXBRIDGE)
Elevation Reliability:				Site Info:	

Map Key	Number of Records	Direction/ Distance (m)	Elevation (m)	Site	DB
Depth to Bedrock:				Lot:	028
Well Depth:				Concession:	07
Overburden/Bedrock:				Concession Name:	CON
Pump Rate:				Easting NAD83:	
Static Water Level:				Northing NAD83:	
Flowing (Y/N):				Zone:	
Flow Rate:				UTM Reliability:	
Clear/Cloudy:					

Bore Hole Information

Bore Hole ID:	10294392	Spatial Status:	
DP2BR:		Cluster Kind:	
Code OB:	o	UTMRC:	5
Code OB Desc:	Overburden	UTMRC Desc:	margin of error : 100 m - 300 m
Open Hole:		Location Method:	p5
Elevation:	286.123107	Org CS:	
Elevrc:		Date Completed:	4/23/1965
Remarks:			
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

Overburden and Bedrock Materials Interval

Formation ID:	931951115
Layer:	1
Color:	
General Color:	
Mat1:	05
Most Common Material:	CLAY
Mat2:	09
Other Materials:	MEDIUM SAND
Mat3:	
Other Materials:	
Formation Top Depth:	0.00
Formation End Depth:	60.00
Formation End Depth UOM:	ft

Formation ID:	931951116
Layer:	2
Color:	
General Color:	
Mat1:	09
Most Common Material:	MEDIUM SAND
Mat2:	11
Other Materials:	GRAVEL
Mat3:	
Other Materials:	
Formation Top Depth:	60.00
Formation End Depth:	75.00
Formation End Depth UOM:	ft

Method of Construction & Well Use

Method Construction ID:	964603031
Method Construction Code:	1
Method Construction:	Cable Tool

Map Key	Number of Records	Direction/ Distance (m)	Elevation (m)	Site	DB
---------	-------------------	-------------------------	---------------	------	----

Other Method Construction:

Pipe Information

Pipe ID: 10842962
Casing No: 1
Comment:
Alt Name:

Construction Record - Casing

Casing ID: 930486536
Layer: 1
Material: 1
Open Hole or Material: STEEL
Depth From:
Depth To: 75.00
Casing Diameter: 6.00
Casing Diameter UOM: inch
Casing Depth UOM: ft

Results of Well Yield Testing

Pump Test ID: 994603031
Pump Set At:
Static Level: 55.00
Final Level After Pumping: 65.00
Recommended Pump Depth: 65.00
Pumping Rate: 4.00
Flowing Rate:
Recommended Pump Rate: 4.00
Levels UOM: ft
Rate UOM: GPM
Water State After Test Code: 1
Water State After Test: CLEAR
Pumping Test Method: 1
Pumping Duration HR: 1
Pumping Duration MIN: 0
Flowing: N

Water Details

Water ID: 933765282
Layer: 1
Kind Code: 1
Kind: FRESH
Water Found Depth: 75.00
Water Found Depth UOM: ft

[15](#)

1 of 1

ESE/45.7

286.9

lot 28 con 7
ON

WWIS

Well ID: 4603033	Data Entry Status:
Construction Date:	Data Src: 1
Primary Water Use: Domestic	Date Received: 6/1/1966
Sec. Water Use: 0	Selected Flag: 1
Final Well Status: Water Supply	Abandonment Rec:
Water Type:	Contractor: 1413
Casing Material:	Form Version: 1
Audit No:	Owner:
Tag:	Street Name:
Construction Method:	County: DURHAM

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elevation (m)</i>	<i>Site</i>	<i>DB</i>
<i>Elevation (m):</i>				<i>Municipality:</i>	UXBRIDGE TOWNSHIP (UXBRIDGE)
<i>Elevation Reliability:</i>				<i>Site Info:</i>	
<i>Depth to Bedrock:</i>				<i>Lot:</i>	028
<i>Well Depth:</i>				<i>Concession:</i>	07
<i>Overburden/Bedrock:</i>				<i>Concession Name:</i>	CON
<i>Pump Rate:</i>				<i>Easting NAD83:</i>	
<i>Static Water Level:</i>				<i>Northing NAD83:</i>	
<i>Flowing (Y/N):</i>				<i>Zone:</i>	
<i>Flow Rate:</i>				<i>UTM Reliability:</i>	
<i>Clear/Cloudy:</i>					
<u>Bore Hole Information</u>					
<i>Bore Hole ID:</i>	10294394			<i>Spatial Status:</i>	
<i>DP2BR:</i>				<i>Cluster Kind:</i>	
<i>Code OB:</i>	o			<i>UTMRC:</i>	9
<i>Code OB Desc:</i>	Overburden			<i>UTMRC Desc:</i>	unknown UTM
<i>Open Hole:</i>				<i>Location Method:</i>	p9
<i>Elevation:</i>	286.167327			<i>Org CS:</i>	
<i>Elevrc:</i>				<i>Date Completed:</i>	4/26/1966
<i>Remarks:</i>					
<i>Elevrc Desc:</i>					
<i>Location Source Date:</i>					
<i>Improvement Location Source:</i>					
<i>Improvement Location Method:</i>					
<i>Source Revision Comment:</i>					
<i>Supplier Comment:</i>					
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
<i>Formation ID:</i>	931951122				
<i>Layer:</i>	1				
<i>Color:</i>					
<i>General Color:</i>					
<i>Mat1:</i>	09				
<i>Most Common Material:</i>	MEDIUM SAND				
<i>Mat2:</i>					
<i>Other Materials:</i>					
<i>Mat3:</i>					
<i>Other Materials:</i>					
<i>Formation Top Depth:</i>	0.00				
<i>Formation End Depth:</i>	55.00				
<i>Formation End Depth UOM:</i>	ft				
<i>Formation ID:</i>	931951123				
<i>Layer:</i>	2				
<i>Color:</i>	7				
<i>General Color:</i>	RED				
<i>Mat1:</i>	10				
<i>Most Common Material:</i>	COARSE SAND				
<i>Mat2:</i>					
<i>Other Materials:</i>					
<i>Mat3:</i>					
<i>Other Materials:</i>					
<i>Formation Top Depth:</i>	55.00				
<i>Formation End Depth:</i>	82.00				
<i>Formation End Depth UOM:</i>	ft				
<u>Method of Construction & Well Use</u>					
<i>Method Construction ID:</i>	964603033				

Map Key	Number of Records	Direction/ Distance (m)	Elevation (m)	Site	DB
Method Construction Code:	1				
Method Construction:	Cable Tool				
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:	10842964				
Casing No:	1				
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:	930486538				
Layer:	1				
Material:	1				
Open Hole or Material:	STEEL				
Depth From:					
Depth To:	78.00				
Casing Diameter:	5.00				
Casing Diameter UOM:	inch				
Casing Depth UOM:	ft				
<u>Construction Record - Screen</u>					
Screen ID:	933355744				
Layer:	1				
Slot:	016				
Screen Top Depth:	78.00				
Screen End Depth:	82.00				
Screen Material:					
Screen Depth UOM:	ft				
Screen Diameter UOM:	inch				
Screen Diameter:	5.00				
<u>Results of Well Yield Testing</u>					
Pump Test ID:	994603033				
Pump Set At:					
Static Level:	57.00				
Final Level After Pumping:	62.00				
Recommended Pump Depth:	70.00				
Pumping Rate:	10.00				
Flowing Rate:					
Recommended Pump Rate:	5.00				
Levels UOM:	ft				
Rate UOM:	GPM				
Water State After Test Code:	1				
Water State After Test:	CLEAR				
Pumping Test Method:	1				
Pumping Duration HR:	2				
Pumping Duration MIN:	0				
Flowing:	N				
<u>Water Details</u>					
Water ID:	933765284				
Layer:	1				
Kind Code:	1				
Kind:	FRESH				
Water Found Depth:	82.00				
Water Found Depth UOM:	ft				

Map Key	Number of Records	Direction/ Distance (m)	Elevation (m)	Site	DB
16	1 of 1	ESE/77.6	286.8	lot 28 con 7 ON	WWIS
Well ID:	4603023			Data Entry Status:	
Construction Date:				Data Src:	1
Primary Water Use:	Domestic			Date Received:	3/28/1960
Sec. Water Use:	0			Selected Flag:	1
Final Well Status:	Water Supply			Abandonment Rec:	
Water Type:				Contractor:	1413
Casing Material:				Form Version:	1
Audit No:				Owner:	
Tag:				Street Name:	
Construction Method:				County:	DURHAM
Elevation (m):				Municipality:	UXBRIDGE TOWNSHIP (UXBRIDGE)
Elevation Reliability:				Site Info:	
Depth to Bedrock:				Lot:	028
Well Depth:				Concession:	07
Overburden/Bedrock:				Concession Name:	CON
Pump Rate:				Easting NAD83:	
Static Water Level:				Northing NAD83:	
Flowing (Y/N):				Zone:	
Flow Rate:				UTM Reliability:	
Clear/Cloudy:					
<u>Bore Hole Information</u>					
Bore Hole ID:	10294384			Spatial Status:	
DP2BR:				Cluster Kind:	
Code OB:	o			UTMRC:	5
Code OB Desc:	Overburden			UTMRC Desc:	margin of error : 100 m - 300 m
Open Hole:				Location Method:	p5
Elevation:	286.592987			Org CS:	
Elevrc:				Date Completed:	3/15/1960
Remarks:					
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:	931951090				
Layer:	1				
Color:					
General Color:					
Mat1:	09				
Most Common Material:	MEDIUM SAND				
Mat2:					
Other Materials:					
Mat3:					
Other Materials:					
Formation Top Depth:	0.00				
Formation End Depth:	50.00				
Formation End Depth UOM:	ft				
Formation ID:	931951091				
Layer:	2				
Color:					
General Color:					

Map Key	Number of Records	Direction/ Distance (m)	Elevation (m)	Site	DB
Mat1:		07			
Most Common Material:		QUICKSAND			
Mat2:					
Other Materials:					
Mat3:					
Other Materials:					
Formation Top Depth:		50.00			
Formation End Depth:		105.00			
Formation End Depth UOM:		ft			
Formation ID:		931951092			
Layer:		3			
Color:					
General Color:					
Mat1:		08			
Most Common Material:		FINE SAND			
Mat2:					
Other Materials:					
Mat3:					
Other Materials:					
Formation Top Depth:		105.00			
Formation End Depth:		115.00			
Formation End Depth UOM:		ft			
<u>Method of Construction & Well Use</u>					
Method Construction ID:		964603023			
Method Construction Code:		1			
Method Construction:		Cable Tool			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		10842954			
Casing No:		1			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		930486528			
Layer:		1			
Material:		1			
Open Hole or Material:		STEEL			
Depth From:					
Depth To:		111.00			
Casing Diameter:		5.00			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Screen</u>					
Screen ID:		933355735			
Layer:		1			
Slot:		008			
Screen Top Depth:		111.00			
Screen End Depth:		115.00			
Screen Material:					
Screen Depth UOM:		ft			
Screen Diameter UOM:		inch			
Screen Diameter:		4.00			

Map Key	Number of Records	Direction/ Distance (m)	Elevation (m)	Site	DB
---------	-------------------	----------------------------	------------------	------	----

Results of Well Yield Testing

Pump Test ID: 994603023
Pump Set At:
Static Level: 50.00
Final Level After Pumping: 90.00
Recommended Pump Depth: 85.00
Pumping Rate: 5.00
Flowing Rate:
Recommended Pump Rate: 4.00
Levels UOM: ft
Rate UOM: GPM
Water State After Test Code: 1
Water State After Test: CLEAR
Pumping Test Method: 1
Pumping Duration HR: 4
Pumping Duration MIN: 0
Flowing: N

Water Details

Water ID: 933765274
Layer: 1
Kind Code: 1
Kind: FRESH
Water Found Depth: 115.00
Water Found Depth UOM: ft

[17](#) 1 of 1 **ESE/92.2** **286.8** **lot 28 con 7
Uxbridge ON** **WWIS**

<p> Well ID: 7160539 Construction Date: Primary Water Use: Sec. Water Use: Final Well Status: Water Supply Water Type: Casing Material: Audit No: Z105307 Tag: A091425 Construction Method: Elevation (m): Elevation Reliability: Depth to Bedrock: Well Depth: Overburden/Bedrock: Pump Rate: Static Water Level: Flowing (Y/N): Flow Rate: Clear/Cloudy: </p>	<p> Data Entry Status: Data Src: Date Received: 7/21/2010 Selected Flag: 1 Abandonment Rec: Contractor: 7386 Form Version: 7 Owner: Street Name: 265 REACH ROAD County: DURHAM Municipality: UXBRIDGE TOWNSHIP (UXBRIDGE) Site Info: Lot: 028 Concession: 07 Concession Name: CON Easting NAD83: Northing NAD83: Zone: UTM Reliability: </p>
--	---

Bore Hole Information

<p> Bore Hole ID: 1003486554 DP2BR: Code OB: Code OB Desc: Open Hole: Elevation: 286.782287 Elevrc: </p>	<p> Spatial Status: Cluster Kind: UTMRC: 3 UTMRC Desc: margin of error : 10 - 30 m Location Method: wwr Org CS: UTM83 Date Completed: 7/6/2010 </p>
---	--

Map Key	Number of Records	Direction/ Distance (m)	Elevation (m)	Site	DB
Remarks:					
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Method of Construction & Well Use</u>					
Method Construction ID:	1003524815				
Method Construction Code:					
Method Construction:					
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:	1003524808				
Casing No:	0				
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:	1003524813				
Layer:	1				
Material:	1				
Open Hole or Material:	STEEL				
Depth From:	2.00				
Depth To:	0.00				
Casing Diameter:	13.00				
Casing Diameter UOM:	cm				
Casing Depth UOM:	m				
<u>Construction Record - Screen</u>					
Screen ID:	1003524814				
Layer:					
Slot:					
Screen Top Depth:					
Screen End Depth:					
Screen Material:					
Screen Depth UOM:	m				
Screen Diameter UOM:	cm				
Screen Diameter:					
<u>Water Details</u>					
Water ID:	1003524812				
Layer:					
Kind Code:					
Kind:					
Water Found Depth:					
Water Found Depth UOM:	m				
<u>Hole Diameter</u>					
Hole ID:	1003524810				
Diameter:					
Depth From:					

Map Key	Number of Records	Direction/ Distance (m)	Elevation (m)	Site	DB
Depth To: Hole Depth UOM: m Hole Diameter UOM: cm					
18	1 of 4	SSW/95.7	284.2	lot 28 con 7 ON	WWIS
Well ID: 1916450 Construction Date: Primary Water Use: Sec. Water Use: Final Well Status: Abandoned-Supply Water Type: Casing Material: Audit No: 255531 Tag: Construction Method: Elevation (m): Elevation Reliability: Depth to Bedrock: Well Depth: Overburden/Bedrock: Pump Rate: Static Water Level: Flowing (Y/N): Flow Rate: Clear/Cloudy:					
Data Entry Status: Data Src: 1 Date Received: 5/27/2003 Selected Flag: 1 Abandonment Rec: Contractor: 1413 Form Version: 1 Owner: Street Name: County: DURHAM Municipality: UXBRIDGE TOWNSHIP (UXBRIDGE) Site Info: Lot: 028 Concession: 07 Concession Name: CON Easting NAD83: Northing NAD83: Zone: UTM Reliability:					
<u>Bore Hole Information</u>					
Bore Hole ID: 10538021 DP2BR: Code OB: — Code OB Desc: No formation data Open Hole: Elevation: 285.053283 Elevrc: Remarks: Elevrc Desc: Location Source Date: Improvement Location Source: Improvement Location Method: Source Revision Comment: Supplier Comment:					
Spatial Status: Cluster Kind: UTMRC: 7 UTMRC Desc: margin of error : 1 km - 3 km Location Method: lot Org CS: Date Completed: 4/25/2003					
<u>Method of Construction & Well Use</u>					
Method Construction ID: 961916450 Method Construction Code: 0 Method Construction: Not Known Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID: 11086591 Casing No: 1 Comment: Alt Name:					
18	2 of 4	SSW/95.7	284.2	lot 28 con 7 ON	WWIS

Map Key	Number of Records	Direction/ Distance (m)	Elevation (m)	Site	DB
Well ID:	1916451			Data Entry Status:	
Construction Date:				Data Src:	1
Primary Water Use:	Domestic			Date Received:	5/27/2003
Sec. Water Use:				Selected Flag:	1
Final Well Status:	Water Supply			Abandonment Rec:	
Water Type:				Contractor:	1413
Casing Material:				Form Version:	1
Audit No:	255527			Owner:	
Tag:				Street Name:	
Construction Method:				County:	DURHAM
Elevation (m):				Municipality:	UXBRIDGE TOWNSHIP (UXBRIDGE)
Elevation Reliability:				Site Info:	
Depth to Bedrock:				Lot:	028
Well Depth:				Concession:	07
Overburden/Bedrock:				Concession Name:	CON
Pump Rate:				Easting NAD83:	
Static Water Level:				Northing NAD83:	
Flowing (Y/N):				Zone:	
Flow Rate:				UTM Reliability:	
Clear/Cloudy:					

Bore Hole Information

Bore Hole ID:	10538022			Spatial Status:	
DP2BR:				Cluster Kind:	
Code OB:	o			UTMRC:	7
Code OB Desc:	Overburden			UTMRC Desc:	margin of error : 1 km - 3 km
Open Hole:				Location Method:	lot
Elevation:	285.053283			Org CS:	
Elevrc:				Date Completed:	4/17/2003
Remarks:					
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					

Overburden and Bedrock Materials Interval

Formation ID:	932907352		
Layer:	1		
Color:	6		
General Color:	BROWN		
Mat1:	28		
Most Common Material:	SAND		
Mat2:	79		
Other Materials:	PACKED		
Mat3:			
Other Materials:			
Formation Top Depth:	0.00		
Formation End Depth:	97.00		
Formation End Depth UOM:	ft		
Formation ID:	932907353		
Layer:	2		
Color:	6		
General Color:	BROWN		
Mat1:	31		
Most Common Material:	COARSE GRAVEL		
Mat2:			
Other Materials:			

Map Key	Number of Records	Direction/ Distance (m)	Elevation (m)	Site	DB
Mat3:					
Other Materials:					
Formation Top Depth:		97.00			
Formation End Depth:		118.00			
Formation End Depth UOM:		ft			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		933236689			
Layer:		1			
Plug From:		0.00			
Plug To:		20.00			
Plug Depth UOM:		ft			
Plug ID:		933236690			
Layer:		2			
Plug From:		112.00			
Plug To:		115.00			
Plug Depth UOM:		ft			
<u>Method of Construction & Well Use</u>					
Method Construction ID:		961916451			
Method Construction Code:		4			
Method Construction:		Rotary (Air)			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		11086592			
Casing No:		1			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		930142871			
Layer:		1			
Material:		1			
Open Hole or Material:		STEEL			
Depth From:					
Depth To:		115.00			
Casing Diameter:		6.00			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Screen</u>					
Screen ID:		933404654			
Layer:		1			
Slot:		035			
Screen Top Depth:		115.00			
Screen End Depth:		118.00			
Screen Material:					
Screen Depth UOM:		ft			
Screen Diameter UOM:		inch			
Screen Diameter:		6.00			
<u>Results of Well Yield Testing</u>					

Map Key	Number of Records	Direction/ Distance (m)	Elevation (m)	Site	DB
Pump Test ID:		991916451			
Pump Set At:					
Static Level:		80.00			
Final Level After Pumping:		115.00			
Recommended Pump Depth:		110.00			
Pumping Rate:		100.00			
Flowing Rate:					
Recommended Pump Rate:		10.00			
Levels UOM:		ft			
Rate UOM:		GPM			
Water State After Test Code:		1			
Water State After Test:		CLEAR			
Pumping Test Method:		2			
Pumping Duration HR:		1			
Pumping Duration MIN:		0			
Flowing:		N			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		934933810			
Test Type:		Draw Down			
Test Duration:		60			
Test Level:		115.00			
Test Level UOM:		ft			
<u>Water Details</u>					
Water ID:		934031597			
Layer:		1			
Kind Code:		1			
Kind:		FRESH			
Water Found Depth:		118.00			
Water Found Depth UOM:		ft			

18	3 of 4	SSW/95.7	284.2	lot 28 con 7 ON	WWIS
Well ID:	1915190			Data Entry Status:	
Construction Date:				Data Src:	1
Primary Water Use:	Domestic			Date Received:	8/7/2001
Sec. Water Use:				Selected Flag:	1
Final Well Status:	Water Supply			Abandonment Rec:	
Water Type:				Contractor:	1413
Casing Material:				Form Version:	1
Audit No:	229775			Owner:	
Tag:				Street Name:	
Construction Method:				County:	DURHAM
Elevation (m):				Municipality:	UXBRIDGE TOWNSHIP (UXBRIDGE)
Elevation Reliability:				Site Info:	
Depth to Bedrock:				Lot:	028
Well Depth:				Concession:	07
Overburden/Bedrock:				Concession Name:	CON
Pump Rate:				Easting NAD83:	
Static Water Level:				Northing NAD83:	
Flowing (Y/N):				Zone:	
Flow Rate:				UTM Reliability:	
Clear/Cloudy:					

Bore Hole Information

Bore Hole ID: 10517163 **Spatial Status:**

Map Key	Number of Records	Direction/ Distance (m)	Elevation (m)	Site	DB
DP2BR:				Cluster Kind:	
Code OB:	o			UTMRC:	9
Code OB Desc:	Overburden			UTMRC Desc:	unknown UTM
Open Hole:				Location Method:	lot
Elevation:	285.03778			Org CS:	
Elevrc:				Date Completed:	6/14/2001
Remarks:					
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					

Overburden and Bedrock
Materials Interval

Formation ID: 932833817
Layer: 1
Color: 6
General Color: BROWN
Mat1: 28
Most Common Material: SAND
Mat2: 79
Other Materials: PACKED
Mat3:
Other Materials:
Formation Top Depth: 0.00
Formation End Depth: 17.00
Formation End Depth UOM: ft

Formation ID: 932833818
Layer: 2
Color: 2
General Color: GREY
Mat1: 05
Most Common Material: CLAY
Mat2: 85
Other Materials: SOFT
Mat3:
Other Materials:
Formation Top Depth: 17.00
Formation End Depth: 77.00
Formation End Depth UOM: ft

Formation ID: 932833819
Layer: 3
Color: 6
General Color: BROWN
Mat1: 09
Most Common Material: MEDIUM SAND
Mat2: 10
Other Materials: COARSE SAND
Mat3:
Other Materials:
Formation Top Depth: 77.00
Formation End Depth: 99.00
Formation End Depth UOM: ft

Annular Space/Abandonment
Sealing Record

Plug ID: 933220113
Layer: 1

Map Key	Number of Records	Direction/ Distance (m)	Elevation (m)	Site	DB
Plug From:		0.00			
Plug To:		20.00			
Plug Depth UOM:		ft			
Plug ID:		933220114			
Layer:		2			
Plug From:		94.00			
Plug To:		96.00			
Plug Depth UOM:		ft			
<u>Method of Construction & Well Use</u>					
Method Construction ID:		961915190			
Method Construction Code:		4			
Method Construction:		Rotary (Air)			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		11065733			
Casing No:		1			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		930141744			
Layer:		1			
Material:		1			
Open Hole or Material:		STEEL			
Depth From:					
Depth To:					
Casing Diameter:		6.00			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Screen</u>					
Screen ID:		933400675			
Layer:		1			
Slot:		014			
Screen Top Depth:		96.00			
Screen End Depth:		99.00			
Screen Material:					
Screen Depth UOM:		ft			
Screen Diameter UOM:		inch			
Screen Diameter:		6.00			
<u>Results of Well Yield Testing</u>					
Pump Test ID:		991915190			
Pump Set At:					
Static Level:		10.00			
Final Level After Pumping:		90.00			
Recommended Pump Depth:		50.00			
Pumping Rate:		20.00			
Flowing Rate:					
Recommended Pump Rate:		10.00			
Levels UOM:		ft			
Rate UOM:		GPM			
Water State After Test Code:		1			

Map Key	Number of Records	Direction/ Distance (m)	Elevation (m)	Site	DB
Water State After Test:		CLEAR			
Pumping Test Method:		1			
Pumping Duration HR:		1			
Pumping Duration MIN:		0			
Flowing:		N			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		934930483			
Test Type:		Draw Down			
Test Duration:		60			
Test Level:		90.00			
Test Level UOM:		ft			
<u>Water Details</u>					
Water ID:		934008995			
Layer:		1			
Kind Code:		1			
Kind:		FRESH			
Water Found Depth:		99.00			
Water Found Depth UOM:		ft			

<u>18</u>	4 of 4	SSW/95.7	284.2	lot 28 con 7 ON	WWIS
Well ID:		1915191		Data Entry Status:	
Construction Date:				Data Src: 1	
Primary Water Use:		Domestic		Date Received: 8/7/2001	
Sec. Water Use:				Selected Flag: 1	
Final Well Status:		Abandoned-Supply		Abandonment Rec:	
Water Type:				Contractor: 1413	
Casing Material:				Form Version: 1	
Audit No:		229776		Owner:	
Tag:				Street Name:	
Construction Method:				County: DURHAM	
Elevation (m):				Municipality: UXBRIDGE TOWNSHIP (UXBRIDGE)	
Elevation Reliability:				Site Info:	
Depth to Bedrock:				Lot: 028	
Well Depth:				Concession: 07	
Overburden/Bedrock:				Concession Name: CON	
Pump Rate:				Easting NAD83:	
Static Water Level:				Northing NAD83:	
Flowing (Y/N):				Zone:	
Flow Rate:				UTM Reliability:	
Clear/Cloudy:					
<u>Bore Hole Information</u>					
Bore Hole ID:		10517164		Spatial Status:	
DP2BR:				Cluster Kind:	
Code OB:		o		UTMRC: 9	
Code OB Desc:		Overburden		UTMRC Desc: unknown UTM	
Open Hole:				Location Method: lot	
Elevation:		285.03778		Org CS:	
Elevrc:				Date Completed: 6/15/2001	
Remarks:					
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					

Map Key	Number of Records	Direction/ Distance (m)	Elevation (m)	Site	DB
---------	-------------------	----------------------------	------------------	------	----

Supplier Comment:

**Overburden and Bedrock
Materials Interval**

Formation ID: 932833820
Layer: 1
Color: 2
General Color: GREY
Mat1: 05
Most Common Material: CLAY
Mat2:
Other Materials:
Mat3:
Other Materials:
Formation Top Depth: 0.00
Formation End Depth: 65.00
Formation End Depth UOM: ft

**Method of Construction & Well
Use**

Method Construction ID: 961915191
Method Construction Code: 0
Method Construction: Not Known
Other Method Construction:

Pipe Information

Pipe ID: 11065734
Casing No: 1
Comment:
Alt Name:

19	1 of 1	SSW/97.1	284.2	lot 28 con 7 ON	WWIS
--------------------	--------	----------	-------	--------------------	------

Well ID: 1911152	Data Entry Status:
Construction Date:	Data Src: 1
Primary Water Use: Domestic	Date Received: 8/13/1991
Sec. Water Use:	Selected Flag: 1
Final Well Status: Water Supply	Abandonment Rec:
Water Type:	Contractor: 1413
Casing Material:	Form Version: 1
Audit No: 91730	Owner:
Tag:	Street Name:
Construction Method:	County: DURHAM
Elevation (m):	Municipality: UXBRIDGE TOWNSHIP (UXBRIDGE)
Elevation Reliability:	Site Info:
Depth to Bedrock:	Lot: 028
Well Depth:	Concession: 07
Overburden/Bedrock:	Concession Name: CON
Pump Rate:	Easting NAD83:
Static Water Level:	Northing NAD83:
Flowing (Y/N):	Zone:
Flow Rate:	UTM Reliability:
Clear/Cloudy:	

Bore Hole Information

Bore Hole ID: 10079775
DP2BR:
Spatial Status:
Cluster Kind:

Map Key	Number of Records	Direction/ Distance (m)	Elevation (m)	Site	DB
Code OB:	0			UTMRC:	9
Code OB Desc:	Overburden			UTMRC Desc:	unknown UTM
Open Hole:				Location Method:	lot
Elevation:	285.041656			Org CS:	
Elevrc:				Date Completed:	7/9/1991
Remarks:					
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		931183402			
Layer:		1			
Color:		6			
General Color:		BROWN			
Mat1:		28			
Most Common Material:		SAND			
Mat2:		79			
Other Materials:		PACKED			
Mat3:					
Other Materials:					
Formation Top Depth:		0.00			
Formation End Depth:		15.00			
Formation End Depth UOM:		ft			
Formation ID:		931183403			
Layer:		2			
Color:		6			
General Color:		BROWN			
Mat1:		05			
Most Common Material:		CLAY			
Mat2:		28			
Other Materials:		SAND			
Mat3:		85			
Other Materials:		SOFT			
Formation Top Depth:		15.00			
Formation End Depth:		37.00			
Formation End Depth UOM:		ft			
Formation ID:		931183404			
Layer:		3			
Color:		2			
General Color:		GREY			
Mat1:		05			
Most Common Material:		CLAY			
Mat2:		85			
Other Materials:		SOFT			
Mat3:					
Other Materials:					
Formation Top Depth:		37.00			
Formation End Depth:		74.00			
Formation End Depth UOM:		ft			
Formation ID:		931183405			
Layer:		4			
Color:		6			
General Color:		BROWN			
Mat1:		28			
Most Common Material:		SAND			
Mat2:		08			

Map Key	Number of Records	Direction/ Distance (m)	Elevation (m)	Site	DB
Other Materials:		FINE SAND			
Mat3:		83			
Other Materials:		SHARP			
Formation Top Depth:		74.00			
Formation End Depth:		94.00			
Formation End Depth UOM:		ft			
Formation ID:		931183406			
Layer:		5			
Color:		6			
General Color:		BROWN			
Mat1:		28			
Most Common Material:		SAND			
Mat2:		10			
Other Materials:		COARSE SAND			
Mat3:					
Other Materials:					
Formation Top Depth:		94.00			
Formation End Depth:		104.00			
Formation End Depth UOM:		ft			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		933121607			
Layer:		1			
Plug From:		93.00			
Plug To:		97.00			
Plug Depth UOM:		ft			
<u>Method of Construction & Well Use</u>					
Method Construction ID:		961911152			
Method Construction Code:		4			
Method Construction:		Rotary (Air)			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		10628345			
Casing No:		1			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		930137702			
Layer:		1			
Material:		1			
Open Hole or Material:		STEEL			
Depth From:					
Depth To:		97.00			
Casing Diameter:		6.00			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Screen</u>					
Screen ID:		933332507			
Layer:		1			
Slot:		014			

Map Key	Number of Records	Direction/ Distance (m)	Elevation (m)	Site	DB
Screen Top Depth:		97.00			
Screen End Depth:		103.00			
Screen Material:					
Screen Depth UOM:		ft			
Screen Diameter UOM:		inch			
Screen Diameter:		6.00			

Results of Well Yield Testing

Pump Test ID:	991911152
Pump Set At:	
Static Level:	15.00
Final Level After Pumping:	80.00
Recommended Pump Depth:	70.00
Pumping Rate:	40.00
Flowing Rate:	
Recommended Pump Rate:	10.00
Levels UOM:	ft
Rate UOM:	GPM
Water State After Test Code:	1
Water State After Test:	CLEAR
Pumping Test Method:	1
Pumping Duration HR:	1
Pumping Duration MIN:	0
Flowing:	N

Water Details

Water ID:	933521774
Layer:	1
Kind Code:	1
Kind:	FRESH
Water Found Depth:	104.00
Water Found Depth UOM:	ft

20	1 of 1	ESE/102.0	286.8	lot 28 con 7 ON	WWIS
Well ID:	1914325			Data Entry Status:	
Construction Date:				Data Src:	1
Primary Water Use:	Domestic			Date Received:	11/18/1999
Sec. Water Use:				Selected Flag:	1
Final Well Status:	Water Supply			Abandonment Rec:	
Water Type:				Contractor:	1413
Casing Material:				Form Version:	1
Audit No:	202807			Owner:	
Tag:				Street Name:	
Construction Method:				County:	DURHAM
Elevation (m):				Municipality:	UXBRIDGE TOWNSHIP (UXBRIDGE)
Elevation Reliability:				Site Info:	
Depth to Bedrock:				Lot:	028
Well Depth:				Concession:	07
Overburden/Bedrock:				Concession Name:	CON
Pump Rate:				Easting NAD83:	
Static Water Level:				Northing NAD83:	
Flowing (Y/N):				Zone:	
Flow Rate:				UTM Reliability:	
Clear/Cloudy:					

Bore Hole Information

Bore Hole ID:	10082916	Spatial Status:	Improved
---------------	----------	-----------------	----------

Map Key	Number of Records	Direction/ Distance (m)	Elevation (m)	Site	DB
DP2BR:				Cluster Kind:	
Code OB:	0			UTMRC:	4
Code OB Desc:	Overburden			UTMRC Desc:	margin of error : 30 m - 100 m
Open Hole:				Location Method:	
Elevation:	286.877777			Org CS:	N83
Elevrc:				Date Completed:	10/5/1999
Remarks:					
Elevrc Desc:					
Location Source Date:		As of Fall, 2005			
Improvement Location Source:		YPDT_Master_A.mdb from Conservation Authority Moraine Coalition			
Improvement Location Method:		Map			
Source Revision Comment:		Sourced from Hunter and Assoc. by CAMC. Source notes: HUNTER 2001 ORM AVI STUDY; Address Map/OBM (UTM 1982)/Orthophoto (1999); Original units in CAMC's source: UTM NAD83 UTM's and Gnd Elev updated by Hunter Brought into CAMC data on: 02/08/2002. Source ID: 1914325			
Supplier Comment:		Changed from lot/centroid coordinates.			

Overburden and Bedrock

Materials Interval

Formation ID: 931196963
Layer: 1
Color: 6
General Color: BROWN
Mat1: 08
Most Common Material: FINE SAND
Mat2: 79
Other Materials: PACKED
Mat3:
Other Materials:
Formation Top Depth: 0.00
Formation End Depth: 80.00
Formation End Depth UOM: ft

Formation ID: 931196964
Layer: 2
Color: 6
General Color: BROWN
Mat1: 28
Most Common Material: SAND
Mat2: 83
Other Materials: SHARP
Mat3:
Other Materials:
Formation Top Depth: 80.00
Formation End Depth: 96.00
Formation End Depth UOM: ft

Formation ID: 931196965
Layer: 3
Color: 2
General Color: GREY
Mat1: 31
Most Common Material: COARSE GRAVEL
Mat2:
Other Materials:
Mat3:
Other Materials:
Formation Top Depth: 96.00
Formation End Depth: 116.00
Formation End Depth UOM: ft

Annular Space/Abandonment

Sealing Record

Map Key	Number of Records	Direction/ Distance (m)	Elevation (m)	Site	DB
Plug ID:		933124988			
Layer:		1			
Plug From:		0.00			
Plug To:		20.00			
Plug Depth UOM:		ft			
Plug ID:		933124989			
Layer:		2			
Plug From:		110.00			
Plug To:		113.00			
Plug Depth UOM:		ft			
<u>Method of Construction & Well Use</u>					
Method Construction ID:		961914325			
Method Construction Code:		4			
Method Construction:		Rotary (Air)			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		10631486			
Casing No:		1			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		930140937			
Layer:		1			
Material:		1			
Open Hole or Material:		STEEL			
Depth From:					
Depth To:		113.00			
Casing Diameter:		6.00			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Screen</u>					
Screen ID:		933334101			
Layer:		1			
Slot:		035			
Screen Top Depth:		113.00			
Screen End Depth:		116.00			
Screen Material:					
Screen Depth UOM:		ft			
Screen Diameter UOM:		inch			
Screen Diameter:		6.00			
<u>Results of Well Yield Testing</u>					
Pump Test ID:		991914325			
Pump Set At:					
Static Level:		80.00			
Final Level After Pumping:		110.00			
Recommended Pump Depth:		110.00			
Pumping Rate:		100.00			
Flowing Rate:					
Recommended Pump Rate:		10.00			
Levels UOM:		ft			

Map Key	Number of Records	Direction/ Distance (m)	Elevation (m)	Site	DB
Rate UOM:		GPM			
Water State After Test Code:		1			
Water State After Test:		CLEAR			
Pumping Test Method:		1			
Pumping Duration HR:		1			
Pumping Duration MIN:					
Flowing:		N			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		934937065			
Test Type:		Draw Down			
Test Duration:		60			
Test Level:		110.00			
Test Level UOM:		ft			
<u>Water Details</u>					
Water ID:		933524711			
Layer:		1			
Kind Code:		1			
Kind:		FRESH			
Water Found Depth:		116.00			
Water Found Depth UOM:		ft			
21	1 of 1	E/138.1	286.1	lot 28 con 7 ON	WWIS
Well ID:		4603032		Data Entry Status:	
Construction Date:				Data Src:	1
Primary Water Use:		Domestic		Date Received:	1/28/1966
Sec. Water Use:		0		Selected Flag:	1
Final Well Status:		Water Supply		Abandonment Rec:	
Water Type:				Contractor:	2204
Casing Material:				Form Version:	1
Audit No:				Owner:	
Tag:				Street Name:	
Construction Method:				County:	DURHAM
Elevation (m):				Municipality:	UXBRIDGE TOWNSHIP (UXBRIDGE)
Elevation Reliability:				Site Info:	
Depth to Bedrock:				Lot:	028
Well Depth:				Concession:	07
Overburden/Bedrock:				Concession Name:	CON
Pump Rate:				Easting NAD83:	
Static Water Level:				Northing NAD83:	
Flowing (Y/N):				Zone:	
Flow Rate:				UTM Reliability:	
Clear/Cloudy:					
<u>Bore Hole Information</u>					
Bore Hole ID:		10294393		Spatial Status:	
DP2BR:				Cluster Kind:	
Code OB:		o		UTMRC:	5
Code OB Desc:		Overburden		UTMRC Desc:	margin of error : 100 m - 300 m
Open Hole:				Location Method:	p5
Elevation:		287.027008		Org CS:	
Elevrc:				Date Completed:	9/4/1965
Remarks:					
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					

Map Key	Number of Records	Direction/ Distance (m)	Elevation (m)	Site	DB
<i>Improvement Location Method:</i>					
<i>Source Revision Comment:</i>					
<i>Supplier Comment:</i>					
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		931951117			
Layer:		1			
Color:					
General Color:					
Mat1:		24			
Most Common Material:		PREV. DRILLED			
Mat2:					
Other Materials:					
Mat3:					
Other Materials:					
Formation Top Depth:		0.00			
Formation End Depth:		57.00			
Formation End Depth UOM:		ft			
Formation ID:		931951118			
Layer:		2			
Color:					
General Color:					
Mat1:		08			
Most Common Material:		FINE SAND			
Mat2:		05			
Other Materials:		CLAY			
Mat3:					
Other Materials:					
Formation Top Depth:		57.00			
Formation End Depth:		84.00			
Formation End Depth UOM:		ft			
Formation ID:		931951119			
Layer:		3			
Color:					
General Color:					
Mat1:		09			
Most Common Material:		MEDIUM SAND			
Mat2:					
Other Materials:					
Mat3:					
Other Materials:					
Formation Top Depth:		84.00			
Formation End Depth:		88.00			
Formation End Depth UOM:		ft			
Formation ID:		931951120			
Layer:		4			
Color:					
General Color:					
Mat1:		08			
Most Common Material:		FINE SAND			
Mat2:		05			
Other Materials:		CLAY			
Mat3:					
Other Materials:					
Formation Top Depth:		88.00			
Formation End Depth:		120.00			
Formation End Depth UOM:		ft			
Formation ID:		931951121			
Layer:		5			

Map Key	Number of Records	Direction/ Distance (m)	Elevation (m)	Site	DB
Color:					
General Color:					
Mat1:		09			
Most Common Material:		MEDIUM SAND			
Mat2:					
Other Materials:					
Mat3:					
Other Materials:					
Formation Top Depth:		120.00			
Formation End Depth:		128.00			
Formation End Depth UOM:		ft			
<u>Method of Construction & Well Use</u>					
Method Construction ID:		964603032			
Method Construction Code:		2			
Method Construction:		Rotary (Convent.)			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		10842963			
Casing No:		1			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		930486537			
Layer:		1			
Material:		1			
Open Hole or Material:		STEEL			
Depth From:					
Depth To:		123.00			
Casing Diameter:		2.00			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Screen</u>					
Screen ID:		933355743			
Layer:		1			
Slot:		080			
Screen Top Depth:		123.00			
Screen End Depth:		128.00			
Screen Material:					
Screen Depth UOM:		ft			
Screen Diameter UOM:		inch			
Screen Diameter:		2.00			
<u>Results of Well Yield Testing</u>					
Pump Test ID:		994603032			
Pump Set At:					
Static Level:		72.00			
Final Level After Pumping:		120.00			
Recommended Pump Depth:		120.00			
Pumping Rate:		4.00			
Flowing Rate:					
Recommended Pump Rate:		4.00			
Levels UOM:		ft			

Map Key	Number of Records	Direction/ Distance (m)	Elevation (m)	Site	DB
Rate UOM:		GPM			
Water State After Test Code:		1			
Water State After Test:		CLEAR			
Pumping Test Method:		1			
Pumping Duration HR:		2			
Pumping Duration MIN:		0			
Flowing:		N			
<u>Water Details</u>					
Water ID:		933765283			
Layer:		1			
Kind Code:		1			
Kind:		FRESH			
Water Found Depth:		84.00			
Water Found Depth UOM:		ft			

22	1 of 1	ESE/159.6	286.5	lot 28 con 7 ON	WWIS
Well ID:		4603027		Data Entry Status:	
Construction Date:				Data Src: 1	
Primary Water Use:		Domestic		Date Received: 11/30/1962	
Sec. Water Use:		0		Selected Flag: 1	
Final Well Status:		Water Supply		Abandonment Rec:	
Water Type:				Contractor: 1413	
Casing Material:				Form Version: 1	
Audit No:				Owner:	
Tag:				Street Name:	
Construction Method:				County: DURHAM	
Elevation (m):				Municipality: UXBRIDGE TOWNSHIP (UXBRIDGE)	
Elevation Reliability:				Site Info:	
Depth to Bedrock:				Lot: 028	
Well Depth:				Concession: 07	
Overburden/Bedrock:				Concession Name: CON	
Pump Rate:				Easting NAD83:	
Static Water Level:				Northing NAD83:	
Flowing (Y/N):				Zone:	
Flow Rate:				UTM Reliability:	
Clear/Cloudy:					

Bore Hole Information

Bore Hole ID:		10294388		Spatial Status:	
DP2BR:				Cluster Kind:	
Code OB:		o		UTMRC: 9	
Code OB Desc:		Overburden		UTMRC Desc: unknown UTM	
Open Hole:				Location Method: p9	
Elevation:		287.458465		Org CS:	
Elevrc:				Date Completed: 11/21/1962	
Remarks:					
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					

**Overburden and Bedrock
Materials Interval**

Formation ID: 931951101

Map Key	Number of Records	Direction/ Distance (m)	Elevation (m)	Site	DB
Layer:		1			
Color:		7			
General Color:		RED			
Mat1:		02			
Most Common Material:		TOPSOIL			
Mat2:		09			
Other Materials:		MEDIUM SAND			
Mat3:					
Other Materials:					
Formation Top Depth:		0.00			
Formation End Depth:		8.00			
Formation End Depth UOM:		ft			
Formation ID:		931951102			
Layer:		2			
Color:					
General Color:					
Mat1:		09			
Most Common Material:		MEDIUM SAND			
Mat2:					
Other Materials:					
Mat3:					
Other Materials:					
Formation Top Depth:		8.00			
Formation End Depth:		35.00			
Formation End Depth UOM:		ft			
Formation ID:		931951103			
Layer:		3			
Color:					
General Color:					
Mat1:		09			
Most Common Material:		MEDIUM SAND			
Mat2:		05			
Other Materials:		CLAY			
Mat3:					
Other Materials:					
Formation Top Depth:		35.00			
Formation End Depth:		75.00			
Formation End Depth UOM:		ft			
Formation ID:		931951104			
Layer:		4			
Color:					
General Color:					
Mat1:		09			
Most Common Material:		MEDIUM SAND			
Mat2:					
Other Materials:					
Mat3:					
Other Materials:					
Formation Top Depth:		75.00			
Formation End Depth:		85.00			
Formation End Depth UOM:		ft			
<u>Method of Construction & Well Use</u>					
Method Construction ID:		964603027			
Method Construction Code:		1			
Method Construction:		Cable Tool			
Other Method Construction:					

Pipe Information

Map Key	Number of Records	Direction/ Distance (m)	Elevation (m)	Site	DB
---------	-------------------	----------------------------	------------------	------	----

Pipe ID: 10842958
Casing No: 1
Comment:
Alt Name:

Construction Record - Casing

Casing ID: 930486532
Layer: 1
Material: 1
Open Hole or Material: STEEL
Depth From:
Depth To: 77.00
Casing Diameter: 5.00
Casing Diameter UOM: inch
Casing Depth UOM: ft

Construction Record - Screen

Screen ID: 933355739
Layer: 1
Slot: 008
Screen Top Depth: 77.00
Screen End Depth: 85.00
Screen Material:
Screen Depth UOM: ft
Screen Diameter UOM: inch
Screen Diameter: 4.00

Results of Well Yield Testing

Pump Test ID: 994603027
Pump Set At:
Static Level: 65.00
Final Level After Pumping: 83.00
Recommended Pump Depth: 77.00
Pumping Rate: 4.00
Flowing Rate:
Recommended Pump Rate: 3.00
Levels UOM: ft
Rate UOM: GPM
Water State After Test Code: 1
Water State After Test: CLEAR
Pumping Test Method: 1
Pumping Duration HR: 1
Pumping Duration MIN: 0
Flowing: N

Water Details

Water ID: 933765278
Layer: 1
Kind Code: 1
Kind: FRESH
Water Found Depth: 85.00
Water Found Depth UOM: ft

23	1 of 1	WSW/160.6	279.2	lot 28 con 7 ON	WWIS
--------------------	--------	-----------	-------	--------------------	------

Well ID: 1914534 **Data Entry Status:**

Map Key	Number of Records	Direction/ Distance (m)	Elevation (m)	Site	DB
Construction Date:				Data Src:	1
Primary Water Use:	Domestic			Date Received:	5/8/2000
Sec. Water Use:				Selected Flag:	1
Final Well Status:	Water Supply			Abandonment Rec:	
Water Type:				Contractor:	1413
Casing Material:				Form Version:	1
Audit No:	214723			Owner:	
Tag:				Street Name:	
Construction Method:				County:	DURHAM
Elevation (m):				Municipality:	UXBRIDGE TOWNSHIP (UXBRIDGE)
Elevation Reliability:				Site Info:	
Depth to Bedrock:				Lot:	028
Well Depth:				Concession:	07
Overburden/Bedrock:				Concession Name:	CON
Pump Rate:				Easting NAD83:	
Static Water Level:				Northing NAD83:	
Flowing (Y/N):				Zone:	
Flow Rate:				UTM Reliability:	
Clear/Cloudy:					

Bore Hole Information

Bore Hole ID:	10083125			Spatial Status:	Improved
DP2BR:				Cluster Kind:	
Code OB:	o			UTMRC:	4
Code OB Desc:	Overburden			UTMRC Desc:	margin of error : 30 m - 100 m
Open Hole:				Location Method:	
Elevation:	279.332122			Org CS:	N83
Elevrc:				Date Completed:	4/26/2000
Remarks:					
Elevrc Desc:					
Location Source Date:	As of Fall, 2005				
Improvement Location Source:	YPDT_Master_A.mdb from Conservation Authority Moraine Coalition				
Improvement Location Method:	Map				
Source Revision Comment:	Sourced from Hunter and Assoc. by CAMC. Source notes: HUNTER 2001 ORM AVI STUDY; Address Map/OBM (UTM 1982)/Orthophoto (1999); Original units in CAMC's source: UTM NAD83 UTM's and Gnd Elev updated by Hunter Brought into CAMC data on: 02/08/2002. Source ID: 1914534				
Supplier Comment:	Changed from lot/centroid coordinates.				

Overburden and Bedrock Materials Interval

Formation ID:	931197723
Layer:	1
Color:	6
General Color:	BROWN
Mat1:	08
Most Common Material:	FINE SAND
Mat2:	79
Other Materials:	PACKED
Mat3:	
Other Materials:	
Formation Top Depth:	0.00
Formation End Depth:	69.00
Formation End Depth UOM:	ft
Formation ID:	931197724
Layer:	2
Color:	6
General Color:	BROWN
Mat1:	09
Most Common Material:	MEDIUM SAND
Mat2:	
Other Materials:	

Map Key	Number of Records	Direction/ Distance (m)	Elevation (m)	Site	DB
Mat3:					
Other Materials:					
Formation Top Depth:		69.00			
Formation End Depth:		90.00			
Formation End Depth UOM:		ft			
Formation ID:		931197725			
Layer:		3			
Color:		2			
General Color:		GREY			
Mat1:		09			
Most Common Material:		MEDIUM SAND			
Mat2:		62			
Other Materials:		CLEAN			
Mat3:					
Other Materials:					
Formation Top Depth:		90.00			
Formation End Depth:		97.00			
Formation End Depth UOM:		ft			
<u>Annular Space/Abandonment</u>					
<u>Sealing Record</u>					
Plug ID:		933125187			
Layer:		1			
Plug From:		0.00			
Plug To:		20.00			
Plug Depth UOM:		ft			
Plug ID:		933125188			
Layer:		2			
Plug From:		92.00			
Plug To:		94.00			
Plug Depth UOM:		ft			
<u>Method of Construction & Well</u>					
<u>Use</u>					
Method Construction ID:		961914534			
Method Construction Code:		4			
Method Construction:		Rotary (Air)			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		10631695			
Casing No:		1			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		930141124			
Layer:		1			
Material:		1			
Open Hole or Material:		STEEL			
Depth From:					
Depth To:		94.00			
Casing Diameter:		6.00			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			

Map Key	Number of Records	Direction/ Distance (m)	Elevation (m)	Site	DB
<u>Construction Record - Screen</u>					
Screen ID:		933334191			
Layer:		1			
Slot:		014			
Screen Top Depth:		94.00			
Screen End Depth:		97.00			
Screen Material:					
Screen Depth UOM:		ft			
Screen Diameter UOM:		inch			
Screen Diameter:		6.00			
<u>Results of Well Yield Testing</u>					
Pump Test ID:		991914534			
Pump Set At:					
Static Level:		30.00			
Final Level After Pumping:		90.00			
Recommended Pump Depth:		70.00			
Pumping Rate:		25.00			
Flowing Rate:					
Recommended Pump Rate:		8.00			
Levels UOM:		ft			
Rate UOM:		GPM			
Water State After Test Code:		1			
Water State After Test:		CLEAR			
Pumping Test Method:		1			
Pumping Duration HR:		1			
Pumping Duration MIN:					
Flowing:		N			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		934929405			
Test Type:		Draw Down			
Test Duration:		60			
Test Level:		90.00			
Test Level UOM:		ft			
<u>Water Details</u>					
Water ID:		933524867			
Layer:		1			
Kind Code:		1			
Kind:		FRESH			
Water Found Depth:		97.00			
Water Found Depth UOM:		ft			
24	1 of 1	WNW/164.0	276.7	lot 28 con 7 ON	WWIS
Well ID:	4603026			Data Entry Status:	
Construction Date:				Data Src:	1
Primary Water Use:	Domestic			Date Received:	1/2/1962
Sec. Water Use:	0			Selected Flag:	1
Final Well Status:	Water Supply			Abandonment Rec:	
Water Type:				Contractor:	1415
Casing Material:				Form Version:	1
Audit No:				Owner:	
Tag:				Street Name:	
Construction Method:				County:	DURHAM
Elevation (m):				Municipality:	UXBRIDGE TOWNSHIP (UXBRIDGE)

Map Key	Number of Records	Direction/ Distance (m)	Elevation (m)	Site	DB
Elevation Reliability: Depth to Bedrock: Well Depth: Overburden/Bedrock: Pump Rate: Static Water Level: Flowing (Y/N): Flow Rate: Clear/Cloudy:				Site Info: Lot: 028 Concession: 07 Concession Name: CON Easting NAD83: Northing NAD83: Zone: UTM Reliability:	
<u>Bore Hole Information</u>					
Bore Hole ID: 10294387 DP2BR: Code OB: o Code OB Desc: Overburden Open Hole: Elevation: 275.526062 Elevrc: Remarks: Elevrc Desc: Location Source Date: Improvement Location Source: Improvement Location Method: Source Revision Comment: Supplier Comment:				Spatial Status: Cluster Kind: UTMRC: 5 UTMRC Desc: margin of error : 100 m - 300 m Location Method: p5 Org CS: Date Completed: 12/2/1961	
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID: 931951098 Layer: 1 Color: General Color: Mat1: 23 Most Common Material: PREVIOUSLY DUG Mat2: Other Materials: Mat3: Other Materials: Formation Top Depth: 0.00 Formation End Depth: 27.00 Formation End Depth UOM: ft					
Formation ID: 931951099 Layer: 2 Color: General Color: Mat1: 07 Most Common Material: QUICKSAND Mat2: Other Materials: Mat3: Other Materials: Formation Top Depth: 27.00 Formation End Depth: 127.00 Formation End Depth UOM: ft					
Formation ID: 931951100 Layer: 3 Color: General Color: Mat1: 10 Most Common Material: COARSE SAND					

Map Key	Number of Records	Direction/ Distance (m)	Elevation (m)	Site	DB
Mat2:					
Other Materials:					
Mat3:					
Other Materials:					
Formation Top Depth:		127.00			
Formation End Depth:		140.00			
Formation End Depth UOM:		ft			
<u>Method of Construction & Well Use</u>					
Method Construction ID:		964603026			
Method Construction Code:		1			
Method Construction:		Cable Tool			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		10842957			
Casing No:		1			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		930486531			
Layer:		1			
Material:		1			
Open Hole or Material:		STEEL			
Depth From:					
Depth To:		130.00			
Casing Diameter:		6.00			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Screen</u>					
Screen ID:		933355738			
Layer:		1			
Slot:		016			
Screen Top Depth:		130.00			
Screen End Depth:		134.00			
Screen Material:					
Screen Depth UOM:		ft			
Screen Diameter UOM:		inch			
Screen Diameter:		6.25			
<u>Results of Well Yield Testing</u>					
Pump Test ID:		994603026			
Pump Set At:					
Static Level:		30.00			
Final Level After Pumping:		50.00			
Recommended Pump Depth:		125.00			
Pumping Rate:		3.00			
Flowing Rate:					
Recommended Pump Rate:		3.00			
Levels UOM:		ft			
Rate UOM:		GPM			
Water State After Test Code:		1			
Water State After Test:		CLEAR			
Pumping Test Method:		1			

Map Key	Number of Records	Direction/ Distance (m)	Elevation (m)	Site	DB
Pumping Duration HR:	5				
Pumping Duration MIN:	0				
Flowing:	N				
<u>Water Details</u>					
Water ID:	933765277				
Layer:	1				
Kind Code:	1				
Kind:	FRESH				
Water Found Depth:	130.00				
Water Found Depth UOM:	ft				

25	1 of 1	SE/166.3	288.8	lot 28 con 7 UXBRIDGE ON	WWIS
Well ID:	1918261			Data Entry Status:	
Construction Date:				Data Src:	
Primary Water Use:	Domestic			Date Received:	6/15/2006
Sec. Water Use:				Selected Flag:	1
Final Well Status:	Water Supply			Abandonment Rec:	
Water Type:				Contractor:	5459
Casing Material:				Form Version:	3
Audit No:	Z35861			Owner:	
Tag:	A032811			Street Name:	REACH RD
Construction Method:				County:	DURHAM
Elevation (m):				Municipality:	UXBRIDGE TOWNSHIP (UXBRIDGE)
Elevation Reliability:				Site Info:	
Depth to Bedrock:				Lot:	028
Well Depth:				Concession:	07
Overburden/Bedrock:				Concession Name:	CON
Pump Rate:				Easting NAD83:	
Static Water Level:				Northing NAD83:	
Flowing (Y/N):				Zone:	
Flow Rate:				UTM Reliability:	
Clear/Cloudy:					

Bore Hole Information

Bore Hole ID:	11551250			Spatial Status:	
DP2BR:				Cluster Kind:	
Code OB:	o			UTMRC:	3
Code OB Desc:	Overburden			UTMRC Desc:	margin of error : 10 - 30 m
Open Hole:				Location Method:	wwr
Elevation:	288.18341			Org CS:	UTM83
Elevrc:				Date Completed:	4/19/2006
Remarks:					
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					

Overburden and Bedrock

Materials Interval

Formation ID:	933055749
Layer:	1
Color:	6
General Color:	BROWN
Mat1:	28

Map Key	Number of Records	Direction/ Distance (m)	Elevation (m)	Site	DB
Most Common Material:		SAND			
Mat2:		06			
Other Materials:		SILT			
Mat3:					
Other Materials:					
Formation Top Depth:		0.00			
Formation End Depth:		19.00			
Formation End Depth UOM:		m			
Formation ID:		933055750			
Layer:		2			
Color:		6			
General Color:		BROWN			
Mat1:		05			
Most Common Material:		CLAY			
Mat2:		12			
Other Materials:		STONES			
Mat3:					
Other Materials:					
Formation Top Depth:		19.00			
Formation End Depth:		21.00			
Formation End Depth UOM:		m			
Formation ID:		933055751			
Layer:		3			
Color:		6			
General Color:		BROWN			
Mat1:		28			
Most Common Material:		SAND			
Mat2:		11			
Other Materials:		GRAVEL			
Mat3:					
Other Materials:					
Formation Top Depth:		21.00			
Formation End Depth:		95.00			
Formation End Depth UOM:		m			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		933293732			
Layer:		1			
Plug From:		0.00			
Plug To:		20.00			
Plug Depth UOM:		m			
<u>Method of Construction & Well Use</u>					
Method Construction ID:		961918261			
Method Construction Code:		4			
Method Construction:		Rotary (Air)			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		11560857			
Casing No:		1			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					

Map Key	Number of Records	Direction/ Distance (m)	Elevation (m)	Site	DB
Casing ID:		930878996			
Layer:		1			
Material:		1			
Open Hole or Material:		STEEL			
Depth From:		0.00			
Depth To:		86.00			
Casing Diameter:		6.00			
Casing Diameter UOM:		cm			
Casing Depth UOM:		m			
<u>Construction Record - Screen</u>					
Screen ID:		933418545			
Layer:		1			
Slot:		14			
Screen Top Depth:		87.00			
Screen End Depth:		93.00			
Screen Material:		1			
Screen Depth UOM:		m			
Screen Diameter UOM:		cm			
Screen Diameter:		6.00			
Screen ID:		933418546			
Layer:		2			
Slot:		16			
Screen Top Depth:					
Screen End Depth:					
Screen Material:					
Screen Depth UOM:		m			
Screen Diameter UOM:		cm			
Screen Diameter:					
<u>Results of Well Yield Testing</u>					
Pump Test ID:		11569976			
Pump Set At:		75.00			
Static Level:		62.00			
Final Level After Pumping:		63.40			
Recommended Pump Depth:					
Pumping Rate:		15.00			
Flowing Rate:					
Recommended Pump Rate:					
Levels UOM:		ft			
Rate UOM:		LPM			
Water State After Test Code:		1			
Water State After Test:		CLEAR			
Pumping Test Method:		1			
Pumping Duration HR:		1			
Pumping Duration MIN:		0			
Flowing:					
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		11580779			
Test Type:		Draw Down			
Test Duration:		1			
Test Level:		63.30			
Test Level UOM:		m			
Pump Test Detail ID:		11580780			
Test Type:		Draw Down			
Test Duration:		2			

Map Key	Number of Records	Direction/ Distance (m)	Elevation (m)	Site	DB
Test Level:		63.40			
Test Level UOM:		m			
Pump Test Detail ID:		11580781			
Test Type:		Draw Down			
Test Duration:		3			
Test Level:		63.40			
Test Level UOM:		m			
Pump Test Detail ID:		11580782			
Test Type:		Draw Down			
Test Duration:		4			
Test Level:		63.40			
Test Level UOM:		m			
Pump Test Detail ID:		11580783			
Test Type:		Draw Down			
Test Duration:		5			
Test Level:		63.40			
Test Level UOM:		m			
Pump Test Detail ID:		11580784			
Test Type:		Draw Down			
Test Duration:		10			
Test Level:		63.40			
Test Level UOM:		m			
Pump Test Detail ID:		11580785			
Test Type:		Draw Down			
Test Duration:		15			
Test Level:		63.40			
Test Level UOM:		m			
Pump Test Detail ID:		11580786			
Test Type:		Draw Down			
Test Duration:		20			
Test Level:		63.40			
Test Level UOM:		m			
Pump Test Detail ID:		11580787			
Test Type:		Draw Down			
Test Duration:		25			
Test Level:		63.40			
Test Level UOM:		m			
Pump Test Detail ID:		11580788			
Test Type:		Draw Down			
Test Duration:		30			
Test Level:		63.40			
Test Level UOM:		m			
Pump Test Detail ID:		11580789			
Test Type:		Draw Down			
Test Duration:		40			
Test Level:		63.40			
Test Level UOM:		m			
Pump Test Detail ID:		11580790			
Test Type:		Draw Down			
Test Duration:		50			
Test Level:		63.40			
Test Level UOM:		m			
Pump Test Detail ID:		11580791			
Test Type:		Draw Down			
Test Duration:		60			

Map Key	Number of Records	Direction/ Distance (m)	Elevation (m)	Site	DB
Test Level:		63.40			
Test Level UOM:		m			
<u>Water Details</u>					
Water ID:		934076377			
Layer:		1			
Kind Code:		1			
Kind:		FRESH			
Water Found Depth:		90.00			
Water Found Depth UOM:		m			
<u>Hole Diameter</u>					
Hole ID:		11682025			
Diameter:		6.00			
Depth From:		0.00			
Depth To:		93.00			
Hole Depth UOM:		m			
Hole Diameter UOM:		cm			

26	1 of 1	W/168.6	278.8	lot 28 con 7 ON	WWIS
Well ID:	4604267			Data Entry Status:	
Construction Date:				Data Src:	1
Primary Water Use:	Domestic			Date Received:	1/7/1970
Sec. Water Use:	0			Selected Flag:	1
Final Well Status:	Water Supply			Abandonment Rec:	
Water Type:				Contractor:	1413
Casing Material:				Form Version:	1
Audit No:				Owner:	
Tag:				Street Name:	
Construction Method:				County:	DURHAM
Elevation (m):				Municipality:	UXBRIDGE TOWNSHIP (UXBRIDGE)
Elevation Reliability:				Site Info:	
Depth to Bedrock:				Lot:	028
Well Depth:				Concession:	07
Overburden/Bedrock:				Concession Name:	CON
Pump Rate:				Easting NAD83:	
Static Water Level:				Northing NAD83:	
Flowing (Y/N):				Zone:	
Flow Rate:				UTM Reliability:	
Clear/Cloudy:					

Bore Hole Information

Bore Hole ID:	10295602			Spatial Status:	
DP2BR:				Cluster Kind:	
Code OB:	o			UTMRC:	4
Code OB Desc:	Overburden			UTMRC Desc:	margin of error : 30 m - 100 m
Open Hole:				Location Method:	p4
Elevation:	278.126708			Org CS:	
Elevrc:				Date Completed:	10/9/1969
Remarks:					
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					

Map Key	Number of Records	Direction/ Distance (m)	Elevation (m)	Site	DB
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		931956012			
Layer:		1			
Color:					
General Color:					
Mat1:		23			
Most Common Material:		PREVIOUSLY DUG			
Mat2:					
Other Materials:					
Mat3:					
Other Materials:					
Formation Top Depth:		0.00			
Formation End Depth:		6.00			
Formation End Depth UOM:		ft			
Formation ID:		931956013			
Layer:		2			
Color:		5			
General Color:		YELLOW			
Mat1:		05			
Most Common Material:		CLAY			
Mat2:		09			
Other Materials:		MEDIUM SAND			
Mat3:					
Other Materials:					
Formation Top Depth:		6.00			
Formation End Depth:		50.00			
Formation End Depth UOM:		ft			
Formation ID:		931956014			
Layer:		3			
Color:		7			
General Color:		RED			
Mat1:		08			
Most Common Material:		FINE SAND			
Mat2:					
Other Materials:					
Mat3:					
Other Materials:					
Formation Top Depth:		50.00			
Formation End Depth:		80.00			
Formation End Depth UOM:		ft			
<u>Method of Construction & Well Use</u>					
Method Construction ID:		964604267			
Method Construction Code:		1			
Method Construction:		Cable Tool			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		10844172			
Casing No:		1			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		930487856			

Map Key	Number of Records	Direction/ Distance (m)	Elevation (m)	Site	DB
Layer:		1			
Material:		1			
Open Hole or Material:		STEEL			
Depth From:					
Depth To:		72.00			
Casing Diameter:		5.00			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Screen</u>					
Screen ID:		933355968			
Layer:		1			
Slot:		006			
Screen Top Depth:		72.00			
Screen End Depth:		80.00			
Screen Material:					
Screen Depth UOM:		ft			
Screen Diameter UOM:		inch			
Screen Diameter:		5.00			
<u>Results of Well Yield Testing</u>					
Pump Test ID:		994604267			
Pump Set At:					
Static Level:		20.00			
Final Level After Pumping:		74.00			
Recommended Pump Depth:		75.00			
Pumping Rate:		5.00			
Flowing Rate:					
Recommended Pump Rate:		5.00			
Levels UOM:		ft			
Rate UOM:		GPM			
Water State After Test Code:		1			
Water State After Test:		CLEAR			
Pumping Test Method:		1			
Pumping Duration HR:		2			
Pumping Duration MIN:		0			
Flowing:		N			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		934249811			
Test Type:		Draw Down			
Test Duration:		15			
Test Level:		35.00			
Test Level UOM:		ft			
Pump Test Detail ID:		934523186			
Test Type:		Draw Down			
Test Duration:		30			
Test Level:		48.00			
Test Level UOM:		ft			
Pump Test Detail ID:		934779117			
Test Type:		Draw Down			
Test Duration:		45			
Test Level:		62.00			
Test Level UOM:		ft			
Pump Test Detail ID:		935039074			
Test Type:		Draw Down			
Test Duration:		60			

Map Key	Number of Records	Direction/ Distance (m)	Elevation (m)	Site	DB
Test Level:		74.00			
Test Level UOM:		ft			
<u>Water Details</u>					
Water ID:		933766543			
Layer:		1			
Kind Code:		1			
Kind:		FRESH			
Water Found Depth:		80.00			
Water Found Depth UOM:		ft			

<u>27</u>	1 of 1	ENE/178.3	283.2	274 Reach St, Pt Lot 27-29, Conc 7, Uxbridge Uxbridge ON	EHS
Postal Code:					
City:					
Address2:					
Address1:					
Provstate:					
Order No.:		20100429024			
Addit. Info Ordered.:					
Report Date:		5/10/2010			
Report Type:		Custom Report			
Search Radius (km):		0.7			

<u>28</u>	1 of 1	NW/192.6	279.1	lot 29 con 7 ON	WWIS
Well ID:		1913765		Data Entry Status:	
Construction Date:				Data Src:	1
Primary Water Use:				Date Received:	9/8/1998
Sec. Water Use:				Selected Flag:	1
Final Well Status:		Abandoned-Other		Abandonment Rec:	
Water Type:				Contractor:	5459
Casing Material:				Form Version:	1
Audit No:		195372		Owner:	
Tag:				Street Name:	
Construction Method:				County:	DURHAM
Elevation (m):				Municipality:	UXBRIDGE TOWNSHIP (UXBRIDGE)
Elevation Reliability:				Site Info:	
Depth to Bedrock:				Lot:	029
Well Depth:				Concession:	07
Overburden/Bedrock:				Concession Name:	CON
Pump Rate:				Easting NAD83:	
Static Water Level:				Northing NAD83:	
Flowing (Y/N):				Zone:	
Flow Rate:				UTM Reliability:	
Clear/Cloudy:					

<u>Bore Hole Information</u>					
Bore Hole ID:		10082356		Spatial Status:	
DP2BR:				Cluster Kind:	
Code OB:		—		UTMRC:	9
Code OB Desc:		No formation data		UTMRC Desc:	unknown UTM
Open Hole:				Location Method:	lot
Elevation:		278.858917		Org CS:	
Elevrc:				Date Completed:	8/24/1998
Remarks:					
Elevrc Desc:					
Location Source Date:					

Map Key	Number of Records	Direction/ Distance (m)	Elevation (m)	Site	DB
---------	-------------------	----------------------------	------------------	------	----

Improvement Location Source:
Improvement Location Method:
Source Revision Comment:
Supplier Comment:

**Annular Space/Abandonment
Sealing Record**

Plug ID: 933124376
Layer: 1
Plug From: 18.00
Plug To: 0.00
Plug Depth UOM: ft

**Method of Construction & Well
Use**

Method Construction ID: 961913765
Method Construction Code: 0
Method Construction: Not Known
Other Method Construction:

Pipe Information

Pipe ID: 10630926
Casing No: 1
Comment:
Alt Name:

29	1 of 9	NW/194.6	279.1	lot 29 con 7 ON	WWIS
--------------------	--------	----------	-------	--------------------	------

Well ID:	1915956	Data Entry Status:	
Construction Date:		Data Src:	1
Primary Water Use:		Date Received:	7/22/2002
Sec. Water Use:		Selected Flag:	1
Final Well Status:	Abandoned-Supply	Abandonment Rec:	
Water Type:		Contractor:	5459
Casing Material:		Form Version:	1
Audit No:	248650	Owner:	
Tag:		Street Name:	
Construction Method:		County:	DURHAM
Elevation (m):		Municipality:	UXBRIDGE TOWNSHIP (UXBRIDGE)
Elevation Reliability:		Site Info:	
Depth to Bedrock:		Lot:	029
Well Depth:		Concession:	07
Overburden/Bedrock:		Concession Name:	CON
Pump Rate:		Easting NAD83:	
Static Water Level:		Northing NAD83:	
Flowing (Y/N):		Zone:	
Flow Rate:		UTM Reliability:	
Clear/Cloudy:			

Bore Hole Information

Bore Hole ID:	10530494	Spatial Status:	
DP2BR:		Cluster Kind:	
Code OB:	o	UTMRC:	9
Code OB Desc:	Overburden	UTMRC Desc:	unknown UTM
Open Hole:		Location Method:	lot
Elevation:	278.797729	Org CS:	
Elevrc:		Date Completed:	7/15/2002

Remarks:
Elevrc Desc:
Location Source Date:
Improvement Location Source:
Improvement Location Method:
Source Revision Comment:
Supplier Comment:

Overburden and Bedrock
Materials Interval

Formation ID: 932882213
Layer: 1
Color: 8
General Color: BLACK
Mat1: 28
Most Common Material: SAND
Mat2:
Other Materials:
Mat3:
Other Materials:
Formation Top Depth: 0.00
Formation End Depth: 12.00
Formation End Depth UOM: ft

Formation ID: 932882214
Layer: 2
Color: 6
General Color: BROWN
Mat1: 05
Most Common Material: CLAY
Mat2: 12
Other Materials: STONES
Mat3:
Other Materials:
Formation Top Depth: 12.00
Formation End Depth: 26.00
Formation End Depth UOM: ft

Formation ID: 932882215
Layer: 3
Color: 2
General Color: GREY
Mat1: 05
Most Common Material: CLAY
Mat2: 12
Other Materials: STONES
Mat3:
Other Materials:
Formation Top Depth: 26.00
Formation End Depth: 65.00
Formation End Depth UOM: ft

Formation ID: 932882216
Layer: 4
Color:
General Color:
Mat1: 10
Most Common Material: COARSE SAND
Mat2: 12
Other Materials: STONES
Mat3:
Other Materials:
Formation Top Depth: 65.00
Formation End Depth: 82.00

Map Key	Number of Records	Direction/ Distance (m)	Elevation (m)	Site	DB
Formation End Depth UOM:		ft			
Formation ID:		932882217			
Layer:		5			
Color:		2			
General Color:		GREY			
Mat1:		05			
Most Common Material:		CLAY			
Mat2:		12			
Other Materials:		STONES			
Mat3:					
Other Materials:					
Formation Top Depth:		82.00			
Formation End Depth:		152.00			
Formation End Depth UOM:		ft			
 <u>Method of Construction & Well Use</u>					
Method Construction ID:		961915956			
Method Construction Code:		2			
Method Construction:		Rotary (Convent.)			
Other Method Construction:					
 <u>Pipe Information</u>					
Pipe ID:		11079064			
Casing No:		1			
Comment:					
Alt Name:					

29	2 of 9	NW/194.6	279.1	lot 29 con 7 ON	WWIS
Well ID:		1915957		Data Entry Status:	
Construction Date:				Data Src: 1	
Primary Water Use:				Date Received: 7/22/2002	
Sec. Water Use:				Selected Flag: 1	
Final Well Status:		Observation Wells		Abandonment Rec:	
Water Type:				Contractor: 5459	
Casing Material:				Form Version: 1	
Audit No:		248658		Owner:	
Tag:				Street Name:	
Construction Method:				County: DURHAM	
Elevation (m):				Municipality: UXBRIDGE TOWNSHIP (UXBRIDGE)	
Elevation Reliability:				Site Info:	
Depth to Bedrock:				Lot: 029	
Well Depth:				Concession: 07	
Overburden/Bedrock:				Concession Name: CON	
Pump Rate:				Easting NAD83:	
Static Water Level:				Northing NAD83:	
Flowing (Y/N):				Zone:	
Flow Rate:				UTM Reliability:	
Clear/Cloudy:					
 <u>Bore Hole Information</u>					
Bore Hole ID:		10530495		Spatial Status:	
DP2BR:				Cluster Kind:	
Code OB:		o		UTMRC: 9	
Code OB Desc:		Overburden		UTMRC Desc: unknown UTM	
Open Hole:				Location Method: lot	

Map Key	Number of Records	Direction/ Distance (m)	Elevation (m)	Site	DB
Elevation:	278.797729			Org CS:	
Elevrc:				Date Completed:	7/9/2002
Remarks:					
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:	932882218				
Layer:	1				
Color:	8				
General Color:	BLACK				
Mat1:	28				
Most Common Material:	SAND				
Mat2:					
Other Materials:					
Mat3:					
Other Materials:					
Formation Top Depth:	0.00				
Formation End Depth:	12.00				
Formation End Depth UOM:	ft				
Formation ID:	932882219				
Layer:	2				
Color:	6				
General Color:	BROWN				
Mat1:	05				
Most Common Material:	CLAY				
Mat2:	12				
Other Materials:	STONES				
Mat3:					
Other Materials:					
Formation Top Depth:	12.00				
Formation End Depth:	26.00				
Formation End Depth UOM:	ft				
Formation ID:	932882220				
Layer:	3				
Color:	2				
General Color:	GREY				
Mat1:	05				
Most Common Material:	CLAY				
Mat2:	12				
Other Materials:	STONES				
Mat3:					
Other Materials:					
Formation Top Depth:	26.00				
Formation End Depth:	65.00				
Formation End Depth UOM:	ft				
Formation ID:	932882221				
Layer:	4				
Color:					
General Color:					
Mat1:	10				
Most Common Material:	COARSE SAND				
Mat2:	12				
Other Materials:	STONES				
Mat3:					
Other Materials:					

Map Key	Number of Records	Direction/ Distance (m)	Elevation (m)	Site	DB
Formation Top Depth:		65.00			
Formation End Depth:		82.00			
Formation End Depth UOM:		ft			
Formation ID:		932882222			
Layer:		5			
Color:		2			
General Color:		GREY			
Mat1:		05			
Most Common Material:		CLAY			
Mat2:		12			
Other Materials:		STONES			
Mat3:					
Other Materials:					
Formation Top Depth:		82.00			
Formation End Depth:		132.00			
Formation End Depth UOM:		ft			
Formation ID:		932882223			
Layer:		6			
Color:					
General Color:					
Mat1:		10			
Most Common Material:		COARSE SAND			
Mat2:		12			
Other Materials:		STONES			
Mat3:					
Other Materials:					
Formation Top Depth:		132.00			
Formation End Depth:		162.00			
Formation End Depth UOM:		ft			
<u>Method of Construction & Well Use</u>					
Method Construction ID:		961915957			
Method Construction Code:		2			
Method Construction:		Rotary (Convent.)			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		11079065			
Casing No:		1			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		930142424			
Layer:		1			
Material:		5			
Open Hole or Material:		PLASTIC			
Depth From:					
Depth To:					
Casing Diameter:		2.00			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Screen</u>					
Screen ID:		933403291			

Map Key	Number of Records	Direction/ Distance (m)	Elevation (m)	Site	DB
Layer:		1			
Slot:					
Screen Top Depth:		147.00			
Screen End Depth:		157.00			
Screen Material:					
Screen Depth UOM:		ft			
Screen Diameter UOM:		inch			
Screen Diameter:		2.00			
<u>Water Details</u>					
Water ID:		934023281			
Layer:		1			
Kind Code:		1			
Kind:		FRESH			
Water Found Depth:		132.00			
Water Found Depth UOM:		ft			

29	3 of 9	NW/194.6	279.1	lot 29 con 7 ON	WWIS
Well ID:	1915955			Data Entry Status:	
Construction Date:				Data Src:	1
Primary Water Use:				Date Received:	7/22/2002
Sec. Water Use:				Selected Flag:	1
Final Well Status:	Abandoned-Supply			Abandonment Rec:	
Water Type:				Contractor:	5459
Casing Material:				Form Version:	1
Audit No:	248657			Owner:	
Tag:				Street Name:	
Construction Method:				County:	DURHAM
Elevation (m):				Municipality:	UXBRIDGE TOWNSHIP (UXBRIDGE)
Elevation Reliability:				Site Info:	
Depth to Bedrock:				Lot:	029
Well Depth:				Concession:	07
Overburden/Bedrock:				Concession Name:	CON
Pump Rate:				Easting NAD83:	
Static Water Level:				Northing NAD83:	
Flowing (Y/N):				Zone:	
Flow Rate:				UTM Reliability:	
Clear/Cloudy:					
<u>Bore Hole Information</u>					
Bore Hole ID:	10530493			Spatial Status:	
DP2BR:	295			Cluster Kind:	
Code OB:	r			UTMRC:	9
Code OB Desc:	Bedrock			UTMRC Desc:	unknown UTM
Open Hole:				Location Method:	lot
Elevation:	278.797729			Org CS:	
Elevrc:				Date Completed:	7/8/2002
Remarks:					
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					

Map Key	Number of Records	Direction/ Distance (m)	Elevation (m)	Site	DB
Formation ID:		932882203			
Layer:		1			
Color:		8			
General Color:		BLACK			
Mat1:		28			
Most Common Material:		SAND			
Mat2:					
Other Materials:					
Mat3:					
Other Materials:					
Formation Top Depth:		0.00			
Formation End Depth:		10.00			
Formation End Depth UOM:		ft			
Formation ID:		932882204			
Layer:		2			
Color:		6			
General Color:		BROWN			
Mat1:		05			
Most Common Material:		CLAY			
Mat2:		12			
Other Materials:		STONES			
Mat3:					
Other Materials:					
Formation Top Depth:		10.00			
Formation End Depth:		37.00			
Formation End Depth UOM:		ft			
Formation ID:		932882205			
Layer:		3			
Color:		2			
General Color:		GREY			
Mat1:		05			
Most Common Material:		CLAY			
Mat2:		12			
Other Materials:		STONES			
Mat3:					
Other Materials:					
Formation Top Depth:		37.00			
Formation End Depth:		52.00			
Formation End Depth UOM:		ft			
Formation ID:		932882206			
Layer:		4			
Color:		6			
General Color:		BROWN			
Mat1:		08			
Most Common Material:		FINE SAND			
Mat2:					
Other Materials:					
Mat3:					
Other Materials:					
Formation Top Depth:		52.00			
Formation End Depth:		63.00			
Formation End Depth UOM:		ft			
Formation ID:		932882207			
Layer:		5			
Color:		2			
General Color:		GREY			
Mat1:		05			
Most Common Material:		CLAY			
Mat2:		12			
Other Materials:		STONES			
Mat3:					
Other Materials:					

Map Key	Number of Records	Direction/ Distance (m)	Elevation (m)	Site	DB
Formation Top Depth:		63.00			
Formation End Depth:		93.00			
Formation End Depth UOM:		ft			
Formation ID:		932882208			
Layer:		6			
Color:					
General Color:					
Mat1:		11			
Most Common Material:		GRAVEL			
Mat2:		60			
Other Materials:		CEMENTED			
Mat3:					
Other Materials:					
Formation Top Depth:		93.00			
Formation End Depth:		99.00			
Formation End Depth UOM:		ft			
Formation ID:		932882209			
Layer:		7			
Color:		2			
General Color:		GREY			
Mat1:		05			
Most Common Material:		CLAY			
Mat2:		12			
Other Materials:		STONES			
Mat3:					
Other Materials:					
Formation Top Depth:		99.00			
Formation End Depth:		102.00			
Formation End Depth UOM:		ft			
Formation ID:		932882210			
Layer:		8			
Color:					
General Color:					
Mat1:		11			
Most Common Material:		GRAVEL			
Mat2:		60			
Other Materials:		CEMENTED			
Mat3:					
Other Materials:					
Formation Top Depth:		102.00			
Formation End Depth:		112.00			
Formation End Depth UOM:		ft			
Formation ID:		932882211			
Layer:		9			
Color:		2			
General Color:		GREY			
Mat1:		05			
Most Common Material:		CLAY			
Mat2:		12			
Other Materials:		STONES			
Mat3:					
Other Materials:					
Formation Top Depth:		112.00			
Formation End Depth:		295.00			
Formation End Depth UOM:		ft			
Formation ID:		932882212			
Layer:		10			
Color:		8			
General Color:		BLACK			
Mat1:		17			
Most Common Material:		SHALE			

Map Key	Number of Records	Direction/ Distance (m)	Elevation (m)	Site	DB
Mat2:					
Other Materials:					
Mat3:					
Other Materials:					
Formation Top Depth:		295.00			
Formation End Depth:		302.00			
Formation End Depth UOM:		ft			
<u>Method of Construction & Well Use</u>					
Method Construction ID:		961915955			
Method Construction Code:		2			
Method Construction:		Rotary (Convent.)			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		11079063			
Casing No:		1			
Comment:					
Alt Name:					

29	4 of 9	NW/194.6	279.1	lot 29 con 7 ON	WWIS
Well ID:	1915998			Data Entry Status:	
Construction Date:				Data Src:	1
Primary Water Use:	Irrigation			Date Received:	8/12/2002
Sec. Water Use:				Selected Flag:	1
Final Well Status:	Water Supply			Abandonment Rec:	
Water Type:				Contractor:	5459
Casing Material:				Form Version:	1
Audit No:	248664			Owner:	
Tag:				Street Name:	
Construction Method:				County:	DURHAM
Elevation (m):				Municipality:	UXBRIDGE TOWNSHIP (UXBRIDGE)
Elevation Reliability:				Site Info:	
Depth to Bedrock:				Lot:	029
Well Depth:				Concession:	07
Overburden/Bedrock:				Concession Name:	CON
Pump Rate:				Easting NAD83:	
Static Water Level:				Northing NAD83:	
Flowing (Y/N):				Zone:	
Flow Rate:				UTM Reliability:	
Clear/Cloudy:					

<u>Bore Hole Information</u>					
Bore Hole ID:	10530536			Spatial Status:	
DP2BR:				Cluster Kind:	
Code OB:	o			UTMRC:	9
Code OB Desc:	Overburden			UTMRC Desc:	unknown UTM
Open Hole:				Location Method:	lot
Elevation:	278.797729			Org CS:	
Elevrc:				Date Completed:	7/16/2002
Remarks:					
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					

Map Key	Number of Records	Direction/ Distance (m)	Elevation (m)	Site	DB
<i>Supplier Comment:</i>					
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932882342			
Layer:		1			
Color:		8			
General Color:		BLACK			
Mat1:		28			
Most Common Material:		SAND			
Mat2:					
Other Materials:					
Mat3:					
Other Materials:					
Formation Top Depth:		0.00			
Formation End Depth:		12.00			
Formation End Depth UOM:		ft			
Formation ID:		932882343			
Layer:		2			
Color:		6			
General Color:		BROWN			
Mat1:		05			
Most Common Material:		CLAY			
Mat2:		12			
Other Materials:		STONES			
Mat3:					
Other Materials:					
Formation Top Depth:		12.00			
Formation End Depth:		26.00			
Formation End Depth UOM:		ft			
Formation ID:		932882344			
Layer:		3			
Color:		2			
General Color:		GREY			
Mat1:		05			
Most Common Material:		CLAY			
Mat2:		12			
Other Materials:		STONES			
Mat3:					
Other Materials:					
Formation Top Depth:		26.00			
Formation End Depth:		65.00			
Formation End Depth UOM:		ft			
Formation ID:		932882345			
Layer:		4			
Color:					
General Color:					
Mat1:		10			
Most Common Material:		COARSE SAND			
Mat2:		12			
Other Materials:		STONES			
Mat3:					
Other Materials:					
Formation Top Depth:		65.00			
Formation End Depth:		82.00			
Formation End Depth UOM:		ft			
Formation ID:		932882346			
Layer:		5			
Color:		2			
General Color:		GREY			

Map Key	Number of Records	Direction/ Distance (m)	Elevation (m)	Site	DB
Mat1:		05			
Most Common Material:		CLAY			
Mat2:		12			
Other Materials:		STONES			
Mat3:					
Other Materials:					
Formation Top Depth:		82.00			
Formation End Depth:		132.00			
Formation End Depth UOM:		ft			
Formation ID:		932882347			
Layer:		6			
Color:					
General Color:					
Mat1:		10			
Most Common Material:		COARSE SAND			
Mat2:		12			
Other Materials:		STONES			
Mat3:					
Other Materials:					
Formation Top Depth:		132.00			
Formation End Depth:		162.00			
Formation End Depth UOM:		ft			
<u>Method of Construction & Well Use</u>					
Method Construction ID:		961915998			
Method Construction Code:		2			
Method Construction:		Rotary (Convent.)			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		11079106			
Casing No:		1			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		930142463			
Layer:		1			
Material:		1			
Open Hole or Material:		STEEL			
Depth From:					
Depth To:					
Casing Diameter:		6.00			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Screen</u>					
Screen ID:		933403303			
Layer:		1			
Slot:		040			
Screen Top Depth:		136.00			
Screen End Depth:		162.00			
Screen Material:					
Screen Depth UOM:		ft			
Screen Diameter UOM:		inch			
Screen Diameter:		5.00			

Map Key	Number of Records	Direction/ Distance (m)	Elevation (m)	Site	DB
---------	-------------------	----------------------------	------------------	------	----

Results of Well Yield Testing

Pump Test ID: 991915998
Pump Set At:
Static Level: 15.00
Final Level After Pumping:
Recommended Pump Depth:
Pumping Rate:
Flowing Rate:
Recommended Pump Rate:
Levels UOM: ft
Rate UOM: GPM
Water State After Test Code:
Water State After Test:
Pumping Test Method: 1
Pumping Duration HR:
Pumping Duration MIN:
Flowing: N

Water Details

Water ID: 934023315
Layer: 1
Kind Code: 1
Kind: FRESH
Water Found Depth: 162.00
Water Found Depth UOM: ft

[29](#) 5 of 9 **NW/194.6** **279.1** **lot 29 con 7 ON** **WWIS**

<p> Well ID: 1915958 Construction Date: Primary Water Use: Sec. Water Use: Final Well Status: Abandoned-Supply Water Type: Casing Material: Audit No: 248642 Tag: Construction Method: Elevation (m): Elevation Reliability: Depth to Bedrock: Well Depth: Overburden/Bedrock: Pump Rate: Static Water Level: Flowing (Y/N): Flow Rate: Clear/Cloudy: </p>	<p> Data Entry Status: Data Src: 1 Date Received: 7/22/2002 Selected Flag: 1 Abandonment Rec: Contractor: 5459 Form Version: 1 Owner: Street Name: County: DURHAM Municipality: UXBRIDGE TOWNSHIP (UXBRIDGE) Site Info: Lot: 029 Concession: 07 Concession Name: CON Easting NAD83: Northing NAD83: Zone: UTM Reliability: </p>
---	--

Bore Hole Information

<p> Bore Hole ID: 10530496 DP2BR: 297 Code OB: r Code OB Desc: Bedrock Open Hole: Elevation: 278.797729 Elevrc: </p>	<p> Spatial Status: Cluster Kind: UTMRC: 9 UTMRC Desc: unknown UTM Location Method: lot Org CS: Date Completed: 7/3/2002 </p>
---	--

Remarks:
Elevrc Desc:
Location Source Date:
Improvement Location Source:
Improvement Location Method:
Source Revision Comment:
Supplier Comment:

Overburden and Bedrock
Materials Interval

Formation ID: 932882224
Layer: 1
Color: 8
General Color: BLACK
Mat1: 28
Most Common Material: SAND
Mat2:
Other Materials:
Mat3:
Other Materials:
Formation Top Depth: 0.00
Formation End Depth: 12.00
Formation End Depth UOM: ft

Formation ID: 932882225
Layer: 2
Color: 6
General Color: BROWN
Mat1: 05
Most Common Material: CLAY
Mat2:
Other Materials:
Mat3:
Other Materials:
Formation Top Depth: 12.00
Formation End Depth: 32.00
Formation End Depth UOM: ft

Formation ID: 932882226
Layer: 3
Color:
General Color:
Mat1: 05
Most Common Material: CLAY
Mat2: 12
Other Materials: STONES
Mat3:
Other Materials:
Formation Top Depth: 32.00
Formation End Depth: 64.00
Formation End Depth UOM: ft

Formation ID: 932882227
Layer: 4
Color:
General Color:
Mat1: 10
Most Common Material: COARSE SAND
Mat2: 12
Other Materials: STONES
Mat3:
Other Materials:
Formation Top Depth: 64.00
Formation End Depth: 82.00

Map Key	Number of Records	Direction/ Distance (m)	Elevation (m)	Site	DB
Formation End Depth UOM:		ft			
Formation ID:		932882228			
Layer:		5			
Color:		2			
General Color:		GREY			
Mat1:		05			
Most Common Material:		CLAY			
Mat2:		12			
Other Materials:		STONES			
Mat3:					
Other Materials:					
Formation Top Depth:		82.00			
Formation End Depth:		132.00			
Formation End Depth UOM:		ft			
Formation ID:		932882229			
Layer:		6			
Color:					
General Color:					
Mat1:		10			
Most Common Material:		COARSE SAND			
Mat2:		12			
Other Materials:		STONES			
Mat3:					
Other Materials:					
Formation Top Depth:		132.00			
Formation End Depth:		162.00			
Formation End Depth UOM:		ft			
Formation ID:		932882230			
Layer:		7			
Color:		2			
General Color:		GREY			
Mat1:		05			
Most Common Material:		CLAY			
Mat2:		12			
Other Materials:		STONES			
Mat3:					
Other Materials:					
Formation Top Depth:		162.00			
Formation End Depth:		260.00			
Formation End Depth UOM:		ft			
Formation ID:		932882231			
Layer:		8			
Color:		2			
General Color:		GREY			
Mat1:		05			
Most Common Material:		CLAY			
Mat2:					
Other Materials:					
Mat3:					
Other Materials:					
Formation Top Depth:		260.00			
Formation End Depth:		297.00			
Formation End Depth UOM:		ft			
Formation ID:		932882232			
Layer:		9			
Color:		8			
General Color:		BLACK			
Mat1:		17			
Most Common Material:		SHALE			
Mat2:					
Other Materials:					

Map Key	Number of Records	Direction/ Distance (m)	Elevation (m)	Site	DB
Mat3:					
Other Materials:					
Formation Top Depth:		297.00			
Formation End Depth:		312.00			
Formation End Depth UOM:		ft			
<u>Method of Construction & Well Use</u>					
Method Construction ID:		961915958			
Method Construction Code:		2			
Method Construction:		Rotary (Convent.)			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		11079066			
Casing No:		1			
Comment:					
Alt Name:					

29	6 of 9	NW/194.6	279.1	lot 29 con 7 ON	WWIS
Well ID:	1915081			Data Entry Status:	
Construction Date:				Data Src:	1
Primary Water Use:	Domestic			Date Received:	6/19/2001
Sec. Water Use:				Selected Flag:	1
Final Well Status:	Water Supply			Abandonment Rec:	
Water Type:				Contractor:	1413
Casing Material:				Form Version:	1
Audit No:	229760			Owner:	
Tag:				Street Name:	
Construction Method:				County:	DURHAM
Elevation (m):				Municipality:	UXBRIDGE TOWNSHIP (UXBRIDGE)
Elevation Reliability:				Site Info:	
Depth to Bedrock:				Lot:	029
Well Depth:				Concession:	07
Overburden/Bedrock:				Concession Name:	CON
Pump Rate:				Easting NAD83:	
Static Water Level:				Northing NAD83:	
Flowing (Y/N):				Zone:	
Flow Rate:				UTM Reliability:	
Clear/Cloudy:					

<u>Bore Hole Information</u>					
Bore Hole ID:	10083670			Spatial Status:	
DP2BR:				Cluster Kind:	
Code OB:	o			UTMRC:	9
Code OB Desc:	Overburden			UTMRC Desc:	unknown UTM
Open Hole:				Location Method:	lot
Elevation:	278.811401			Org CS:	
Elevrc:				Date Completed:	5/30/2001
Remarks:					
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					

Map Key	Number of Records	Direction/ Distance (m)	Elevation (m)	Site	DB
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		931200076			
Layer:		1			
Color:		6			
General Color:		BROWN			
Mat1:		28			
Most Common Material:		SAND			
Mat2:		79			
Other Materials:		PACKED			
Mat3:					
Other Materials:					
Formation Top Depth:		0.00			
Formation End Depth:		12.00			
Formation End Depth UOM:		ft			
Formation ID:		931200077			
Layer:		2			
Color:		2			
General Color:		GREY			
Mat1:		05			
Most Common Material:		CLAY			
Mat2:		85			
Other Materials:		SOFT			
Mat3:					
Other Materials:					
Formation Top Depth:		12.00			
Formation End Depth:		57.00			
Formation End Depth UOM:		ft			
Formation ID:		931200078			
Layer:		3			
Color:		6			
General Color:		BROWN			
Mat1:		08			
Most Common Material:		FINE SAND			
Mat2:					
Other Materials:					
Mat3:					
Other Materials:					
Formation Top Depth:		57.00			
Formation End Depth:		70.00			
Formation End Depth UOM:		ft			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		933125824			
Layer:		1			
Plug From:		0.00			
Plug To:		20.00			
Plug Depth UOM:		ft			
Plug ID:		933125825			
Layer:		2			
Plug From:		64.00			
Plug To:		66.00			
Plug Depth UOM:		ft			
<u>Method of Construction & Well Use</u>					
Method Construction ID:		961915081			

Map Key	Number of Records	Direction/ Distance (m)	Elevation (m)	Site	DB
Method Construction Code:	4				
Method Construction:	Rotary (Air)				
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:	10632240				
Casing No:	1				
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:	930141669				
Layer:	1				
Material:	1				
Open Hole or Material:	STEEL				
Depth From:					
Depth To:					
Casing Diameter:	6.00				
Casing Diameter UOM:	inch				
Casing Depth UOM:	ft				
<u>Construction Record - Screen</u>					
Screen ID:	933334492				
Layer:	1				
Slot:	006				
Screen Top Depth:	66.00				
Screen End Depth:	70.00				
Screen Material:					
Screen Depth UOM:	ft				
Screen Diameter UOM:	inch				
Screen Diameter:	6.00				
<u>Results of Well Yield Testing</u>					
Pump Test ID:	991915081				
Pump Set At:					
Static Level:	20.00				
Final Level After Pumping:	50.00				
Recommended Pump Depth:	50.00				
Pumping Rate:	10.00				
Flowing Rate:					
Recommended Pump Rate:	8.00				
Levels UOM:	ft				
Rate UOM:	GPM				
Water State After Test Code:	1				
Water State After Test:	CLEAR				
Pumping Test Method:	1				
Pumping Duration HR:	1				
Pumping Duration MIN:					
Flowing:	N				
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:	934930449				
Test Type:	Draw Down				
Test Duration:	60				
Test Level:	50.00				
Test Level UOM:	ft				

Map Key	Number of Records	Direction/ Distance (m)	Elevation (m)	Site	DB
<u>Water Details</u>					
Water ID:		933525352			
Layer:		1			
Kind Code:		1			
Kind:		FRESH			
Water Found Depth:		70.00			
Water Found Depth UOM:		ft			
29	7 of 9	NW/194.6	279.1	lot 29 con 7 ON	WWIS
Well ID:	1916850			Data Entry Status:	
Construction Date:				Data Src:	1
Primary Water Use:	Not Used			Date Received:	12/1/2003
Sec. Water Use:				Selected Flag:	1
Final Well Status:				Abandonment Rec:	
Water Type:				Contractor:	2662
Casing Material:				Form Version:	2
Audit No:	252524			Owner:	
Tag:				Street Name:	
Construction Method:				County:	DURHAM
Elevation (m):				Municipality:	UXBRIDGE TOWNSHIP (UXBRIDGE)
Elevation Reliability:				Site Info:	
Depth to Bedrock:				Lot:	029
Well Depth:				Concession:	07
Overburden/Bedrock:				Concession Name:	CON
Pump Rate:				Easting NAD83:	
Static Water Level:				Northing NAD83:	
Flowing (Y/N):				Zone:	
Flow Rate:				UTM Reliability:	
Clear/Cloudy:					
<u>Bore Hole Information</u>					
Bore Hole ID:	11097660			Spatial Status:	
DP2BR:				Cluster Kind:	
Code OB:	o			UTMRC:	9
Code OB Desc:	Overburden			UTMRC Desc:	unknown UTM
Open Hole:				Location Method:	lot
Elevation:	278.82492			Org CS:	
Elevrc:				Date Completed:	7/8/2003
Remarks:					
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:	932943060				
Layer:	1				
Color:	8				
General Color:	BLACK				
Mat1:	02				
Most Common Material:	TOPSOIL				
Mat2:					
Other Materials:					
Mat3:					

Map Key	Number of Records	Direction/ Distance (m)	Elevation (m)	Site	DB
Other Materials:					
Formation Top Depth:		0.00			
Formation End Depth:		1.00			
Formation End Depth UOM:		ft			
Formation ID:		932943061			
Layer:		2			
Color:		6			
General Color:		BROWN			
Mat1:		28			
Most Common Material:		SAND			
Mat2:		11			
Other Materials:		GRAVEL			
Mat3:					
Other Materials:					
Formation Top Depth:		1.00			
Formation End Depth:		6.00			
Formation End Depth UOM:		ft			
Formation ID:		932943062			
Layer:		3			
Color:		6			
General Color:		BROWN			
Mat1:		05			
Most Common Material:		CLAY			
Mat2:		81			
Other Materials:		SANDY			
Mat3:		11			
Other Materials:		GRAVEL			
Formation Top Depth:		6.00			
Formation End Depth:		15.00			
Formation End Depth UOM:		ft			
Formation ID:		932943063			
Layer:		4			
Color:		2			
General Color:		GREY			
Mat1:		05			
Most Common Material:		CLAY			
Mat2:		81			
Other Materials:		SANDY			
Mat3:		11			
Other Materials:		GRAVEL			
Formation Top Depth:		15.00			
Formation End Depth:		26.00			
Formation End Depth UOM:		ft			
Formation ID:		932943064			
Layer:		5			
Color:		6			
General Color:		BROWN			
Mat1:		28			
Most Common Material:		SAND			
Mat2:		84			
Other Materials:		SILTY			
Mat3:		05			
Other Materials:		CLAY			
Formation Top Depth:		26.00			
Formation End Depth:		43.00			
Formation End Depth UOM:		ft			
Formation ID:		932943065			
Layer:		6			
Color:		6			
General Color:		BROWN			
Mat1:		06			

Map Key	Number of Records	Direction/ Distance (m)	Elevation (m)	Site	DB
Most Common Material:		SILT			
Mat2:		28			
Other Materials:		SAND			
Mat3:		91			
Other Materials:		WATER-BEARING			
Formation Top Depth:		43.00			
Formation End Depth:		54.00			
Formation End Depth UOM:		ft			
Formation ID:		932943066			
Layer:		7			
Color:		2			
General Color:		GREY			
Mat1:		06			
Most Common Material:		SILT			
Mat2:		28			
Other Materials:		SAND			
Mat3:		05			
Other Materials:		CLAY			
Formation Top Depth:		54.00			
Formation End Depth:		64.00			
Formation End Depth UOM:		ft			
Formation ID:		932943067			
Layer:		8			
Color:		2			
General Color:		GREY			
Mat1:		28			
Most Common Material:		SAND			
Mat2:		84			
Other Materials:		SILTY			
Mat3:		91			
Other Materials:		WATER-BEARING			
Formation Top Depth:		64.00			
Formation End Depth:		82.00			
Formation End Depth UOM:		ft			
Formation ID:		932943068			
Layer:		9			
Color:		2			
General Color:		GREY			
Mat1:		05			
Most Common Material:		CLAY			
Mat2:		84			
Other Materials:		SILTY			
Mat3:		11			
Other Materials:		GRAVEL			
Formation Top Depth:		82.00			
Formation End Depth:		101.00			
Formation End Depth UOM:		ft			
Formation ID:		932943069			
Layer:		10			
Color:		2			
General Color:		GREY			
Mat1:		05			
Most Common Material:		CLAY			
Mat2:		84			
Other Materials:		SILTY			
Mat3:		11			
Other Materials:		GRAVEL			
Formation Top Depth:		101.00			
Formation End Depth:		110.00			
Formation End Depth UOM:		ft			
Formation ID:		932943070			

Map Key	Number of Records	Direction/ Distance (m)	Elevation (m)	Site	DB
Layer:		11			
Color:		2			
General Color:		GREY			
Mat1:		05			
Most Common Material:		CLAY			
Mat2:		84			
Other Materials:		SILTY			
Mat3:		28			
Other Materials:		SAND			
Formation Top Depth:		110.00			
Formation End Depth:		121.00			
Formation End Depth UOM:		ft			
Formation ID:		932943071			
Layer:		12			
Color:		2			
General Color:		GREY			
Mat1:		05			
Most Common Material:		CLAY			
Mat2:		81			
Other Materials:		SANDY			
Mat3:		06			
Other Materials:		SILT			
Formation Top Depth:		121.00			
Formation End Depth:		136.00			
Formation End Depth UOM:		ft			
Formation ID:		932943072			
Layer:		13			
Color:		2			
General Color:		GREY			
Mat1:		28			
Most Common Material:		SAND			
Mat2:		06			
Other Materials:		SILT			
Mat3:		91			
Other Materials:		WATER-BEARING			
Formation Top Depth:		136.00			
Formation End Depth:		170.00			
Formation End Depth UOM:		ft			
Formation ID:		932943073			
Layer:		14			
Color:		2			
General Color:		GREY			
Mat1:		08			
Most Common Material:		FINE SAND			
Mat2:		06			
Other Materials:		SILT			
Mat3:		91			
Other Materials:		WATER-BEARING			
Formation Top Depth:		170.00			
Formation End Depth:		191.00			
Formation End Depth UOM:		ft			
Formation ID:		932943074			
Layer:		15			
Color:		2			
General Color:		GREY			
Mat1:		28			
Most Common Material:		SAND			
Mat2:		11			
Other Materials:		GRAVEL			
Mat3:		91			
Other Materials:		WATER-BEARING			
Formation Top Depth:		191.00			

Map Key	Number of Records	Direction/ Distance (m)	Elevation (m)	Site	DB
Formation End Depth:		195.00			
Formation End Depth UOM:		ft			
Formation ID:		932943075			
Layer:		16			
Color:		2			
General Color:		GREY			
Mat1:		28			
Most Common Material:		SAND			
Mat2:		11			
Other Materials:		GRAVEL			
Mat3:		91			
Other Materials:		WATER-BEARING			
Formation Top Depth:		195.00			
Formation End Depth:		205.00			
Formation End Depth UOM:		ft			
Formation ID:		932943076			
Layer:		17			
Color:		2			
General Color:		GREY			
Mat1:		28			
Most Common Material:		SAND			
Mat2:		11			
Other Materials:		GRAVEL			
Mat3:		91			
Other Materials:		WATER-BEARING			
Formation Top Depth:		205.00			
Formation End Depth:		210.00			
Formation End Depth UOM:		ft			
Formation ID:		932943077			
Layer:		18			
Color:		2			
General Color:		GREY			
Mat1:		28			
Most Common Material:		SAND			
Mat2:		11			
Other Materials:		GRAVEL			
Mat3:		91			
Other Materials:		WATER-BEARING			
Formation Top Depth:		210.00			
Formation End Depth:		225.00			
Formation End Depth UOM:		ft			
Formation ID:		932943078			
Layer:		19			
Color:		2			
General Color:		GREY			
Mat1:		28			
Most Common Material:		SAND			
Mat2:		11			
Other Materials:		GRAVEL			
Mat3:		91			
Other Materials:		WATER-BEARING			
Formation Top Depth:		225.00			
Formation End Depth:		231.00			
Formation End Depth UOM:		ft			
Formation ID:		932943079			
Layer:		20			
Color:		2			
General Color:		GREY			
Mat1:		05			
Most Common Material:		CLAY			
Mat2:		81			

Map Key	Number of Records	Direction/ Distance (m)	Elevation (m)	Site	DB
Other Materials:		SANDY			
Mat3:		11			
Other Materials:		GRAVEL			
Formation Top Depth:		231.00			
Formation End Depth:		237.00			
Formation End Depth UOM:		ft			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		933245424			
Layer:		1			
Plug From:		0.00			
Plug To:		20.00			
Plug Depth UOM:		ft			
<u>Method of Construction & Well Use</u>					
Method Construction ID:		961916850			
Method Construction Code:		2			
Method Construction:		Rotary (Convent.)			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		11101375			
Casing No:		1			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		930832565			
Layer:		1			
Material:		1			
Open Hole or Material:		STEEL			
Depth From:					
Depth To:		195.00			
Casing Diameter:		6.00			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Screen</u>					
Screen ID:		933406948			
Layer:		1			
Slot:		030			
Screen Top Depth:		210.00			
Screen End Depth:		218.00			
Screen Material:					
Screen Depth UOM:		ft			
Screen Diameter UOM:		inch			
Screen Diameter:		6.00			
<u>Results of Well Yield Testing</u>					
Pump Test ID:		991916850			
Pump Set At:					
Static Level:		22.00			
Final Level After Pumping:		38.00			

Map Key	Number of Records	Direction/ Distance (m)	Elevation (m)	Site	DB
Recommended Pump Depth:		100.00			
Pumping Rate:		200.00			
Flowing Rate:					
Recommended Pump Rate:		200.00			
Levels UOM:		ft			
Rate UOM:		GPM			
Water State After Test Code:		1			
Water State After Test:		CLEAR			
Pumping Test Method:		1			
Pumping Duration HR:		6			
Pumping Duration MIN:					
Flowing:		N			

Draw Down & Recovery

Pump Test Detail ID: 934131788
Test Type: Draw Down
Test Duration: 15
Test Level: 37.00
Test Level UOM: ft

Pump Test Detail ID: 934412021
Test Type: Draw Down
Test Duration: 30
Test Level: 37.00
Test Level UOM: ft

Pump Test Detail ID: 934680122
Test Type: Draw Down
Test Duration: 45
Test Level: 37.00
Test Level UOM: ft

Pump Test Detail ID: 934934429
Test Type: Draw Down
Test Duration: 60
Test Level: 37.00
Test Level UOM: ft

Water Details

Water ID: 934042901
Layer: 1
Kind Code: 5
Kind: Not stated
Water Found Depth: 201.00
Water Found Depth UOM: ft

Water ID: 934042902
Layer: 2
Kind Code: 5
Kind: Not stated
Water Found Depth: 219.00
Water Found Depth UOM: ft

29	8 of 9	NW/194.6	279.1	lot 29 con 7 ON	WWIS
Well ID:	1916851			Data Entry Status:	
Construction Date:				Data Src:	1
Primary Water Use:	Not Used			Date Received:	12/1/2003
Sec. Water Use:				Selected Flag:	1
Final Well Status:				Abandonment Rec:	

Map Key	Number of Records	Direction/ Distance (m)	Elevation (m)	Site	DB
Water Type:				Contractor:	2662
Casing Material:				Form Version:	2
Audit No:	252411			Owner:	
Tag:				Street Name:	
Construction Method:				County:	DURHAM
Elevation (m):				Municipality:	UXBRIDGE TOWNSHIP (UXBRIDGE)
Elevation Reliability:				Site Info:	
Depth to Bedrock:				Lot:	029
Well Depth:				Concession:	07
Overburden/Bedrock:				Concession Name:	CON
Pump Rate:				Easting NAD83:	
Static Water Level:				Northing NAD83:	
Flowing (Y/N):				Zone:	
Flow Rate:				UTM Reliability:	
Clear/Cloudy:					

Bore Hole Information

Bore Hole ID:	11097661	Spatial Status:	
DP2BR:	216	Cluster Kind:	
Code OB:	r	UTMRC:	9
Code OB Desc:	Bedrock	UTMRC Desc:	unknown UTM
Open Hole:		Location Method:	lot
Elevation:	278.82492	Org CS:	
Elevrc:		Date Completed:	1/17/2003
Remarks:			
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

Overburden and Bedrock

Materials Interval

Formation ID:	932943080
Layer:	1
Color:	8
General Color:	BLACK
Mat1:	02
Most Common Material:	TOPSOIL
Mat2:	
Other Materials:	
Mat3:	
Other Materials:	
Formation Top Depth:	0.00
Formation End Depth:	1.00
Formation End Depth UOM:	ft
Formation ID:	932943081
Layer:	2
Color:	6
General Color:	BROWN
Mat1:	28
Most Common Material:	SAND
Mat2:	84
Other Materials:	SILTY
Mat3:	
Other Materials:	
Formation Top Depth:	1.00
Formation End Depth:	7.00
Formation End Depth UOM:	ft

Map Key	Number of Records	Direction/ Distance (m)	Elevation (m)	Site	DB
Formation ID:		932943082			
Layer:		3			
Color:		6			
General Color:		BROWN			
Mat1:		05			
Most Common Material:		CLAY			
Mat2:		06			
Other Materials:		SILT			
Mat3:					
Other Materials:					
Formation Top Depth:		7.00			
Formation End Depth:		21.00			
Formation End Depth UOM:		ft			
Formation ID:		932943083			
Layer:		4			
Color:		6			
General Color:		BROWN			
Mat1:		05			
Most Common Material:		CLAY			
Mat2:		06			
Other Materials:		SILT			
Mat3:		28			
Other Materials:		SAND			
Formation Top Depth:		21.00			
Formation End Depth:		25.00			
Formation End Depth UOM:		ft			
Formation ID:		932943084			
Layer:		5			
Color:		6			
General Color:		BROWN			
Mat1:		05			
Most Common Material:		CLAY			
Mat2:		81			
Other Materials:		SANDY			
Mat3:		06			
Other Materials:		SILT			
Formation Top Depth:		25.00			
Formation End Depth:		40.00			
Formation End Depth UOM:		ft			
Formation ID:		932943085			
Layer:		6			
Color:		6			
General Color:		BROWN			
Mat1:		08			
Most Common Material:		FINE SAND			
Mat2:		06			
Other Materials:		SILT			
Mat3:					
Other Materials:					
Formation Top Depth:		40.00			
Formation End Depth:		60.00			
Formation End Depth UOM:		ft			
Formation ID:		932943086			
Layer:		7			
Color:		6			
General Color:		BROWN			
Mat1:		05			
Most Common Material:		CLAY			
Mat2:		84			
Other Materials:		SILTY			
Mat3:					
Other Materials:					

Map Key	Number of Records	Direction/ Distance (m)	Elevation (m)	Site	DB
Formation Top Depth:		60.00			
Formation End Depth:		63.00			
Formation End Depth UOM:		ft			
Formation ID:		932943087			
Layer:		8			
Color:		2			
General Color:		GREY			
Mat1:		05			
Most Common Material:		CLAY			
Mat2:		84			
Other Materials:		SILTY			
Mat3:					
Other Materials:					
Formation Top Depth:		63.00			
Formation End Depth:		65.00			
Formation End Depth UOM:		ft			
Formation ID:		932943088			
Layer:		9			
Color:		6			
General Color:		BROWN			
Mat1:		08			
Most Common Material:		FINE SAND			
Mat2:		06			
Other Materials:		SILT			
Mat3:		91			
Other Materials:		WATER-BEARING			
Formation Top Depth:		65.00			
Formation End Depth:		82.00			
Formation End Depth UOM:		ft			
Formation ID:		932943089			
Layer:		10			
Color:		6			
General Color:		BROWN			
Mat1:		28			
Most Common Material:		SAND			
Mat2:		11			
Other Materials:		GRAVEL			
Mat3:		91			
Other Materials:		WATER-BEARING			
Formation Top Depth:		82.00			
Formation End Depth:		86.00			
Formation End Depth UOM:		ft			
Formation ID:		932943090			
Layer:		11			
Color:		2			
General Color:		GREY			
Mat1:		05			
Most Common Material:		CLAY			
Mat2:		81			
Other Materials:		SANDY			
Mat3:		11			
Other Materials:		GRAVEL			
Formation Top Depth:		86.00			
Formation End Depth:		94.00			
Formation End Depth UOM:		ft			
Formation ID:		932943091			
Layer:		12			
Color:		2			
General Color:		GREY			
Mat1:		28			
Most Common Material:		SAND			

Map Key	Number of Records	Direction/ Distance (m)	Elevation (m)	Site	DB
Mat2:		11			
Other Materials:		GRAVEL			
Mat3:		91			
Other Materials:		WATER-BEARING			
Formation Top Depth:		94.00			
Formation End Depth:		102.00			
Formation End Depth UOM:		ft			
Formation ID:		932943092			
Layer:		13			
Color:		2			
General Color:		GREY			
Mat1:		05			
Most Common Material:		CLAY			
Mat2:		84			
Other Materials:		SILTY			
Mat3:		28			
Other Materials:		SAND			
Formation Top Depth:		102.00			
Formation End Depth:		110.00			
Formation End Depth UOM:		ft			
Formation ID:		932943093			
Layer:		14			
Color:		2			
General Color:		GREY			
Mat1:		06			
Most Common Material:		SILT			
Mat2:		05			
Other Materials:		CLAY			
Mat3:		91			
Other Materials:		WATER-BEARING			
Formation Top Depth:		110.00			
Formation End Depth:		130.00			
Formation End Depth UOM:		ft			
Formation ID:		932943094			
Layer:		15			
Color:		2			
General Color:		GREY			
Mat1:		05			
Most Common Material:		CLAY			
Mat2:		81			
Other Materials:		SANDY			
Mat3:		06			
Other Materials:		SILT			
Formation Top Depth:		130.00			
Formation End Depth:		136.00			
Formation End Depth UOM:		ft			
Formation ID:		932943095			
Layer:		16			
Color:		2			
General Color:		GREY			
Mat1:		05			
Most Common Material:		CLAY			
Mat2:		06			
Other Materials:		SILT			
Mat3:		91			
Other Materials:		WATER-BEARING			
Formation Top Depth:		136.00			
Formation End Depth:		143.00			
Formation End Depth UOM:		ft			
Formation ID:		932943096			
Layer:		17			

Map Key	Number of Records	Direction/ Distance (m)	Elevation (m)	Site	DB
Color:		2			
General Color:		GREY			
Mat1:		05			
Most Common Material:		CLAY			
Mat2:		81			
Other Materials:		SANDY			
Mat3:		06			
Other Materials:		SILT			
Formation Top Depth:		143.00			
Formation End Depth:		150.00			
Formation End Depth UOM:		ft			
Formation ID:		932943097			
Layer:		18			
Color:		2			
General Color:		GREY			
Mat1:		06			
Most Common Material:		SILT			
Mat2:		81			
Other Materials:		SANDY			
Mat3:		91			
Other Materials:		WATER-BEARING			
Formation Top Depth:		150.00			
Formation End Depth:		170.00			
Formation End Depth UOM:		ft			
Formation ID:		932943098			
Layer:		19			
Color:		2			
General Color:		GREY			
Mat1:		28			
Most Common Material:		SAND			
Mat2:		11			
Other Materials:		GRAVEL			
Mat3:		91			
Other Materials:		WATER-BEARING			
Formation Top Depth:		170.00			
Formation End Depth:		178.00			
Formation End Depth UOM:		ft			
Formation ID:		932943099			
Layer:		20			
Color:		2			
General Color:		GREY			
Mat1:		08			
Most Common Material:		FINE SAND			
Mat2:		91			
Other Materials:		WATER-BEARING			
Mat3:					
Other Materials:					
Formation Top Depth:		178.00			
Formation End Depth:		201.00			
Formation End Depth UOM:		ft			
Formation ID:		932943100			
Layer:		21			
Color:		2			
General Color:		GREY			
Mat1:		28			
Most Common Material:		SAND			
Mat2:		11			
Other Materials:		GRAVEL			
Mat3:		91			
Other Materials:		WATER-BEARING			
Formation Top Depth:		201.00			
Formation End Depth:		206.00			

Map Key	Number of Records	Direction/ Distance (m)	Elevation (m)	Site	DB
Formation End Depth UOM:		ft			
Formation ID:		932943101			
Layer:		22			
Color:		2			
General Color:		GREY			
Mat1:		28			
Most Common Material:		SAND			
Mat2:		11			
Other Materials:		GRAVEL			
Mat3:		91			
Other Materials:		WATER-BEARING			
Formation Top Depth:		206.00			
Formation End Depth:		210.00			
Formation End Depth UOM:		ft			
Formation ID:		932943102			
Layer:		23			
Color:		2			
General Color:		GREY			
Mat1:		28			
Most Common Material:		SAND			
Mat2:		91			
Other Materials:		WATER-BEARING			
Mat3:					
Other Materials:					
Formation Top Depth:		210.00			
Formation End Depth:		216.00			
Formation End Depth UOM:		ft			
Formation ID:		932943103			
Layer:		24			
Color:		8			
General Color:		BLACK			
Mat1:		17			
Most Common Material:		SHALE			
Mat2:					
Other Materials:					
Mat3:					
Other Materials:					
Formation Top Depth:		216.00			
Formation End Depth:		277.00			
Formation End Depth UOM:		ft			
<u>Annular Space/Abandonment</u>					
<u>Sealing Record</u>					
Plug ID:		933245425			
Layer:		1			
Plug From:		0.00			
Plug To:		21.00			
Plug Depth UOM:		ft			
Plug ID:		933245426			
Layer:		2			
Plug From:		256.00			
Plug To:		277.00			
Plug Depth UOM:		ft			
<u>Method of Construction & Well</u>					
<u>Use</u>					
Method Construction ID:		961916851			
Method Construction Code:		4			

Map Key	Number of Records	Direction/ Distance (m)	Elevation (m)	Site	DB
Method Construction:		Rotary (Air)			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		11101376			
Casing No:		1			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		930832566			
Layer:		1			
Material:		1			
Open Hole or Material:		STEEL			
Depth From:					
Depth To:		240.00			
Casing Diameter:		6.00			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Screen</u>					
Screen ID:		933406949			
Layer:		1			
Slot:		030			
Screen Top Depth:		240.00			
Screen End Depth:		254.00			
Screen Material:					
Screen Depth UOM:		ft			
Screen Diameter UOM:		inch			
Screen Diameter:		6.00			
<u>Results of Well Yield Testing</u>					
Pump Test ID:		991916851			
Pump Set At:					
Static Level:		1.00			
Final Level After Pumping:		153.00			
Recommended Pump Depth:		220.00			
Pumping Rate:		49.00			
Flowing Rate:					
Recommended Pump Rate:					
Levels UOM:		ft			
Rate UOM:		GPM			
Water State After Test Code:		1			
Water State After Test:		CLEAR			
Pumping Test Method:		1			
Pumping Duration HR:		1			
Pumping Duration MIN:					
Flowing:		N			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		934131789			
Test Type:		Draw Down			
Test Duration:		15			
Test Level:		146.00			
Test Level UOM:		ft			
Pump Test Detail ID:		934412022			

Map Key	Number of Records	Direction/ Distance (m)	Elevation (m)	Site	DB
Test Type:		Draw Down			
Test Duration:		30			
Test Level:		153.00			
Test Level UOM:		ft			
Pump Test Detail ID:		934680123			
Test Type:		Draw Down			
Test Duration:		45			
Test Level:		153.00			
Test Level UOM:		ft			
Pump Test Detail ID:		934934430			
Test Type:		Draw Down			
Test Duration:		60			
Test Level:		153.00			
Test Level UOM:		ft			
<u>Water Details</u>					
Water ID:		934042903			
Layer:		1			
Kind Code:		5			
Kind:		Not stated			
Water Found Depth:		256.00			
Water Found Depth UOM:		ft			
29	9 of 9	NW/194.6	279.1	lot 29 con 7 ON	WWIS
Well ID:	1915254			Data Entry Status:	
Construction Date:				Data Src:	1
Primary Water Use:				Date Received:	9/18/2001
Sec. Water Use:				Selected Flag:	1
Final Well Status:	Observation Wells			Abandonment Rec:	
Water Type:				Contractor:	2662
Casing Material:				Form Version:	1
Audit No:	228239			Owner:	
Tag:				Street Name:	
Construction Method:				County:	DURHAM
Elevation (m):				Municipality:	UXBRIDGE TOWNSHIP (UXBRIDGE)
Elevation Reliability:				Site Info:	
Depth to Bedrock:				Lot:	029
Well Depth:				Concession:	07
Overburden/Bedrock:				Concession Name:	CON
Pump Rate:				Easting NAD83:	
Static Water Level:				Northing NAD83:	
Flowing (Y/N):				Zone:	
Flow Rate:				UTM Reliability:	
Clear/Cloudy:					
<u>Bore Hole Information</u>					
Bore Hole ID:	10517227			Spatial Status:	
DP2BR:				Cluster Kind:	
Code OB:	o			UTMRC:	9
Code OB Desc:	Overburden			UTMRC Desc:	unknown UTM
Open Hole:				Location Method:	lot
Elevation:	278.82492			Org CS:	
Elevrc:				Date Completed:	1/16/2001
Remarks:					
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					

Map Key	Number of Records	Direction/ Distance (m)	Elevation (m)	Site	DB
<i>Improvement Location Method:</i>					
<i>Source Revision Comment:</i>					
<i>Supplier Comment:</i>					
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		932834082			
Layer:		1			
Color:		8			
General Color:		BLACK			
Mat1:		02			
Most Common Material:		TOPSOIL			
Mat2:					
Other Materials:					
Mat3:					
Other Materials:					
Formation Top Depth:		0.00			
Formation End Depth:		2.00			
Formation End Depth UOM:		ft			
Formation ID:		932834083			
Layer:		2			
Color:		6			
General Color:		BROWN			
Mat1:		28			
Most Common Material:		SAND			
Mat2:		84			
Other Materials:		SILTY			
Mat3:					
Other Materials:					
Formation Top Depth:		2.00			
Formation End Depth:		8.00			
Formation End Depth UOM:		ft			
Formation ID:		932834084			
Layer:		3			
Color:		6			
General Color:		BROWN			
Mat1:		05			
Most Common Material:		CLAY			
Mat2:					
Other Materials:					
Mat3:					
Other Materials:					
Formation Top Depth:		8.00			
Formation End Depth:		12.00			
Formation End Depth UOM:		ft			
Formation ID:		932834085			
Layer:		4			
Color:		2			
General Color:		GREY			
Mat1:		05			
Most Common Material:		CLAY			
Mat2:					
Other Materials:					
Mat3:					
Other Materials:					
Formation Top Depth:		12.00			
Formation End Depth:		26.00			
Formation End Depth UOM:		ft			
Formation ID:		932834086			
Layer:		5			

Map Key	Number of Records	Direction/ Distance (m)	Elevation (m)	Site	DB
Color:		6			
General Color:		BROWN			
Mat1:		05			
Most Common Material:		CLAY			
Mat2:		81			
Other Materials:		SANDY			
Mat3:					
Other Materials:					
Formation Top Depth:		26.00			
Formation End Depth:		40.00			
Formation End Depth UOM:		ft			
Formation ID:		932834087			
Layer:		6			
Color:		2			
General Color:		GREY			
Mat1:		05			
Most Common Material:		CLAY			
Mat2:		11			
Other Materials:		GRAVEL			
Mat3:					
Other Materials:					
Formation Top Depth:		40.00			
Formation End Depth:		130.00			
Formation End Depth UOM:		ft			
Formation ID:		932834088			
Layer:		7			
Color:		2			
General Color:		GREY			
Mat1:		28			
Most Common Material:		SAND			
Mat2:		11			
Other Materials:		GRAVEL			
Mat3:					
Other Materials:					
Formation Top Depth:		130.00			
Formation End Depth:		157.00			
Formation End Depth UOM:		ft			
Formation ID:		932834089			
Layer:		8			
Color:		2			
General Color:		GREY			
Mat1:		28			
Most Common Material:		SAND			
Mat2:		11			
Other Materials:		GRAVEL			
Mat3:		05			
Other Materials:		CLAY			
Formation Top Depth:		157.00			
Formation End Depth:		200.00			
Formation End Depth UOM:		ft			
Formation ID:		932834090			
Layer:		9			
Color:		2			
General Color:		GREY			
Mat1:		10			
Most Common Material:		COARSE SAND			
Mat2:		31			
Other Materials:		COARSE GRAVEL			
Mat3:		91			
Other Materials:		WATER-BEARING			
Formation Top Depth:		200.00			
Formation End Depth:		249.00			

Map Key	Number of Records	Direction/ Distance (m)	Elevation (m)	Site	DB
Formation End Depth UOM:		ft			
Formation ID:		932834091			
Layer:		10			
Color:		2			
General Color:		GREY			
Mat1:		11			
Most Common Material:		GRAVEL			
Mat2:		81			
Other Materials:		SANDY			
Mat3:		05			
Other Materials:		CLAY			
Formation Top Depth:		249.00			
Formation End Depth:		257.00			
Formation End Depth UOM:		ft			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		933220164			
Layer:		1			
Plug From:		7.00			
Plug To:		223.00			
Plug Depth UOM:		ft			
Plug ID:		933220165			
Layer:		2			
Plug From:		223.00			
Plug To:		233.00			
Plug Depth UOM:		ft			
Plug ID:		933220166			
Layer:		3			
Plug From:		233.00			
Plug To:		249.00			
Plug Depth UOM:		ft			
<u>Method of Construction & Well Use</u>					
Method Construction ID:		961915254			
Method Construction Code:		2			
Method Construction:		Rotary (Convent.)			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		11065797			
Casing No:		1			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		930141815			
Layer:		1			
Material:		1			
Open Hole or Material:		STEEL			
Depth From:					
Depth To:					
Casing Diameter:		6.00			
Casing Diameter UOM:		inch			

Map Key	Number of Records	Direction/ Distance (m)	Elevation (m)	Site	DB
Casing Depth UOM:		ft			
Casing ID:		930141816			
Layer:		2			
Material:		5			
Open Hole or Material:		PLASTIC			
Depth From:					
Depth To:					
Casing Diameter:		2.00			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Screen</u>					
Screen ID:		933400705			
Layer:		1			
Slot:					
Screen Top Depth:		239.00			
Screen End Depth:		249.00			
Screen Material:					
Screen Depth UOM:		ft			
Screen Diameter UOM:		inch			
Screen Diameter:		2.00			
<u>Results of Well Yield Testing</u>					
Pump Test ID:		991915254			
Pump Set At:					
Static Level:		23.00			
Final Level After Pumping:					
Recommended Pump Depth:					
Pumping Rate:					
Flowing Rate:					
Recommended Pump Rate:					
Levels UOM:		ft			
Rate UOM:		GPM			
Water State After Test Code:					
Water State After Test:					
Pumping Test Method:					
Pumping Duration HR:					
Pumping Duration MIN:					
Flowing:		N			

[30](#) 1 of 1 **E/198.0** **285.0** **lot 28 con 7 ON** **WWIS**

Well ID:	4603020	Data Entry Status:	
Construction Date:		Data Src:	1
Primary Water Use:	Domestic	Date Received:	10/26/1956
Sec. Water Use:	0	Selected Flag:	1
Final Well Status:	Water Supply	Abandonment Rec:	
Water Type:		Contractor:	5419
Casing Material:		Form Version:	1
Audit No:		Owner:	
Tag:		Street Name:	
Construction Method:		County:	DURHAM
Elevation (m):		Municipality:	UXBRIDGE TOWNSHIP (UXBRIDGE)
Elevation Reliability:		Site Info:	
Depth to Bedrock:		Lot:	028
Well Depth:		Concession:	07
Overburden/Bedrock:		Concession Name:	CON
Pump Rate:		Easting NAD83:	
Static Water Level:		Northing NAD83:	

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elevation (m)</i>	<i>Site</i>	<i>DB</i>
<i>Flowing (Y/N):</i>				<i>Zone:</i>	
<i>Flow Rate:</i>				<i>UTM Reliability:</i>	
<i>Clear/Cloudy:</i>					
 <u>Bore Hole Information</u>					
<i>Bore Hole ID:</i>	10294381			<i>Spatial Status:</i>	
<i>DP2BR:</i>				<i>Cluster Kind:</i>	
<i>Code OB:</i>	o			<i>UTMRC:</i>	9
<i>Code OB Desc:</i>	Overburden			<i>UTMRC Desc:</i>	unknown UTM
<i>Open Hole:</i>				<i>Location Method:</i>	p9
<i>Elevation:</i>	286.908294			<i>Org CS:</i>	
<i>Elevrc:</i>				<i>Date Completed:</i>	10/11/1956
<i>Remarks:</i>					
<i>Elevrc Desc:</i>					
<i>Location Source Date:</i>					
<i>Improvement Location Source:</i>					
<i>Improvement Location Method:</i>					
<i>Source Revision Comment:</i>					
<i>Supplier Comment:</i>					
 <u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
<i>Formation ID:</i>	931951084				
<i>Layer:</i>	1				
<i>Color:</i>					
<i>General Color:</i>					
<i>Mat1:</i>	09				
<i>Most Common Material:</i>	MEDIUM SAND				
<i>Mat2:</i>					
<i>Other Materials:</i>					
<i>Mat3:</i>					
<i>Other Materials:</i>					
<i>Formation Top Depth:</i>	0.00				
<i>Formation End Depth:</i>	60.00				
<i>Formation End Depth UOM:</i>	ft				
 <u>Method of Construction & Well Use</u>					
<i>Method Construction ID:</i>	964603020				
<i>Method Construction Code:</i>	2				
<i>Method Construction:</i>	Rotary (Convent.)				
<i>Other Method Construction:</i>					
 <u>Pipe Information</u>					
<i>Pipe ID:</i>	10842951				
<i>Casing No:</i>	1				
<i>Comment:</i>					
<i>Alt Name:</i>					
 <u>Construction Record - Casing</u>					
<i>Casing ID:</i>	930486525				
<i>Layer:</i>	1				
<i>Material:</i>	1				
<i>Open Hole or Material:</i>	STEEL				
<i>Depth From:</i>					
<i>Depth To:</i>	50.00				
<i>Casing Diameter:</i>	2.00				

Map Key	Number of Records	Direction/ Distance (m)	Elevation (m)	Site	DB
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Screen</u>					
Screen ID:		933355733			
Layer:		1			
Slot:					
Screen Top Depth:		50.00			
Screen End Depth:		60.00			
Screen Material:					
Screen Depth UOM:		ft			
Screen Diameter UOM:		inch			
Screen Diameter:					
<u>Results of Well Yield Testing</u>					
Pump Test ID:		994603020			
Pump Set At:					
Static Level:		50.00			
Final Level After Pumping:		50.00			
Recommended Pump Depth:					
Pumping Rate:		2.00			
Flowing Rate:					
Recommended Pump Rate:					
Levels UOM:		ft			
Rate UOM:		GPM			
Water State After Test Code:		1			
Water State After Test:		CLEAR			
Pumping Test Method:		1			
Pumping Duration HR:		5			
Pumping Duration MIN:		0			
Flowing:		N			
<u>Water Details</u>					
Water ID:		933765271			
Layer:		1			
Kind Code:		1			
Kind:		FRESH			
Water Found Depth:		50.00			
Water Found Depth UOM:		ft			

[31](#) 1 of 9 **NW/203.9** **279.1** **1236240 Ontario Limited** **ECA**

Uxbridge ON M6B 2W2

Approval No:	3680-6ZAKWS	SWP Area Name:	Lakes Simcoe and Couchiching/Black River
Status:	Approved	MOE District:	York-Durham
Date:	2007-04-13	City:	
Record Type:	ECA	Latitude:	44.1069
Link Source:	IDS	Longitude:	-79.1061
Project Type:	Municipal and Private Sewage Works		
Approval Type:	ECA-Municipal and Private Sewage Works		
Full Address:			
Full PDF Link:	https://www.accessenvironment.ene.gov.on.ca/instruments/5267-6Z5T4M-14.pdf		

[31](#) 2 of 9 **NW/203.9** **279.1** **1236240 Ontario Limited** **ECA**

Part of Lots 29 and 30, Concession 7
Uxbridge ON M6B 2W2

Map Key	Number of Records	Direction/ Distance (m)	Elevation (m)	Site	DB
Approval No: Status: Date: Record Type: Link Source: Project Type: Approval Type: Full Address: Full PDF Link:	4646-4V9J3P Approved 2001-04-02 ECA IDS			SWP Area Name: Lakes Simcoe and Couchiching/Black River MOE District: York-Durham City: Latitude: 44.1069 Longitude: -79.1061 Municipal and Private Water Works ECA-Municipal and Private Water Works	
31	3 of 9	NW/203.9	279.1	1236240 Ontario Limited Uxbridge ON M6B 2W2	ECA
Approval No: Status: Date: Record Type: Link Source: Project Type: Approval Type: Full Address: Full PDF Link:	5511-5SDQBD Approved 2003-10-17 ECA IDS			SWP Area Name: Lakes Simcoe and Couchiching/Black River MOE District: York-Durham City: Latitude: 44.1069 Longitude: -79.1061 Municipal Drinking Water Systems ECA-Municipal Drinking Water Systems	
31	4 of 9	NW/203.9	279.1	1236240 Ontario Limited Part of Lots 29 and 30, Concession 7 Uxbridge ON M6B 2W2	ECA
Approval No: Status: Date: Record Type: Link Source: Project Type: Approval Type: Full Address: Full PDF Link:	8457-4V9JQ6 Approved 2001-04-02 ECA IDS			SWP Area Name: Lakes Simcoe and Couchiching/Black River MOE District: York-Durham City: Latitude: 44.1069 Longitude: -79.1061 Municipal and Private Sewage Works ECA-Municipal and Private Sewage Works https://www.accessenvironment.ene.gov.on.ca/instruments/7117-4V8PF7-14.pdf	
31	5 of 9	NW/203.9	279.1	1236240 Ontario Limited Uxbridge ON M6B 2W2	ECA
Approval No: Status: Date: Record Type: Link Source: Project Type: Approval Type: Full Address: Full PDF Link:	9239-8Z6QBB Approved 2012-10-18 ECA IDS			SWP Area Name: Lakes Simcoe and Couchiching/Black River MOE District: York-Durham City: Latitude: 44.1069 Longitude: -79.1061 Municipal and Private Sewage Works ECA-Municipal and Private Sewage Works https://www.accessenvironment.ene.gov.on.ca/instruments/3145-8YNGAE-14.pdf	
31	6 of 9	NW/203.9	279.1	1236240 Ontario Limited Uxbridge ON M6B 2W2	ECA
Approval No: Status: Date:	3459-5SDPEV Approved 2003-10-21			SWP Area Name: Lakes Simcoe and Couchiching/Black River MOE District: York-Durham City:	

Map Key	Number of Records	Direction/ Distance (m)	Elevation (m)	Site	DB
Record Type:	ECA			Latitude: 44.1069	
Link Source:	IDS			Longitude: -79.1061	
Project Type:		Municipal and Private Sewage Works			
Approval Type:		ECA-Municipal and Private Sewage Works			
Full Address:					
Full PDF Link:		https://www.accessenvironment.ene.gov.on.ca/instruments/5262-5RJLZR-14.pdf			
31	7 of 9	NW/203.9	279.1	1236240 Ontario Limited Uxbridge ON M6B 2W2	ECA
Approval No:	5990-6Z5T89			SWP Area Name: Lakes Simcoe and Couchiching/Black River	
Status:	Approved			MOE District: York-Durham	
Date:	2007-04-13			City:	
Record Type:	ECA			Latitude: 44.1069	
Link Source:	IDS			Longitude: -79.1061	
Project Type:		Municipal Drinking Water Systems			
Approval Type:		ECA-Municipal Drinking Water Systems			
Full Address:					
Full PDF Link:					
31	8 of 9	NW/203.9	279.1	1236240 Ontario Limited Part of Lots 29 and 30, Concession 7 Uxbridge ON M6B 2W2	ECA
Approval No:	7936-52SMLA			SWP Area Name: Lakes Simcoe and Couchiching/Black River	
Status:	Revoked and/or Replaced			MOE District: York-Durham	
Date:	2001-10-09			City:	
Record Type:	ECA			Latitude: 44.1069	
Link Source:	IDS			Longitude: -79.1061	
Project Type:		Municipal and Private Sewage Works			
Approval Type:		ECA-Municipal and Private Sewage Works			
Full Address:					
Full PDF Link:		https://www.accessenvironment.ene.gov.on.ca/instruments/0271-4V7Q4Z-14.pdf			
31	9 of 9	NW/203.9	279.1	The Regional Municipality of Durham Bell Street, East Street, and Planks Line Uxbridge ON L1N 1C4	ECA
Approval No:	3818-4PRMYE			SWP Area Name: Lakes Simcoe and Couchiching/Black River	
Status:	Approved			MOE District: York-Durham	
Date:	2000-10-05			City:	
Record Type:	ECA			Latitude: 44.1069	
Link Source:	IDS			Longitude: -79.1061	
Project Type:		Municipal and Private Water Works			
Approval Type:		ECA-Municipal and Private Water Works			
Full Address:					
Full PDF Link:					
32	1 of 1	ESE/210.7	286.5	lot 28 con 7 ON	WWIS
Well ID:	4603030			Data Entry Status:	
Construction Date:				Data Src: 1	
Primary Water Use:	Domestic			Date Received: 3/19/1965	
Sec. Water Use:	0			Selected Flag: 1	
Final Well Status:	Water Supply			Abandonment Rec:	
Water Type:				Contractor: 3414	
Casing Material:				Form Version: 1	

Map Key	Number of Records	Direction/ Distance (m)	Elevation (m)	Site	DB
Audit No: Tag: Construction Method: Elevation (m): Elevation Reliability: Depth to Bedrock: Well Depth: Overburden/Bedrock: Pump Rate: Static Water Level: Flowing (Y/N): Flow Rate: Clear/Cloudy:		Owner: Street Name: County: DURHAM Municipality: UXBRIDGE TOWNSHIP (UXBRIDGE) Site Info: Lot: 028 Concession: 07 Concession Name: CON Easting NAD83: Northing NAD83: Zone: UTM Reliability:			

Bore Hole Information

Bore Hole ID:	10294391	Spatial Status:	
DP2BR:		Cluster Kind:	
Code OB:	o	UTMRC:	5
Code OB Desc:	Overburden	UTMRC Desc:	margin of error : 100 m - 300 m
Open Hole:		Location Method:	p5
Elevation:	287.277313	Org CS:	
Elevrc:		Date Completed:	3/10/1965
Remarks:			
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

Overburden and Bedrock

Materials Interval

Formation ID:	931951112
Layer:	1
Color:	
General Color:	
Mat1:	23
Most Common Material:	PREVIOUSLY DUG
Mat2:	
Other Materials:	
Mat3:	
Other Materials:	
Formation Top Depth:	0.00
Formation End Depth:	65.00
Formation End Depth UOM:	ft
Formation ID:	931951113
Layer:	2
Color:	
General Color:	
Mat1:	08
Most Common Material:	FINE SAND
Mat2:	
Other Materials:	
Mat3:	
Other Materials:	
Formation Top Depth:	65.00
Formation End Depth:	100.00
Formation End Depth UOM:	ft
Formation ID:	931951114
Layer:	3

Map Key	Number of Records	Direction/ Distance (m)	Elevation (m)	Site	DB
Color:					
General Color:					
Mat1:		10			
Most Common Material:		COARSE SAND			
Mat2:		11			
Other Materials:		GRAVEL			
Mat3:					
Other Materials:					
Formation Top Depth:		100.00			
Formation End Depth:		114.00			
Formation End Depth UOM:		ft			
<u>Method of Construction & Well Use</u>					
Method Construction ID:		964603030			
Method Construction Code:		2			
Method Construction:		Rotary (Convent.)			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		10842961			
Casing No:		1			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		930486535			
Layer:		1			
Material:		1			
Open Hole or Material:		STEEL			
Depth From:					
Depth To:		110.00			
Casing Diameter:		4.00			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Screen</u>					
Screen ID:		933355742			
Layer:		1			
Slot:					
Screen Top Depth:		110.00			
Screen End Depth:		114.00			
Screen Material:					
Screen Depth UOM:		ft			
Screen Diameter UOM:		inch			
Screen Diameter:		4.00			
<u>Results of Well Yield Testing</u>					
Pump Test ID:		994603030			
Pump Set At:					
Static Level:		67.00			
Final Level After Pumping:		90.00			
Recommended Pump Depth:		100.00			
Pumping Rate:		6.00			
Flowing Rate:					
Recommended Pump Rate:		6.00			
Levels UOM:		ft			

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elevation (m)</i>	<i>Site</i>	<i>DB</i>
<i>Rate UOM:</i>		GPM			
<i>Water State After Test Code:</i>	1				
<i>Water State After Test:</i>		CLEAR			
<i>Pumping Test Method:</i>	1				
<i>Pumping Duration HR:</i>	4				
<i>Pumping Duration MIN:</i>	0				
<i>Flowing:</i>		N			
<u>Water Details</u>					
<i>Water ID:</i>		933765281			
<i>Layer:</i>		1			
<i>Kind Code:</i>		1			
<i>Kind:</i>		FRESH			
<i>Water Found Depth:</i>		100.00			
<i>Water Found Depth UOM:</i>		ft			

Unplottable Summary

Total: **11** Unplottable sites

DB	Company Name/Site Name	Address	City	Postal
AAGR		Lot 29 Con 7	Uxbridge ON	
CA	1236240 Ontario Limited		Uxbridge ON	
CA	DURHAM REGION NON-PROFIT HOUSING CORP.	ENZO CRESCENT/JOHN'S COURT	UXBRIDGE TWP. ON	
CA		Part of Lots 29 and 30, Concession 7	Uxbridge ON	
CA		Part of Lots 29 and 30, Concession 7	Uxbridge ON	
CA	1236240 Ontario Limited		Uxbridge ON	
CA	DURHAM REGION NON-PROFIT HOUSING CORP.	BLOCK 81, ENZO CRESCENT	UXBRIDGE TWP. ON	
CA		Part of Lots 29 and 30, Concession 7	Uxbridge ON	
PTTW	1553166 Ontario Ltd. (Foxbridge Golf & Country Club)	Lot 29, Concession 7	UXBRIDGE ON	
PTTW	Lakeridge Resort Limited	Lot 5 & 6, Concession 7 & 8	Uxbridge ON	
WWIS		lot 28	ON	

Unplottable Report

Site: Lot 29 Con 7 Uxbridge ON

Database:
AAGR

Type: Pit
Region/County: Durham
Township: Uxbridge
Concession:: 7
Lot:: 29
Size (ha)::
Landuse::
Comments:: rehabilitated

Site: 1236240 Ontario Limited
Uxbridge ON

Database:
CA

Certificate #: 3459-5SDPEV
Application Year: 2003
Issue Date: 10/21/2003
Approval Type: Municipal and Private Sewage Works
Status: Approved
Application Type:
Client Name::
Client Address::
Client City::
Client Postal Code::
Project Description::
Contaminants::
Emission Control::

Site: DURHAM REGION NON-PROFIT HOUSING CORP.
ENZO CRESCENT/JOHN'S COURT UXBRIDGE TWP. ON

Database:
CA

Certificate #: 3-0112-91-
Application Year: 91
Issue Date: 2/14/1991
Approval Type: Municipal sewage
Status: Approved
Application Type:
Client Name::
Client Address::
Client City::
Client Postal Code::
Project Description::
Contaminants::
Emission Control::

Site: Part of Lots 29 and 30, Concession 7 Uxbridge ON

Database:
CA

Certificate #: 4646-4V9J3P
Application Year: 01
Issue Date: 4/2/01
Approval Type: Municipal & Private water
Status: Approved
Application Type: New Certificate of Approval

Client Name:: 1236240 Ontario Limited
Client Address:: 74 Claver Avenue
Client City:: Toronto
Client Postal Code:: M6B 2W2
Project Description:: Construction of watermains
Contaminants::
Emission Control::

Site: *Part of Lots 29 and 30, Concession 7 Uxbridge ON*

Database:
CA

Certificate #: 8457-4V9JQ6
Application Year: 01
Issue Date: 4/2/01
Approval Type: Municipal & Private sewage
Status: Approved
Application Type: New Certificate of Approval
Client Name:: 1236240 Ontario Limited
Client Address:: 74 Claver Avenue
Client City:: Toronto
Client Postal Code:: M6B 2W2
Project Description:: Construction of storm and sanitary sewers
Contaminants::
Emission Control::

Site: *1236240 Ontario Limited
Uxbridge ON*

Database:
CA

Certificate #: 3680-6ZAKWS
Application Year: 2007
Issue Date: 4/13/2007
Approval Type: Municipal and Private Sewage Works
Status: Approved
Application Type:
Client Name::
Client Address::
Client City::
Client Postal Code::
Project Description::
Contaminants::
Emission Control::

Site: *DURHAM REGION NON-PROFIT HOUSING CORP.
BLOCK 81, ENZO CRESCENT UXBRIDGE TWP. ON*

Database:
CA

Certificate #: 7-0090-91-
Application Year: 91
Issue Date: 2/14/1991
Approval Type: Municipal water
Status: Approved
Application Type:
Client Name::
Client Address::
Client City::
Client Postal Code::
Project Description::
Contaminants::
Emission Control::

Site: *Part of Lots 29 and 30, Concession 7 Uxbridge ON*

Database:
CA

Certificate #: 7936-52SMLA
Application Year: 01
Issue Date: 10/9/01
Approval Type: Municipal & Private sewage
Status: Approved
Application Type: New Certificate of Approval
Client Name:: 1236240 Ontario Limited
Client Address:: 74 Claver Avenue
Client City:: Toronto
Client Postal Code:: M6B 2W2
Project Description:: Construction of SWM and storm sewers to service the Estates of Avonlea-Phase 1 Coral Creek Homes Subdivision.
Contaminants::
Emission Control::

Site: 1553166 Ontario Ltd. (Foxbridge Golf & Country Club)
 Lot 29, Concession 7 UXBRIDGE ON

Database:
 PTTW

EBR Registry No.: IA04E0451
Ministry Ref. No.: 4176-5XJR68
Year: 2004
Proposal Date:
Notice Date:
Notice Type: Instrument Decision
Proponent Address: 228 Brock Street Uxbridge Ontario L9P 1R3
Instrument Type: Permit to take water - OWRA s. 34
Location: Lot 29, Concession 7
Location Other:

Site: Lakeridge Resort Limited
 Lot 5 & 6, Concession 7 & 8 Uxbridge ON

Database:
 PTTW

EBR Registry No.: IA03E0641
Ministry Ref. No.: 92-P-3097
Year: 2003
Proposal Date: 5/13/03
Notice Date:
Notice Type: Instrument Decision
Proponent Address: 790 Chalk Lake Road, RR # 4 Uxbridge Ontario L4K 4G7
Instrument Type: Permit to take water - OWRA s. 34
Location: Lot 5 & 6, Concession 7 & 8, TOWNSHIP OF UXBRIDGE
Location Other:

Site: lot 28 ON

Database:
 WWIS

Well ID:	2514539	Data Entry Status:	
Construction Date:		Data Src:	1
Primary Water Use:	Commerical	Date Received:	3/5/2001
Sec. Water Use:		Selected Flag:	1
Final Well Status:	Water Supply	Abandonment Rec:	
Water Type:		Contractor:	2576
Casing Material:		Form Version:	1
Audit No:	219791	Owner:	
Tag:		Street Name:	
Construction Method:		County:	GREY
Elevation (m):		Municipality:	DURHAM TOWN
Elevation Reliability:		Site Info:	
Depth to Bedrock:		Lot:	028
Well Depth:		Concession:	
Overburden/Bedrock:		Concession Name:	
Pump Rate:		Easting NAD83:	
Static Water Level:		Northing NAD83:	
Flowing (Y/N):		Zone:	

Flow Rate:
Clear/Cloudy:

UTM Reliability:

Bore Hole Information

Bore Hole ID: 10137935
DP2BR: 65
Code OB: r
Code OB Desc: Bedrock
Open Hole:
Elevation:
Elevrc:
Remarks:
Elevrc Desc:
Location Source Date:
Improvement Location Source:
Improvement Location Method:
Source Revision Comment:
Supplier Comment:

Spatial Status:
Cluster Kind:
UTMRC: 9
UTMRC Desc: unknown UTM
Location Method: na
Org CS:
Date Completed: 1/29/2001

Overburden and Bedrock
Materials Interval

Formation ID: 931394741
Layer: 1
Color:
General Color:
Mat1: 02
Most Common Material: TOPSOIL
Mat2:
Other Materials:
Mat3:
Other Materials:
Formation Top Depth: 0.00
Formation End Depth: 1.00
Formation End Depth UOM: ft

Formation ID: 931394742
Layer: 2
Color: 6
General Color: BROWN
Mat1: 28
Most Common Material: SAND
Mat2: 12
Other Materials: STONES
Mat3:
Other Materials:
Formation Top Depth: 1.00
Formation End Depth: 35.00
Formation End Depth UOM: ft

Formation ID: 931394743
Layer: 3
Color: 2
General Color: GREY
Mat1: 11
Most Common Material: GRAVEL
Mat2:
Other Materials:
Mat3:
Other Materials:
Formation Top Depth: 35.00
Formation End Depth: 65.00
Formation End Depth UOM: ft

Formation ID: 931394744
Layer: 4

Color: 6
General Color: BROWN
Mat1: 15
Most Common Material: LIMESTONE
Mat2:
Other Materials:
Mat3:
Other Materials:
Formation Top Depth: 65.00
Formation End Depth: 70.00
Formation End Depth UOM: ft

Formation ID: 931394745
Layer: 5
Color: 2
General Color: GREY
Mat1: 15
Most Common Material: LIMESTONE
Mat2:
Other Materials:
Mat3:
Other Materials:
Formation Top Depth: 70.00
Formation End Depth: 72.00
Formation End Depth UOM: ft

**Annular Space/Abandonment
Sealing Record**

Plug ID: 933137561
Layer: 1
Plug From: 0.00
Plug To: 45.00
Plug Depth UOM: ft

**Method of Construction & Well
Use**

Method Construction ID: 962514539
Method Construction Code: 4
Method Construction: Rotary (Air)
Other Method Construction:

Pipe Information

Pipe ID: 10686505
Casing No: 1
Comment:
Alt Name:

Construction Record - Casing

Casing ID: 930233387
Layer: 1
Material: 1
Open Hole or Material: STEEL
Depth From:
Depth To:
Casing Diameter: 6.00
Casing Diameter UOM: inch
Casing Depth UOM: ft

Casing ID: 930233388
Layer: 2
Material: 4

Open Hole or Material: OPEN HOLE
Depth From:
Depth To:
Casing Diameter: 6.00
Casing Diameter UOM: inch
Casing Depth UOM: ft

Results of Well Yield Testing

Pump Test ID: 992514539
Pump Set At:
Static Level: 11.00
Final Level After Pumping:
Recommended Pump Depth: 50.00
Pumping Rate: 60.00
Flowing Rate:
Recommended Pump Rate: 60.00
Levels UOM: ft
Rate UOM: GPM
Water State After Test Code: 1
Water State After Test: CLEAR
Pumping Test Method: 1
Pumping Duration HR: 2
Pumping Duration MIN:
Flowing: N

Draw Down & Recovery

Pump Test Detail ID: 934173809
Test Type: Recovery
Test Duration: 15
Test Level: 11.00
Test Level UOM: ft

Pump Test Detail ID: 934441548
Test Type: Recovery
Test Duration: 30
Test Level: 11.00
Test Level UOM: ft

Pump Test Detail ID: 934701368
Test Type: Recovery
Test Duration: 45
Test Level: 11.00
Test Level UOM: ft

Pump Test Detail ID: 934961921
Test Type: Recovery
Test Duration: 60
Test Level: 11.00
Test Level UOM: ft

Water Details

Water ID: 933591247
Layer: 1
Kind Code: 1
Kind: FRESH
Water Found Depth: 70.00
Water Found Depth UOM: ft

Appendix: Database Descriptions

Environmental Risk Information Services (ERIS) can search the following databases. The extent of historical information varies with each database and current information is determined by what is publicly available to ERIS at the time of update. **Note:** Databases denoted with " * " indicates that the database will no longer be updated. See the individual database description for more information.

Abandoned Aggregate Inventory:

Provincial [AAGR](#)

The MAAP Program maintains a database of abandoned pits and quarries. Please note that the database is only referenced by lot and concession and city/town location. The database provides information regarding the location, type, size, land use, status and general comments.*

Government Publication Date: Sept 2002*

Aggregate Inventory:

Provincial [AGR](#)

The Ontario Ministry of Natural Resources maintains a database of all active pits and quarries. The database provides information regarding the registered owner/operator, location name, operation type, approval type, and maximum annual tonnage.

Government Publication Date: Up to Sep 2017

Abandoned Mine Information System:

Provincial [AMIS](#)

The Abandoned Mines Information System contains data on known abandoned and inactive mines located on both Crown and privately held lands. The information was provided by the Ministry of Northern Development and Mines (MNDM), with the following disclaimer: "the database provided has been compiled from various sources, and the Ministry of Northern Development and Mines makes no representation and takes no responsibility that such information is accurate, current or complete". Reported information includes official mine name, status, background information, mine start/end date, primary commodity, mine features, hazards and remediation.

Government Publication Date: 1800-Nov 2016

Anderson's Waste Disposal Sites:

Private [ANDR](#)

The information provided in this database was collected by examining various historical documents which aimed to characterize the likely position of former waste disposal sites from 1860 to present. The research initiative behind the creation of this database was to identify those sites that are missing from the Ontario MOE Waste Disposal Site Inventory, as well as to provide revisions and corrections to the positions and descriptions of sites currently listed in the MOE inventory. In addition to historic waste disposal facilities, the database also identifies certain auto wreckers and scrap yards that have been extrapolated from documentary sources. Please note that the data is not warranted to be complete, exhaustive or authoritative. The information was collected for research purposes only.

Government Publication Date: 1860s-Present

Automobile Wrecking & Supplies:

Private [AUWR](#)

This database provides an inventory of known locations that are involved in the scrap metal, automobile wrecking/recycling, and automobile parts & supplies industry. Information is provided on the company name, location and business type.

Government Publication Date: 1999-May 2017

Borehole:

Provincial [BORE](#)

A borehole is the generalized term for any narrow shaft drilled in the ground, either vertically or horizontally. The information here includes geotechnical investigations or environmental site assessments, mineral exploration, or as a pilot hole for installing piers or underground utilities. Information is from many sources such as the Ministry of Transportation (MTO) boreholes from engineering reports and projects from the 1950 to 1990's in Southern Ontario. Boreholes from the Ontario Geological Survey (OGS) including The Urban Geology Analysis Information System (UGAIS) and the York Peel Durham Toronto (YPDT) database of the Conservation Authority Moraine Coalition. This database will include fields such as location, stratigraphy, depth, elevation, year drilled, etc. For all water well data or oil and gas well data for Ontario please refer to WWIS and OOGW.

Government Publication Date: 1875-Jul 2014

Certificates of Approval:

Provincial [CA](#)

This database contains the following types of approvals: Air & Noise, Industrial Sewage, Municipal & Private Sewage, Waste Management Systems and Renewable Energy Approvals. The MOE in Ontario states that any facility that releases emissions to the atmosphere, discharges contaminants to ground or surface water, provides potable water supplies, or stores, transports or disposes of waste, must have a Certificate of Approval before it can operate lawfully. Fields include approval number, business name, address, approval date, approval type and status. This database will no longer be updated, as CofA's have been replaced by either Environmental Activity and Sector Registry (EASR) or Environmental Compliance Approval (ECA). Please refer to those individual databases for any information after Oct.31, 2011.

Government Publication Date: 1985-Oct 30, 2011*

Commercial Fuel Oil Tanks:

Provincial [CFOT](#)

Since May 2002, Ontario developed a new act where it became mandatory for fuel oil tanks to be registered with Technical Standards & Safety Authority (TSSA). This data would include all commercial underground fuel oil tanks in Ontario with fields such as location, registration number, tank material, age of tank and tank size.

Government Publication Date: Feb 28, 2017

Chemical Register:

Private [CHEM](#)

This database includes information from both a one time study conducted in 1992 and private source and is a listing of facilities that manufacture or distribute chemicals. The production of these chemical substances may involve one or more chemical reactions and/or chemical separation processes (i.e. fractionation, solvent extraction, crystallization, etc.).

Government Publication Date: 1999-May 2017

Compressed Natural Gas Stations:

Private [CNG](#)

Canada has a network of public access compressed natural gas (CNG) refuelling stations. These stations dispense natural gas in compressed form at 3,000 pounds per square inch (psi), the pressure which is allowed within the current Canadian codes and standards. The majority of natural gas refuelling is located at existing retail gasoline that have a separate refuelling island for natural gas. This list of stations is made available by the Canadian Natural Gas Vehicle Alliance.

Government Publication Date: Dec 31, 2012

Inventory of Coal Gasification Plants and Coal Tar Sites:

Provincial [COAL](#)

This inventory includes both the "Inventory of Coal Gasification Plant Waste Sites in Ontario-April 1987" and the Inventory of Industrial Sites Producing or Using Coal Tar and Related Tars in Ontario-November 1988) collected by the MOE. It identifies industrial sites that produced and continue to produce or use coal tar and other related tars. Detailed information is available and includes: facility type, size, land use, information on adjoining properties, soil condition, site operators/occupants, site description, potential environmental impacts and historic maps available. This was a one-time inventory.*

Government Publication Date: Apr 1987 and Nov 1988*

Compliance and Convictions:

Provincial [CONV](#)

This database summarizes the fines and convictions handed down by the Ontario courts beginning in 1989. Companies and individuals named here have been found guilty of environmental offenses in Ontario courts of law.

Government Publication Date: 1989-Nov 2017

Certificates of Property Use:

Provincial [CPU](#)

This is a subset taken from Ontario's Environmental Registry (EBR) database. It will include all CPU's on the registry such as (EPA s. 168.6) - Certificate of Property Use.

Government Publication Date: 1994-Oct 2017

Drill Hole Database:

Provincial [DRL](#)

The Ontario Drill Hole Database contains information on more than 113,000 percussion, overburden, sonic and diamond drill holes from assessment files on record with the department of Mines and Minerals. Please note that limited data is available for southern Ontario, as it was the last area to be completed. The database was created when surveys submitted to the Ministry were converted in the Assessment File Research Image Database (AFRI) project. However, the degree of accuracy (coordinates) as to the exact location of drill holes is dependent upon the source document submitted to the MNDM. Levels of accuracy used to locate holes are: centering on the mining claim; a sketch of the mining claim; a 1:50,000 map; a detailed company map; or from submitted a "Report of Work".

Government Publication Date: 1886-Nov 30, 2017

Environmental Activity and Sector Registry:

Provincial [EASR](#)

On October 31, 2011, a smarter, faster environmental approvals system came into effect in Ontario. The EASR allows businesses to register certain activities with the ministry, rather than apply for an approval. The registry is available for common systems and processes, to which preset rules of operation can be applied. The EASR is currently available for: heating systems, standby power systems and automotive refinishing. Businesses whose activities aren't subject to the EASR may apply for an ECA (Environmental Compliance Approval), Please see our ECA database.

Government Publication Date: Oct 2011-Oct 2017

Environmental Registry:

Provincial [EBR](#)

The Environmental Registry lists proposals, decisions and exceptions regarding policies, Acts, instruments, or regulations that could significantly affect the environment. Through the Registry, thirteen provincial ministries notify the public of upcoming proposals and invite their comments. For example, if a local business is requesting a permit, license, or certificate of approval to release substances into the air or water; these are notified on the registry. Data includes: Approval for discharge into the natural environment other than water (i.e. Air) - EPA s. 9, Approval for sewage works - OWRA s. 53(1), and EPA s. 27 - Approval for a waste disposal site. For information regarding Permit to Take Water (PTTW), Certificate of Property Use (CPU) and (ORD) Orders please refer to those individual databases.

Government Publication Date: 1994-Oct 2017

Environmental Compliance Approval:

Provincial **ECA**

On October 31, 2011, a smarter, faster environmental approvals system came into effect in Ontario. In the past, a business had to apply for multiple approvals (known as certificates of approval) for individual processes and pieces of equipment. Today, a business either registers itself, or applies for a single approval, depending on the types of activities it conducts. Businesses whose activities aren't subject to the EASR may apply for an ECA. A single ECA addresses all of a business's emissions, discharges and wastes. Separate approvals for air, noise and waste are no longer required. This database will also include Renewable Energy Approvals. For certificates of approval prior to Nov 1st, 2011, please refer to the CA database. For all Waste Disposal Sites please refer to the WDS database.

Government Publication Date: Oct 2011-Oct 2017

Environmental Effects Monitoring:

Federal **EEM**

The Environmental Effects Monitoring program assesses the effects of effluent from industrial or other sources on fish, fish habitat and human usage of fisheries resources. Since 1992, pulp and paper mills have been required to conduct EEM studies under the Pulp and Paper Effluent Regulations. This database provides information on the mill name, geographical location and sub-lethal toxicity data.

Government Publication Date: 1992-2007*

ERIS Historical Searches:

Private **EHS**

ERIS has compiled a database of all environmental risk reports completed since March 1999. Available fields for this database include: site location, date of report, type of report, and search radius. As per all other databases, the ERIS database can be referenced on both the map and "Statistical Profile" page.

Government Publication Date: 1999-Aug 2016

Environmental Issues Inventory System:

Federal **EIIS**

The Environmental Issues Inventory System was developed through the implementation of the Environmental Issues and Remediation Plan. This plan was established to determine the location and severity of contaminated sites on inhabited First Nation reserves, and where necessary, to remediate those that posed a risk to health and safety; and to prevent future environmental problems. The EIIS provides information on the reserve under investigation, inventory number, name of site, environmental issue, site action (Remediation, Site Assessment), and date investigation completed.

Government Publication Date: 1992-2001*

Emergency Management Historical Event:

Provincial **EMHE**

List of locations of historical occurrences of emergency events, including those assigned to the Ministry of Natural Resources by Order-In-Council (OIC) under the Emergency Management and Civil Protection Act, as well as events where MNR provided requested emergency response assistance. Many of these events will have involved community evacuations, significant structural loss, and/or involvement of MNR emergency response staff. These events fall into one of ten (10) type categories: Dam Failure; Drought / Low Water; Erosion; Flood; Forest Fire; Soil and Bedrock Instability; Petroleum Resource Center Event, EMO Requested Assistance, Continuity of Operations Event, Other Requested Assistance. EMHE record details are reproduced by ERIS under License with the Ontario Ministry of Natural Resources © Queen's Printer for Ontario, 2017.

Government Publication Date: Dec 31, 2016

List of TSSA Expired Facilities:

Provincial **EXP**

List of facilities with removed tanks which were once registered with the Fuels Safety Program of the Technical Standards and Safety Authority (TSSA). Includes private fuel outlets, bulk plants, fuel oil tanks, gasoline stations, marinas, propane filling stations, liquid fuel tanks, piping systems, etc. Tanks which have been removed automatically fall under the expired facilities inventory held by TSSA.

Government Publication Date: Feb 28, 2017

Federal Convictions:

Federal **FCON**

Environment Canada maintains a database referred to as the "Environmental Registry" that details prosecutions under the Canadian Environmental Protection Act (CEPA) and the Fisheries Act (FA). Information is provided on the company name, location, charge date, offence and penalty.

Government Publication Date: 1988-Jun 2007*

Contaminated Sites on Federal Land:

Federal **FCS**

The Federal Contaminated Sites Inventory includes information on known federal contaminated sites under the custodianship of departments, agencies and consolidated Crown corporations as well as those that are being or have been investigated to determine whether they have contamination arising from past use that could pose a risk to human health or the environment. The inventory also includes non-federal contaminated sites for which the Government of Canada has accepted some or all financial responsibility. It does not include sites where contamination has been caused by, and which are under the control of, enterprise Crown corporations, private individuals, firms or other levels of government.

Government Publication Date: Jun 2000-Dec 2017

Fisheries & Oceans Fuel Tanks:

Federal **FOFT**

Fisheries & Oceans Canada maintains an inventory of aboveground & underground fuel storage tanks located on Fisheries & Oceans property or controlled by DFO. Our inventory provides information on the site name, location, tank owner, tank operator, facility type, storage tank location, tank contents & capacity, and date of tank installation.

Government Publication Date: 1964-Sep 2017

Fuel Storage Tank:

Provincial **FST**

The Technical Standards & Safety Authority (TSSA), under the Technical Standards & Safety Act of 2000 maintains a database of registered private and retail fuel storage tanks in Ontario with fields such as location, tank status, license date, tank type, tank capacity, fuel type, installation year and facility type.

Government Publication Date: Feb 28, 2017

Fuel Storage Tank - Historic:

Provincial **FSTH**

The Fuels Safety Branch of the Ontario Ministry of Consumer and Commercial Relations maintained a database of all registered private fuel storage tanks. Public records of private fuel storage tanks are only available since the registration became effective in September 1989. This information is now collected by the Technical Standards and Safety Authority.

Government Publication Date: Pre-Jan 2010*

Ontario Regulation 347 Waste Generators Summary:

Provincial **GEN**

Regulation 347 of the Ontario EPA defines a waste generation site as any site, equipment and/or operation involved in the production, collection, handling and/or storage of regulated wastes. A generator of regulated waste is required to register the waste generation site and each waste produced, collected, handled, or stored at the site. This database contains the registration number, company name and address of registered generators including the types of hazardous wastes generated. It includes data on waste generating facilities such as: drycleaners, waste treatment and disposal facilities, machine shops, electric power distribution etc. This information is a summary of all years from 1986 including the most currently available data. Some records may contain, within the company name, the phrase "See & Use..." followed by a series of letters and numbers. This occurs when one company is amalgamated with or taken over by another registered company. The number listed as "See & Use", refers to the new ownership and the other identification number refers to the original ownership. This phrase serves as a link between the 2 companies until operations have been fully transferred.

Government Publication Date: 1986-December 31, 2017

Greenhouse Gas Emissions from Large Facilities:

Federal **GHG**

List of greenhouse gas emissions from large facilities made available by Environment Canada. Greenhouse gas emissions in kilotonnes of carbon dioxide equivalents (kt CO2 eq).

Government Publication Date: 2013-Dec 2015

TSSA Historic Incidents:

Provincial **HINC**

This database will cover all incidences recorded by TSSA with their older system, before they moved to their new management system. TSSA's Fuels Safety Program administers the Technical Standards & Safety Act 2000, providing fuel-related safety services associated with the safe transportation, storage, handling and use of fuels such as gasoline, diesel, propane, natural gas and hydrogen. Under this Act, TSSA regulates fuel suppliers, storage facilities, transport trucks, pipelines, contractors and equipment or appliances that use fuels. The TSSA works to protect the public, the environment and property from fuel-related hazards such as spills, fires and explosions. This database will include spills and leaks from pipelines, diesel, fuel oil, gasoline, natural gas, propane and hydrogen recorded by the TSSA.

Government Publication Date: 2006-June 2009*

Indian & Northern Affairs Fuel Tanks:

Federal **IAFT**

The Department of Indian & Northern Affairs Canada (INAC) maintains an inventory of aboveground & underground fuel storage tanks located on both federal and crown land. Our inventory provides information on the reserve name, location, facility type, site/facility name, tank type, material & ID number, tank contents & capacity, and date of tank installation.

Government Publication Date: 1950-Aug 2003*

TSSA Incidents:

Provincial **INC**

TSSA's Fuels Safety Program administers the Technical Standards & Safety Act 2000, providing fuel-related safety services associated with the safe transportation, storage, handling and use of fuels such as gasoline, diesel, propane, natural gas and hydrogen. Under this Act, TSSA regulates fuel suppliers, storage facilities, transport trucks, pipelines, contractors and equipment or appliances that use fuels. Includes incidents from fuel-related hazards such as spills, fires and explosions. This database will include spills and leaks from diesel, fuel oil, gasoline, natural gas, propane and hydrogen recorded by the TSSA.

Government Publication Date: Feb 28, 2017

Landfill Inventory Management Ontario:

Provincial **LIMO**

The Landfill Inventory Management Ontario (LIMO) database is updated every year, as the ministry compiles new and updated information. The inventory will include small and large landfills. Additionally, each year the ministry will request operators of the larger landfills complete a landfill data collection form that will be used to update LIMO and will include the following information from the previous operating year. This will include additional information such as estimated amount of total waste received, landfill capacity, estimated total remaining landfill capacity, fill rates, engineering designs, reporting and monitoring details, size of location, service area, approved waste types, leachate of site treatment, contaminant attenuation zone and more. The small landfills will include information such as site owner, site location and certificate of approval # and status.

Government Publication Date: Dec 31, 2013

Canadian Mine Locations:

Private

MINE

This information is collected from the Canadian & American Mines Handbook. The Mines database is a national database that provides over 290 listings on mines (listed as public companies) dealing primarily with precious metals and hard rocks. Listed are mines that are currently in operation, closed, suspended, or are still being developed (advanced projects). Their locations are provided as geographic coordinates (x, y and/or longitude, latitude). As of 2002, data pertaining to Canadian smelters and refineries has been appended to this database.

Government Publication Date: 1998-2009*

Mineral Occurrences:

Provincial

MNR

In the early 70's, the Ministry of Northern Development and Mines created an inventory of approximately 19,000 mineral occurrences in Ontario, in regard to metallic and industrial minerals, as well as some information on building stones and aggregate deposits. Please note that the "Horizontal Positional Accuracy" is approximately +/- 200 m. Many reference elements for each record were derived from field sketches using pace or chain/tape measurements against claim posts or topographic features in the area. The primary limiting factor for the level of positional accuracy is the scale of the source material. The testing of horizontal accuracy of the source materials was accomplished by comparing the plan metric (X and Y) coordinates of that point with the coordinates of the same point as defined from a source of higher accuracy.

Government Publication Date: 1846-Feb 2017

National Analysis of Trends in Emergencies System (NATES):

Federal

NATE

In 1974 Environment Canada established the National Analysis of Trends in Emergencies System (NATES) database, for the voluntary reporting of significant spill incidents. The data was to be used to assist in directing the work of the emergencies program. NATES ran from 1974 to 1994. Extensive information is available within this database including company names, place where the spill occurred, date of spill, cause, reason and source of spill, damage incurred, and amount, concentration, and volume of materials released.

Government Publication Date: 1974-1994*

Non-Compliance Reports:

Provincial

NCPL

The Ministry of the Environment provides information about non-compliant discharges of contaminants to air and water that exceed legal allowable limits, from regulated industrial and municipal facilities. A reported non-compliance failure may be in regard to a Control Order, Certificate of Approval, Sectoral Regulation or specific regulation/act.

Government Publication Date: Dec 31, 2014

National Defense & Canadian Forces Fuel Tanks:

Federal

NDFT

The Department of National Defense and the Canadian Forces maintains an inventory of all aboveground & underground fuel storage tanks located on DND lands. Our inventory provides information on the base name, location, tank type & capacity, tank contents, tank class, date of tank installation, date tank last used, and status of tank as of May 2001. This database will no longer be updated due to the new National Security protocols which have prohibited any release of this database.

Government Publication Date: Up to May 2001*

National Defense & Canadian Forces Spills:

Federal

NDSP

The Department of National Defense and the Canadian Forces maintains an inventory of spills to land and water. All spill sites have been classified under the "Transportation of Dangerous Goods Act - 1992". Our inventory provides information on the facility name, location, spill ID #, spill date, type of spill, as well as the quantity of substance spilled & recovered.

Government Publication Date: Mar 1999-Aug 2010

National Defence & Canadian Forces Waste Disposal Sites:

Federal

NDWD

The Department of National Defence and the Canadian Forces maintains an inventory of waste disposal sites located on DND lands. Where available, our inventory provides information on the base name, location, type of waste received, area of site, depth of site, year site opened/closed and status.

Government Publication Date: 2001-Apr 2007*

National Energy Board Pipeline Incidents:

Federal

NEBI

Locations of pipeline incidents from 2008 to present, made available by the National Energy Board (NEB). Includes incidents reported under the Onshore Pipeline Regulations and the Processing Plant Regulations related to pipelines under federal jurisdiction, does not include incident data related to pipelines under provincial or territorial jurisdiction.

Government Publication Date: 2008-Dec 31, 2017

National Energy Board Wells:

Federal

NEBW

The NEBW database contains information on onshore & offshore oil and gas wells that are outside provincial jurisdiction(s) and are thereby regulated by the National Energy Board. Data is provided regarding the operator, well name, well ID No./UWI, status, classification, well depth, spud and release date.

Government Publication Date: 1920-Feb 2003*

National Environmental Emergencies System (NEES):

Federal

NEES

In 2000, the Emergencies program implemented NEES, a reporting system for spills of hazardous substances. For the most part, this system only captured data from the Atlantic Provinces, some from Quebec and Ontario and a portion from British Columbia. Data for Alberta, Saskatchewan, Manitoba and the Territories was not captured. However, NEES is also a repository for previous Environment Canada spill datasets. NEES is composed of the historic datasets ' or Trends ' which dates from approximately 1974 to present. NEES Trends is a compilation of historic databases, which were merged and includes data from NATES (National Analysis of Trends in Emergencies System), ARTS (Atlantic Regional Trends System), and NEES. In 2001, the Emergencies Program determined that variations in reporting regimes and requirements between federal and provincial agencies made national spill reporting and trend analysis difficult to achieve. As a consequence, the department has focused efforts on capturing data on spills of substances which fall under its legislative authority only (CEPA and FA). As such, the NEES database will be decommissioned in December 2004.

Government Publication Date: 1974-2003*

National PCB Inventory:

Federal

NPCB

Environment Canada's National PCB inventory includes information on in-use PCB containing equipment in Canada including federal, provincial and private facilities. Federal out-of-service PCB containing equipment and PCB waste owned by the federal government or by federally regulated industries such as airlines, railway companies, broadcasting companies, telephone and telecommunications companies, pipeline companies, etc. are also listed. Although it is not Environment Canada's mandate to collect data on non-federal PCB waste, the National PCB inventory includes some information on provincial and private PCB waste and storage sites. Some addresses provided may be Head Office addresses and are not necessarily the location of where the waste is being used or stored.

Government Publication Date: 1988-2008*

National Pollutant Release Inventory:

Federal

NPRI

Environment Canada has defined the National Pollutant Release Inventory ("NPRI") as a federal government initiative designed to collect comprehensive national data regarding releases to air, water, or land, and waste transfers for recycling for more than 300 listed substances.

Government Publication Date: 1993-May 2017

Oil and Gas Wells:

Private

OGW

The Nickle's Energy Group (publisher of the Daily Oil Bulletin) collects information on drilling activity including operator and well statistics. The well information database includes name, location, class, status and depth. The main Nickle's database is updated on a daily basis, however, this database is updated on a monthly basis. More information is available at www.nickles.com.

Government Publication Date: 1988-Sep 2017

Ontario Oil and Gas Wells:

Provincial

OOGW

In 1998, the MNR handed over to the Ontario Oil, Gas and Salt Resources Corporation, the responsibility of maintaining a database of oil and gas wells drilled in Ontario. The OGSR Library has over 20,000+ wells in their database. Information available for all wells in the ERIS database include well owner/operator, location, permit issue date, and well cap date, license No., status, depth and the primary target (rock unit) of the well being drilled. All geology/stratigraphy table information, plus all water table information is also provide for each well record.

Government Publication Date: 1800-Oct 2017

Inventory of PCB Storage Sites:

Provincial

OPCB

The Ontario Ministry of Environment, Waste Management Branch, maintains an inventory of PCB storage sites within the province. Ontario Regulation 11/82 (Waste Management - PCB) and Regulation 347 (Generator Waste Management) under the Ontario EPA requires the registration of inactive PCB storage equipment and/or disposal sites of PCB waste with the Ontario Ministry of Environment. This database contains information on: 1) waste quantities; 2) major and minor sites storing liquid or solid waste; and 3) a waste storage inventory.

Government Publication Date: 1987-Oct 2004; 2012-Dec 2013

Orders:

Provincial

ORD

This is a subset taken from Ontario's Environmental Registry (EBR) database. It will include all Orders on the registry such as (EPA s. 17) - Order for remedial work, (EPA s. 18) - Order for preventative measures, (EPA s. 43) - Order for removal of waste and restoration of site, (EPA s. 44) - Order for conformity with Act for waste disposal sites, (EPA s. 136) - Order for performance of environmental measures.

Government Publication Date: 1994-Oct 2017

Canadian Pulp and Paper:

Private

PAP

This information is part of the Pulp and Paper Canada Directory. The Directory provides a comprehensive listing of the locations of pulp and paper mills and the products that they produce.

Government Publication Date: 1999, 2002, 2004, 2005, 2009

Parks Canada Fuel Storage Tanks:

Federal

PCFT

Canadian Heritage maintains an inventory of known fuel storage tanks operated by Parks Canada, in both National Parks and at National Historic Sites. The database details information on site name, location, tank install/removal date, capacity, fuel type, facility type, tank design and owner/operator.

Government Publication Date: 1920-Jan 2005*

Pesticide Register:

Provincial PES

The Ontario Ministry of the Environment and Climate Change maintains a database of licensed operators and vendors of registered pesticides.

Government Publication Date: 1988-Aug 2017

TSSA Pipeline Incidents:

Provincial PINC

TSSA's Fuels Safety Program administers the Technical Standards & Safety Act 2000, providing fuel-related safety services associated with the safe transportation, storage, handling and use of fuels such as gasoline, diesel, propane, natural gas and hydrogen. Under this Act, TSSA regulates fuel suppliers, storage facilities, transport trucks, pipelines, contractors and equipment or appliances that use fuels. This database will include spills, strike and leaks from recorded by the TSSA.

Government Publication Date: Feb 28, 2017

Private and Retail Fuel Storage Tanks:

Provincial PRT

The Fuels Safety Branch of the Ontario Ministry of Consumer and Commercial Relations maintained a database of all registered private fuel storage tanks and licensed retail fuel outlets. This database includes an inventory of locations that have gasoline, oil, waste oil, natural gas and/or propane storage tanks on their property. The MCCR no longer collects this information. This information is now collected by the Technical Standards and Safety Authority (TSSA).

Government Publication Date: 1989-1996*

Permit to Take Water:

Provincial PTTW

This is a subset taken from Ontario's Environmental Registry (EBR) database. It will include all PTTW's on the registry such as OWRA s. 34 - Permit to take water.

Government Publication Date: 1994-Oct 2017

Ontario Regulation 347 Waste Receivers Summary:

Provincial REC

Part V of the Ontario Environmental Protection Act ("EPA") regulates the disposal of regulated waste through an operating waste management system or a waste disposal site operated or used pursuant to the terms and conditions of a Certificate of Approval or a Provisional Certificate of Approval. Regulation 347 of the Ontario EPA defines a waste receiving site as any site or facility to which waste is transferred by a waste carrier. A receiver of regulated waste is required to register the waste receiving facility. This database represents registered receivers of regulated wastes, identified by registration number, company name and address, and includes receivers of waste such as: landfills, incinerators, transfer stations, PCB storage sites, sludge farms and water pollution control plants. This information is a summary of all years from 1986 including the most currently available data.

Government Publication Date: 1986-2016

Record of Site Condition:

Provincial RSC

The Record of Site Condition (RSC) is part of the Ministry of the Environment's Brownfields Environmental Site Registry. Protection from environmental cleanup orders for property owners is contingent upon documentation known as a record of site condition (RSC) being filed in the Environmental Site Registry. In order to file an RSC, the property must have been properly assessed and shown to meet the soil, sediment and groundwater standards appropriate for the use (such as residential) proposed to take place on the property. The Record of Site Condition Regulation (O. Reg. 153/04) details requirements related to site assessment and clean up.

RSCs filed after July 1, 2011 will also be included as part of the new (O.Reg. 511/09).

Government Publication Date: 1997-Sept 2001, Oct 2004-Nov 2017

Retail Fuel Storage Tanks:

Private RST

This database includes an inventory of retail fuel outlet locations (including marinas) that have on their property gasoline, oil, waste oil, natural gas and / or propane storage tanks.

Government Publication Date: 1999-May 2017

Scott's Manufacturing Directory:

Private SCT

Scott's Directories is a data bank containing information on over 200,000 manufacturers across Canada. Even though Scott's listings are voluntary, it is the most comprehensive database of Canadian manufacturers available. Information concerning a company's address, plant size, and main products are included in this database.

Government Publication Date: 1992-Mar 2011*

Ontario Spills:

Provincial SPL

This database identifies information such as location (approximate), type and quantity of contaminant, date of spill, environmental impact, cause, nature of impact, etc. Information from 1988-2002 was part of the ORIS (Occurrence Reporting Information System). The SAC (Spills Action Centre) handles all spills reported in Ontario. Regulations for spills in Ontario are part of the MOE's Environmental Protection Act, Part X.

Government Publication Date: 1988-Sep 2017

Wastewater Discharger Registration Database:

Provincial **SRDS**

Information under this heading is combination of the following 2 programs. The Municipal/Industrial Strategy for Abatement (MISA) division of the Ontario Ministry of Environment maintained a database of all direct dischargers of toxic pollutants within nine sectors including: Electric Power Generation; Mining; Petroleum Refining; Organic Chemicals; Inorganic Chemicals; Pulp & Paper; Metal Casting; Iron & Steel; and Quarries. All sampling information is now collected and stored within the Sample Result Data Store (SRDS).

Government Publication Date: 1990-Dec 31, 2016

Anderson's Storage Tanks:

Private **TANK**

The information provided in this database was collected by examining various historical documents, which identified the location of former storage tanks, containing substances such as fuel, water, gas, oil, and other various types of miscellaneous products. Information is available in regard to business operating at tank site, tank location, permit year, permit & installation type, no. of tanks installed & configuration and tank capacity. Data contained within this database pertains only to the city of Toronto and is not warranted to be complete, exhaustive or authoritative. The information was collected for research purposes only.

Government Publication Date: 1915-1953*

Transport Canada Fuel Storage Tanks:

Federal **TCFT**

List of fuel storage tanks currently or previously owned or operated by Transport Canada. This inventory also includes tanks on The Pickering Lands, which refers to 7,530 hectares (18,600 acres) of land in Pickering, Markham, and Uxbridge owned by the Government of Canada since 1972; properties on this land has been leased by the government since 1975, and falls under the Site Management Policy of Transport Canada, but is administered by Public Works and Government Services Canada. This inventory provides information on the site name, location, tank age, capacity and fuel type.

Government Publication Date: 1970-Aug 2017

TSSA Variances for Abandonment of Underground Storage Tanks:

Provincial **VAR**

List of variances granted for abandoned tanks. Under the Technical Standards and Safety Authority (TSSA) Liquid Fuels Handling Code and Fuel Oil Code, all underground storage tanks must be removed within two years of disuse. If removal of a tank is not feasible, an application may be sought for a variance from this code requirement.

Government Publication Date: Feb 28, 2017

Waste Disposal Sites - MOE CA Inventory:

Provincial **WDS**

The Ontario Ministry of Environment, Waste Management Branch, maintains an inventory of known open (active or inactive) and closed disposal sites in the Province of Ontario. Active sites maintain a Certificate of Approval, are approved to receive and are receiving waste. Inactive sites maintain Certificate(s) of Approval but are not receiving waste. Closed sites are not receiving waste. The data contained within this database was compiled from the MOE's Certificate of Approval database. Locations of these sites may be cross-referenced to the Anderson database described under ERIS's Private Source Database section, by the CA number. All new Environmental Compliance Approvals handed out after Oct 31, 2011 for Waste Disposal Sites will still be found in this database.

Government Publication Date: Oct 31, 2017

Waste Disposal Sites - MOE 1991 Historical Approval Inventory:

Provincial **WDSH**

In June 1991, the Ontario Ministry of Environment, Waste Management Branch, published the "June 1991 Waste Disposal Site Inventory", of all known active and closed waste disposal sites as of October 30st, 1990. For each "active" site as of October 31st 1990, information is provided on site location, site/CA number, waste type, site status and site classification. For each "closed" site as of October 31st 1990, information is provided on site location, site/CA number, closure date and site classification. Locations of these sites may be cross-referenced to the Anderson database described under ERIS's Private Source Database section, by the CA number.

Government Publication Date: Up to Oct 1990*

Water Well Information System:

Provincial **WWIS**

This database describes locations and characteristics of water wells found within Ontario in accordance with Regulation 903. It includes such information as coordinates, construction date, well depth, primary and secondary use, pump rate, static water level, well status, etc. Also included are detailed stratigraphy information, approximate depth to bedrock and the approximate depth to the water table.

Government Publication Date: Mar 31, 2017

Definitions

Database Descriptions: This section provides a detailed explanation for each database including: source, information available, time coverage, and acronyms used. They are listed in alphabetic order.

Detail Report: This is the section of the report which provides the most detail for each individual record. Records are summarized by location, starting with the project property followed by records in closest proximity.

Distance: The distance value is the distance between plotted points, not necessarily the distance between the sites' boundaries. All values are an approximation.

Direction: The direction value is the compass direction of the site in respect to the project property and/or center point of the report.

Elevation: The elevation value is taken from the location at which the records for the site address have been plotted. All values are an approximation. Source: Google Elevation API.

Executive Summary: This portion of the report is divided into 3 sections:

'Report Summary'- Displays a chart indicating how many records fall on the project property and, within the report search radii.

'Site Report Summary'-Project Property'- This section lists all the records which fall on the project property. For more details, see the 'Detail Report' section.

'Site Report Summary-Surrounding Properties'- This section summarizes all records on adjacent properties, listing them in order of proximity from the project property. For more details, see the 'Detail Report' section.

Map Key: The map key number is assigned according to closest proximity from the project property. Map Key numbers always start at #1. The project property will always have a map key of '1' if records are available. If there is a number in brackets beside the main number, this will indicate the number of records on that specific property. If there is no number in brackets, there is only one record for that property.

The symbol and colour used indicates 'elevation': the red inverted triangle will dictate 'ERIS Sites with Lower Elevation', the yellow triangle will dictate 'ERIS Sites with Higher Elevation' and the orange square will dictate 'ERIS Sites with Same Elevation.'

Unplottables: These are records that could not be mapped due to various reasons, including limited geographic information. These records may or may not be in your study area, and are included as reference.

APPENDIX C



Sirati & Partners Consultants Ltd.
Geotechnical & Environmental Services
Engineering Solutions

Freedom of Information Request

This form is for requesting documents which are in the Ministry's files on environmental concerns related to properties. Please refer to the guide on the completion and use of this form. Our fax no. is (416) 314-4285.

Requester Data			For Ministry Use Only	
Name, Title, Company Name and Mailing Address of Requester Chaoran Li Sirati & Partners Consultants Limited 750 Millway Avenue, Unit # 8 Vaughan, ON. L4K 3T7 Email Address: chaoranli@spconsultantsltd.ca			FOI Request No.	Date Request Received
Telephone/Fax Nos. Tel: (905) 669-4477 Fax: (905) 669-4488			Fee Paid <input type="checkbox"/> ACCT <input type="checkbox"/> CHQ <input checked="" type="checkbox"/> VISA-MC <input type="checkbox"/> CASH	
Your Project/Reference No. SP17-275-20-01		Signature of Requester CL February 14, 2018	<input type="checkbox"/> CNR <input type="checkbox"/> ER <input type="checkbox"/> NOR <input type="checkbox"/> SWR <input type="checkbox"/> WCR <input type="checkbox"/> SAC <input type="checkbox"/> IEB <input type="checkbox"/> EAA <input type="checkbox"/> EMR <input type="checkbox"/> SWA	
Request Parameters				
Municipal Address / Lot, Concession, Geographic Township (Municipal address essential for cities, towns or regions) 231, 235, 237, 241, 245, 249 Reach Street, Uxbridge, ON (parcels connected together and owned by one company), (ONE SITE)				
Present Property Owner(s) and Date(s) of Ownership 2452595 Ontario Ltd. (03/2017-present)				
Previous Property Owner(s) and Date(s) of Ownership Thomas (1994-2017), Kennedy (1983-2017), Yake (1983-2017)				
Present/Previous Tenant(s), (if applicable)				
Search Parameters			Specify Year(s) Requested	
Files older than 2 years may require \$60.00 retrieval cost. There is no guarantee that records responsive to your request will be located.				
Environmental concerns (General correspondence, occurrence reports, abatement)			All Years	
Orders			All Years	
Spills			All Years	
Investigations/prosecutions ▶ Owner AND tenant information must be provided			All Years	
Waste Generator number/classes			All Years	
Certificates of Approval ▶ Proponent information must be provided 1985 and prior records are searched manually. Search fees in excess of \$300.00 could be incurred, depending on the types and years to be searched. Specify Certificates of Approval number (s) (if known). If supporting documents are also required, mark SD box and specify type e.g. maps, plans, reports, etc.				
			SD	Specify Year(s) Requested
air - emissions				1986- present
water - mains, treatment, ground level, standpipes & elevated storage, pumping stations (local & booster)				1986- present
sewage - sanitary, storm, treatment, stormwater, leachate & leachate treatment & sewage pump stations				1986- present
waste water - industrial discharge				1986- present
waste sites - disposal, landfill sites, transfer stations, processing sites, incinerator sites				1986- present
waste systems - PCB destruction, mobile waste processing units, haulers, sewage, non-hazardous & hazardous waste				1986- present
pesticides - licenses				1986- present

A \$5.00 non-refundable application fee, payable to the Minister of Finance, is mandatory. The cost of locating on-site and/or preparing any record is \$30.00/hour and 20 cents/page for photocopying and you will be contacted for approval for fees in excess of \$30.00.

APPENDIX D



Sirati & Partners Consultants Ltd.
Geotechnical & Environmental Services
Engineering Solutions

North:



Legend:

- - - Property Boundary
- - - 250m Study Area
- MOECC Well Record

Project Title:

Phase I Environmental Site Assessment

Site Location:

231, 235, 237, 241, 245, 249 Reach Street,
 Uxbridge, ON.

Figure Title:

MOECC Well Record

Scale:



Project Number:


SP17-275-20-01


Date:

February 2018

Appendix D:

1






Sirati & Partners Consultants Ltd.
 Geotechnical & Environmental Services
 Engineering Solutions
 750 Millway Avenue, Unit-8,
 Vaughan, ON L4K 0M7
 Phone#905-669-4477, Fax#905-669-4488



- Legend:**
-  Subject Site
 -  Approximate Site Location

-  Lake Simcoe Watershed
-  Sub watershed
-  Municipal Boundary
-  Township Boundary

Project Title:
Phase I Environmental Site Assessment


Site Location:
231, 235, 237, 241, 245, 249 Reach Street,
Uxbridge, ON.

Figure Title:
Watershed Map

Scale:  0m 3km
 Project Number:
SP17-275-20-01

Date: February 2018
 Appendix D:
2

Source: Map Data © 2016 Lake Simcoe Region Conservation Authority



North:



Legend:

-  Property Boundary
-  Regulation Map Index
-  LSRCA Watershed Boundary
-  Lake Simcoe
-  Watercourse
-  Regulated Area Boundary
-  Regulated Area
-  Assessment Parcel
-  Lot and Concession

Roads

-  Hwy 400 Series
-  Highway, Arterials
-  Local Road

Railway

Project Title:
Phase I Environmental Site Assessment

Site Location:
231, 235, 237, 241, 245, 249 Reach Street,
Uxbridge, ON.

Figure Title:
Regulated Area Map

Scale:
0m 100m 200m

Project Number:
SP17-275-20-01


Date:
February 2018

Appendix D:
3

APPENDIX E



Sirati & Partners Consultants Ltd.
Geotechnical & Environmental Services
Engineering Solutions



Sirati & Partners Consultants Ltd.
Geotechnical & Environmental Services
Engineering Solutions

750 Millway Avenue, Unit-8,
Vaughan, ON L4K 0M7
Phone#905-669-4477, Fax#905-669-4488

North:



Legend:

----- Property Boundary

Project Title:

Phase I Environmental Site Assessment

Site Location:

231, 235, 237, 241, 245, 249 Reach Street,
Uxbridge, ON.

Figure Title:

Aerial Photo - 1954

Scale:



Project Number:

SP17-275-20-01

Date:

February 2018

Appendix E:

1



Sirati & Partners Consultants Ltd.
Geotechnical & Environmental Services
Engineering Solutions

750 Millway Avenue, Unit-8,
Vaughan, ON L4K 0M7
Phone#905-669-4477, Fax#905-669-4488

North:



Legend:

----- Property Boundary

Project Title:

Phase I Environmental Site Assessment

Site Location:

231, 235, 237, 241, 245, 249 Reach Street,
Uxbridge, ON.

Figure Title:

Aerial Photo - 1969

Scale:



Project Number:

SP17-275-20-01

Date:

February 2018

Appendix E:

2



Sirati & Partners Consultants Ltd.
Geotechnical & Environmental Services
Engineering Solutions

750 Millway Avenue, Unit-8,
Vaughan, ON L4K 0M7
Phone#905-669-4477, Fax#905-669-4488

North:



Legend:

----- Property Boundary

Project Title:

Phase I Environmental Site Assessment

Site Location:

231, 235, 237, 241, 245, 249 Reach Street,
Uxbridge, ON.

Figure Title:

Aerial Photo - 1981

Scale:



Project Number:

SP17-275-20-01

Date:

February 2018

Appendix E:

3



North:



Legend:

 Property Boundary

Project Title:

Phase I Environmental Site Assessment

Site Location:

231, 235, 237, 241, 245, 249 Reach Street,
Uxbridge, ON.

Figure Title:

Aerial Photo - 2005

Scale:



Project Number:

SP17-275-20-01

Date:

February 2018

Appendix E:

4



North:



Legend:

 Property Boundary

Project Title:

Phase I Environmental Site Assessment

Site Location:

231, 235, 237, 241, 245, 249 Reach Street,
Uxbridge, ON.

Figure Title:

Aerial Photo - 2009

Scale:



Project Number:

SP17-275-20-01

Date:

February 2018

Appendix E:

5



Sirati & Partners Consultants Ltd.
 Geotechnical & Environmental Services
 Engineering Solutions

750 Millway Avenue, Unit-8,
 Vaughan, ON L4K 0M7
 Phone#905-669-4477, Fax#905-669-4488

North:



Legend:

----- Property Boundary

Project Title:

Phase I Environmental Site Assessment

Site Location:

231, 235, 237, 241, 245, 249 Reach Street,
 Uxbridge, ON.

Figure Title:

Aerial Photo - 2016

Scale:



Project Number:

SP17-275-20-01

Date:

February 2018

Appendix E:

6

APPENDIX F



Sirati & Partners Consultants Ltd.
Geotechnical & Environmental Services
Engineering Solutions



Photograph 1

Location: Phase I Property
Viewing: Northeast
Description: View of the south portion of the Property



Photograph 2

Location: Phase I Property
Viewing: East
Description: View of the north portion of the Property



Photograph 3

Location: Phase I Property
Viewing: South
Description: View of the residential building at 231 Reach Street



Photograph 4

Location: Phase I Property
Viewing: N/A
Description: General view of the first floor of the building (231 Reach Street)



Photograph 5

Location: Phase I Property
Viewing: N/A
Description: General view of the garage of the building (231 Reach Street)



Photograph 6

Location: Phase I Property
Viewing: N/A
Description: General view of the basement of the building (231 Reach Street)



Photograph 7

Location: Phase I Property
Viewing: N/A
Description: View of the fireplace in the basement of the building (231 Reach Street)



Photograph 8

Location: Phase I Property
Viewing: N/A
Description: View of the propane furnace in the basement of the building (231 Reach Street)



Photograph 9

Location: Phase I Property
Viewing: N/A
Description: View of the propane tank located adjacent to the west wall of the building (231 Reach Street)



Photograph 10

Location: Phase I Property
Viewing: North
Description: View of the residential building at 235 Reach Street



Photograph 11

Location: Phase I Property
Viewing: South
Description: View of the residential building at 235 Reach Street



Photograph 12

Location: Phase I Property
Viewing: North
Description: View of the shed located to the northeast of the residential building (235 Reach Street)



Photograph 13

Location: Phase I Property
Viewing: N/A
Description: General view of the first floor of the building (235 Reach Street)



Photograph 14

Location: Phase I Property
Viewing: N/A
Description: General view of the second floor of the building (235 Reach Street)



Photograph 15

Location: Phase I Property
Viewing: N/A
Description: View of the garage of the building (231 Reach Street)



Photograph 16

Location: Phase I Property
Viewing: N/A
Description: General view of the basement of the building (231 Reach Street)



Photograph 17

Location: Phase I Property
Viewing: N/A
Description: General view of the electric furnace located in the basement of the building (235 Reach Street)



Photograph 18

Location: Phase I Property
Viewing: N/A
Description: View of the hot water tank located in the basement of the building (235 Reach Street)



Photograph 19

Location: Phase I Property
Viewing: North
Description: View of the south section of the residential building located at 237 Reach Street



Photograph 20

Location: Phase I Property
Viewing: South
Description: View of the north section of the residential building



Photograph 21

Location: Phase I Property
Viewing: North
Description: View of the shed located in the backyard (237 Reach Street)



Photograph 22

Location: Phase I Property
Viewing: N/A
Description: View of the interior of the shed located in the backyard (237 Reach Street)



Photograph 23

Location: Phase I Property
Viewing: N/A
Description: General view of the first floor of the building (237 Reach Street)



Photograph 24

Location: Phase I Property
Viewing: N/A
Description: General view of the second floor of the building (237 Reach Street)



Photograph 25

Location: Phase I Property
Viewing: N/A
Description: View of the garage of the building (237 Reach Street)



Photograph 26

Location: Phase I Property
Viewing: N/A
Description: General view of the basement of the building (237 Reach Street)



Photograph 27

Location: Phase I Property
Viewing: N/A
Description: View of the electric furnace in the basement of the building (237 Reach Street)



Photograph 28

Location: Phase I Property
Viewing: N/A
Description: View of the hot water tank located in the basement of the building (237 Reach Street)



Photograph 29

Location: Phase I Property
Viewing: North
Description: General view of residential building located at 241 Reach Street



Photograph 30

Location: Phase I Property
Viewing: West
Description: General view of the shed located to west of the residential building (241 Reach Street)



Photograph 31

Location: Phase I Property
Viewing: N/A
Description: View of the interior of the shed located to west of the residential building (241 Reach Street)



Photograph 32

Location: Phase I Property
Viewing: N/A
Description: View of the electrical box located along the driveway of the residential building (241 Reach Street)



Photograph 33

Location: Phase I Property
Viewing: N/A
Description: General view of the first floor of the residential building (241 Reach Street)



Photograph 34

Location: Phase I Property
Viewing: N/A
Description: General view of the second floor of the building (231 Reach Street)



Photograph 35

Location: Phase I Property
Viewing: N/A
Description: General view of the garage of the building (241 Reach Street)



Photograph 36

Location: Phase I Property
Viewing: N/A
Description: General view of the basement of the building (241 Reach Street)



Photograph 37

Location: Phase I Property
Viewing: N/A
Description: View of the electric furnace in the basement of the building (241 Reach Street)



Photograph 38

Location: Phase I Property
Viewing: N/A
Description: View of the hot water tank in the basement of the building (241 Reach Street)



Photograph 39

Location: Phase I Property
Viewing: Northwest
Description: View of the residential building located at 245 Reach Street



Photograph 40

Location: Phase I Property
Viewing: Northeast
Description: View of the two sheds located to the east of the residential building (245 Reach Street)



Photograph 41

Location: Phase I Property
Viewing: N/A
Description: View of the interior of the wood shed (245 Reach Street)




Photograph 42

Location: Phase I Property
Viewing: N/A
Description: View of the interior of the metal shed (245 Reach Street)



Photograph 43

Location: Phase I Property
Viewing: N/A
Description: General view of the first floor of the residential building (245 Reach Street)



Photograph 44

Location: Phase I Property
Viewing: N/A
Description: General view of the second floor of the residential building (245 Reach Street)




Photograph 45

Location: Phase I Property
Viewing: N/A
Description: View of the propane furnace located in the basement of the building (245 Reach Street)



Photograph 46

Location: Phase I Property
Viewing: N/A
Description: View of the propane furnace located in the basement of the building (245 Reach Street)



Photograph 47

Location: Phase I Property
Viewing: N/A
Description: View of the location of the former aboveground storage tank located in the basement of the building (245 Reach Street)



Photograph 48

Location: Phase I Property
Viewing: N/A
Description: View of the concrete floor of the room that stored the former aboveground storage tank located in the basement of the building (245 Reach Street)



Photograph 49

Location: Phase I Property
Viewing: N/A
Description: View of the garage of the residential building (245 Reach Street)



Photograph 50

Location: Phase I Property
Viewing: Northeast
Description: View of the propane tanks located adjacent to the west wall of the residential building (245 Reach Street)



Photograph 51

Location: Phase I Property
Viewing: N/A
Description: View of the former fill and vent pipes located on the west wall of the residential building (245 Reach Street)



Photograph 52

Location: Phase I Property
Viewing: Northeast
Description: View of the residential building located at 249 Reach Street



Photograph 53

Location: Phase I Property
Viewing: North
Description: General view of the first floor of the residential building (247 Reach Street)



Photograph 54

Location: Phase I Property
Viewing: West
Description: General view of the first floor of the residential building (247 Reach Street)



Photograph 55

Location: Phase I Property
Viewing: N/A
Description: General view of the garage of the building (247 Reach Street)



Photograph 56

Location: Phase I Property
Viewing: N/A
Description: General view of the basement of residential building (247 Reach Street)



Photograph 57

Location: Phase I Property
Viewing: N/A
Description: View of the propane furnace located in the basement of the residential building (247 Reach Street)



Photograph 58

Location: Phase I Property
Viewing: N/A
Description: View of the hot water tank located in the basement of the residential building (247 Reach Street)



Photograph 59

Location: Phase I Property
Viewing: N/A
Description: View of the propane tanks located adjacent to the east wall of the residential building (247 Reach Street)



Photograph 60

Location: Phase I Property
Viewing: North
Description: View of the neighboring properties to the north



Photograph 61

Location: Phase I Property
Viewing: N/A
Description: View of the neighboring properties to the west



Photograph 62

Location: Phase I Property
Viewing: Northeast
Description: View of the neighboring properties to the east



Photograph 63

Location: Phase I Property
Viewing: South
Description: View of the neighboring properties to the south

APPENDIX G



Sirati & Partners Consultants Ltd.
Geotechnical & Environmental Services
Engineering Solutions

Phase One Environmental Site Assessment Interview Questions

Please provide answers to all of the questions listed below, to the best of your knowledge. If you do not know the answer, please write "unknown". If you do not fully understand any of the questions please contact our office.

Interviewee Information:

1. Your full name, position and title.
MOHAMMAD ABHARY, Director
2. Name of your employer, and how long have you been employed with the employer?
Since inception
3. Your relation to the subject property, and how many years have you been involved with the property.
about 1 year, Purchased 6 properties for redevelopment.
4. Are you aware of any individuals who may have additional knowledge of current activities at the property? If so, please provide the names of those individuals, a description of their relationship to the property, and their contact information (if known).
Morris Bonakdar, Director
5. Are you aware of any individuals with knowledge of previous property uses and activities? If so, please provide the names of those individuals, a description of their relationship to the property, and their contact information (if known).
Previous owners, all single family residences.

Current and Past Site Activities

6. What are the current site activities? Please describe briefly, to the best of your knowledge, below.
6 single family residences.
7. How long has the site been used for its current purpose? How long has your company been at this location?
Single family for many years, at least 20 years. We have owned them from March 2017 - July 2017. Our closing date is
8. To your knowledge, has the site ever been used for:
 - a. Industrial operations (list any if known) *No*
 - b. On-site dry cleaning *No*
 - c. Fuel distribution or storage *No*
 - d. Vehicle servicing and/or maintenance *No*
9. Other than the activities listed above, what was the site previously used for? Please list all known uses, and approximate dates if known.
Single family residences, at least 20 years, prior to that bare land / wood lots.

- c. Is there a surcharge agreement for discharge to the sewers? *No*
- 23. Does the facility produce air emissions? If yes, please answer the following:
 - a. Does the facility have a Certificate of Approval (C of A) for air emissions? *N/A No*
 - b. Are air emissions from the site monitored? *N/A No*
 - c. Have any ventilation systems been installed to handle air emissions? *N/A No*
 - d. Have there been any reported air emission infractions? *N/A No*

Environmental Reports, Remediation and Public Agencies

- 24. Have any previous environmental assessments or studies been completed for the property with respect to soil, ground water, air quality, site facilities or processes? *(1) No*
- 25. Has any soil or ground water remediation been completed at the property? *No*
- 26. Has any public agency (e.g., the Ministry of the Environment, local municipality, etc.) ever investigated or cited the property for violation or possible violation of any environmental law, or commenced enforcement or cleanup action under environmental law with respect to the property? *No*
- 27. Has any public agency ever listed the property as a site requiring or qualifying for cleanup under environmental law? *No*

(1) 241 Reach St. has a Phase 1 report.

231
 235
 237
 245
 249

} all single Family Res
 No Phase 1 Done.

Items of Potential Environmental Concern

If the answer to any of the questions in the above section is "yes", please provide details.

General

10. Do site operations involve the storage and/or use of environmentally sensitive or hazardous products, such as paints, chemicals, fuels, oils and lubricants? *No*
11. Are herbicides, pesticides, or other agricultural chemicals being used on the property? *No*
12. Are there any underground structures, such as in-ground hoists, pits, storage tanks, or oil/water separators located on the property? *Septic tanks.*
13. Are you aware of any wells located on the property? *Yes. Houses have well water.*

Tanks

14. Are you aware of any existing or previous underground (buried) or aboveground tanks on the property? *Septic tanks. for single family residential use.*
15. Are you aware of any leaks or spills associated with any existing or previous tanks on the property? *No.*
16. Is there any documentation on file regarding removal of underground or aboveground tanks and/or related soil and ground water remediation at the property? *No*

Polychlorinated Biphenyls (PCBs)

17. Are you aware of any PCB-containing electrical equipment on the property such as electrical transformers, large capacitors and electric motors manufactured prior to 1980? *No*
18. Is the site a registered PCB storage facility? *No*
19. Are you aware of any previous PCB leaks, spills or contamination on the property? *No*
20. Have there been any previous PCB surveys or removal of PCB-containing materials? *No*

Waste Generation and Emissions

21. Is the site registered as a waste generator with the Ministry of the Environment (registered on HWIN)? *No*
22. Is any waste water produced at the site? If yes, please answer the following:
- Is analytical testing of waste water carried out? *No*
 - Are you aware of any sewer-use by-law infractions? *No*