

July 29, 2025

Attn: Jennifer Beer, Development Services

Township of Uxbridge
Development Services Department
51 Toronto Street South, PO Box 190
Uxbridge, ON L9P 1T1

**RE: Amrize Canada (formerly Lafarge Canada Inc.)
Goodwood Pit Extension, Response to AECOM September 9 2024 comments
OPA 72, ZBA 2024-02
FILE: 9526HC**

On behalf of Amrize Canada (formerly Lafarge Canada), we have the following response to the AECOM Peer Review Comments on the Aggregate Resources Act Site Plan dated September 9, 2024.

The table below summarizes the AECOM comment letter and Goodwood Pit Extension Project Team Responses:

AECOM COMMENT	Goodwood Pit Extension Project Team Response(s)
1) General a) Please provide the following in the next submission i) Stormwater Management Memo ii) Well Monitoring plan for adjacent wells	See Stormwater Management Memo and AECOM Peer Review Response prepared by WSP, July 2025. The updated well monitoring plan has been included on the revised ARA Site Plan (June 2025). See Page 2, notes M1 (in blueline)
2) Existing Features Plan by MHBC a) A proposed Sit Plan with proposed monitoring wells should be provided	The updated well monitoring plan has been included on the revised ARA Site Plan (June 2025). See Page 2, notes M1 (in blueline)
3) Operation Plan by MHBC a) No comments	n/a
4) Rehabilitation Plan by MHBC a) A detail of the existing landscaping to be maintained and any additional landscaping required for	Site Screening details are included in Notes F1-F7 on Page 2 of the Site Plan.

b) screening along Concession 4 shall be provided.	<p>The tree screen to be added along the Licence boundary adjacent to Receptor 4 (R04) is shown on Page 2 of the Site Plan drawing and referenced in Note F6.</p> <p>The existing vegetation within the setbacks along Concession Road 4 will be maintained, except where the noise attenuation berms are required. This is shown on the drawing on Page 2 of the Site Plan.</p>
5) Maximum Predicted Water Table Elevation by WSP a) No comments	n/a
6) Proposed Goodwood Pit Extension Natural Environment Report by WSP a) No comments	n/a
7) Noise Impact Study a) No comments	n/a
8) Planning Justification Report and Aggregate Resources Act Summary Statement	n/a
9) Transportation Impact Study by TYLine	See TYLin Response to Region of Durham TIS comments, April 2024 and TYLin revised Traffic Impact Study, April 2025

An updated version of the ARA Site Plan (June 2025) has also been included with this response letter.


The WSP and TYLin Responses and June 2025 ARA Site Plan can be downloaded from the following link:

[Goodwood Extension Pit - Region and Township Peer Review Responses July 2025](#)

Should you wish to meet to discuss the above responses, please let us know.

Yours truly,

MHBC



Caitlin Port, MES, MCIP, RPP

cc. *Chris Galway, Amrize*
Brian Zeman, MHBC